

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
22 March 2001 (22.03.2001)

PCT

(10) International Publication Number  
**WO 01/19870 A2**

(51) International Patent Classification<sup>7</sup>: **C07K 14/705**

(74) Agent: **BECKER, Philippe**; Cabinet Becker et Associés,  
10, rue de Milan, F-75009 Paris (FR).

(21) International Application Number: **PCT/EP00/09137**

(22) International Filing Date:  
18 September 2000 (18.09.2000)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:  
09/397,550 16 September 1999 (16.09.1999) US

(71) Applicant (for all designated States except US):  
**WARNER-LAMBERT COMPANY** [US/US]; 201  
Tabor Road, Morris Plains, NJ 07950 (US).

(81) Designated States (national): AE, AG, AL, AM, ~~AT~~ AU,  
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, ~~CU~~ CZ,  
DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, ~~GM~~ HR,  
HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, ~~LR~~ LR,  
LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, ~~MX~~ MZ,  
NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, ~~TE~~ TM,  
TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States (regional): ARIPO patent (~~GB~~ GM,  
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), ~~European~~ European  
patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), ~~European~~ European  
patent (AT, BE, CH, CY, ~~DE~~ DK, ES, FI, FR, GB, ~~GR~~ IE,  
IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, ~~CG~~ CG,  
CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, ~~TG~~).

**Published:**

— Without international search report and to be republished  
upon receipt of that report.

For two-letter codes and other abbreviations, refer to the "Guidance  
Notes on Codes and Abbreviations" appearing at the beginning  
of each regular issue of the PCT Gazette.

(72) Inventors; and

(75) Inventors/Applicants (for US only): **BROWN, Jason,**  
**Peter** [GB/GB]; 9 Church Street, Stapleford, Cambridge,  
Cambridgeshire CB2 5DS (GB). **BERTELLI, François**  
[FR/GB]; 25 The Close, Royston, Hertfordshire SG8 7JT  
(GB).



**WO 01/19870 A2**

(54) Title: **SECRETED SOLUBLE  $\alpha 2\delta$ -2,  $\alpha 2\delta$ -3 OR  $\alpha 2\delta$ -4 CALCIUM CHANNEL SUBUNIT POLYPEPTIDES AND SCREENING ASSAYS USING SAME**

(57) Abstract: The present invention relates to secreted soluble  $\alpha 2\delta$ -2,  $\alpha 2\delta$ -3 or  $\alpha 2\delta$ -4 calcium channel subunit polypeptides and their preparation, corresponding nucleic acids, recombinant vectors and host cells, as well as screening assays using same.

**BEST AVAILABLE COPY**

**Secreted soluble  $\alpha 2\delta$ -2,  $\alpha 2\delta$ -3 or  $\alpha 2\delta$ -4 calcium channel subunit polypeptides  
and screening assays using same**

5

**FIELD OF THE INVENTION**

The present invention relates to soluble  $\alpha 2\delta$ -2,  $\alpha 2\delta$ -3 or  $\alpha 2\delta$ -4 calcium channel subunits and their preparation, corresponding nucleic acids, recombinant vectors and host cells comprising the same, as well as screening assays using same. The present invention  
10 relates to secreted soluble  $\alpha 2\delta$ -2,  $\alpha 2\delta$ -3 or  $\alpha 2\delta$ -4 calcium channel subunit polypeptides and their preparation, corresponding nucleic acids, recombinant vectors and host cells, as well as screening assays using same

**BACKGROUND OF THE INVENTION**

15 Voltage-dependent  $\text{Ca}^{2+}$  channels (VDCCs) are heteromultimeric complexes present in both neuronal and non-neuronal tissues, including heart and skeletal muscle. VDCCs are minimally composed of three subunits: a pore-forming transmembrane  $\alpha_1$  subunit, a hydrophilic intracellular  $\beta$  subunit, and a membrane-associated  $\alpha_2\delta$  subunit; a transmembrane  $\gamma$  subunit is also found in skeletal muscle tissue. Multiple subtypes and/or  
20 splice variants of the  $\alpha_1$ ,  $\beta$ , and  $\alpha_2\delta$  subunits have been found.

Gabapentin ((1-aminomethyl)cyclohexane acetic acid or Neurontin) is a structural analogue of GABA, which is mainly used as an adjunctive therapy for epilepsy. Recent research suggests that gabapentin may also have clinical utility for various indications  
25 including anxiety and pain. Although designed as a lipophilic GABA-mimetic, gabapentin does not have a high affinity for either GABA<sub>A</sub> or GABA<sub>B</sub> receptors, GABA uptake sites, or the GABA-degrading enzyme GABA-transaminase (EC 2.6.1.19).

A novel high affinity binding site for [ $^3\text{H}$ ]gabapentin in rat, mouse, and porcine brains has  
30 been characterized. Recently, the [ $^3\text{H}$ ]gabapentin-binding protein was isolated from pig brain and identified as the  $\alpha_2\delta$ -1 subunit of VDCCs. None of the prototypic anticonvulsant drugs displace [ $^3\text{H}$ ]gabapentin binding from the  $\alpha_2\delta$ -1 subunit. [ $^3\text{H}$ ]Gabapentin-binding is stereospecifically inhibited by two enantiomers of 3-isobutyl GABA. The rank order of potency of gabapentin, and S- and R-isobutyl GABA, at the  
35 [ $^3\text{H}$ ]gabapentin binding site mirrors their anticonvulsant activity in mice. However, electrophysiological studies have yielded conflicting data on the action of gabapentin at VDCCs.

- The  $\alpha_2\delta$  subunit is derived from a single gene, the product of which is extensively post-translationally modified particularly through the cleavage of the signal sequence. The polypeptide is cleaved to form disulfide-bridged  $\alpha_2$  and  $\delta$  peptides, both of which are heavily glycosylated. Although it seems clear today that the  $\alpha_2$  and  $\delta$  peptides are membrane-associated peptides, it is unclear whether these peptides comprise one or several transmembrane domains. Furthermore, the location, size and structural configuration of these eventual transmembrane domains remains to be determined.
- 10 But in any event, the fact that  $\alpha_2\delta$  is a membrane-associated protein, regardless of its precise structural configuration, renders its large scale expression in recombinant systems difficult. Indeed, as the  $\alpha_2\delta$  protein is targeted to the membrane, it requires detergent solubilisation to release it for purification. This important drawback imposes considerable restrictions for any potential applications requiring large amounts of
- 15 recombinant protein. Furthermore, the various subtypes of  $\alpha_2\delta$  subunits are different proteins with very low homologies. It is therefore extremely difficult to predict their respective behaviors, for example in gene truncation experiments.
- The only assay currently available for the screening of ligands that bind the  $\alpha_2\delta$  subunit involves the use of pig membrane extracts as a source of the  $\alpha_2\delta$  subunit. Such an assay presents major inconvenients. Firstly, because the assay material is a membrane extract, it is very difficult to accurately determine the protein composition from one assay preparation to another particularly with regard to the subtype. Also, the presence of various impurities in the assay preparation is a problem in small plate assays.
- 20 Furthermore, as the protein preparation lacks homogeneity, the interaction between the targeted protein and the assay plate is often quite uneven. This renders the streamlining of the assay in a high throughput format almost impossible to achieve.

#### SUMMARY OF THE INVENTION

30

The invention relates to forms of calcium channel  $\alpha_2\delta$  subunits that are soluble and retain the functional characteristics of the full-length or wild-type  $\alpha_2\delta$  subunit from which they derive.

- In particular, the invention relates to forms of calcium channel  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4
- 35 subunits that are soluble and retain the functional characteristics of the full-length or wild-type  $\alpha_2\delta$  subunit from which they derive.

In the context of the present invention, a calcium channel  $\alpha_2\delta$  subunit, in particular a calcium channel  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 sub-unit, is preferably a mammalian calcium channel  $\alpha_2\delta$  subunit, in particular human or porcine.

In the context of the present invention, a calcium channel is preferably of cerebral

5 cortical origin and/or voltage-dependent.

In the context of the present invention, the inventors have found that it was possible to delete a portion of the nucleotide sequence encoding a eukaryotic, preferably a mammal cerebral cortical voltage-dependent calcium channel  $\alpha_2\delta$  subunit to yield a soluble secreted protein which retains its affinity for [ $^3$ H]gabapentin.

10 Preferably, a "soluble form" means a form that is not membrane-associated. In particular, a "soluble form" means a form lacking membrane anchorage, a purified form, an isolated form, a free form and/or a secreted form.

Preferably, the "functional characteristics of the full-length or wild-type  $\alpha_2\delta$  subunit" are the affinity for, the binding of or the interaction with ligands, especially [ $^3$ H]gabapentin, gabapentin and/or spermine.

15

The invention concerns:

1) A purified or isolated nucleic acid encoding a mammalian secreted soluble cerebral cortical voltage-dependent calcium channel  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit polypeptide.

20

2) A purified or isolated nucleic acid according to 1), comprising a polynucleotide having at least 90% identity with the sequence encoding :

- from amino-acid 1 to between amino-acids 1027 and 1062 of SEQ ID N°20 for  $\alpha_2\delta$ -2,

2,

25 - from amino-acid 1 to between amino-acids 984 and 1019 of SEQ ID N°22 for  $\alpha_2\delta$ -3.

3) A purified or isolated nucleic acid according to 1), having at least 90% identity with the sequence encoding :

- from amino-acid 1 to between amino-acids 1047 and 1062 of SEQ ID N°20 for  $\alpha_2\delta$ -

30 2,

- from amino-acid 1 to between amino-acids 1004 and 1019 of SEQ ID N°22 for  $\alpha_2\delta$ -

3.

4) A purified or isolated nucleotide sequence according to 1) wherein said sequence is

35 the sequence of SEQ ID N°1, SEQ ID N°2, SEQ ID N°3, SEQ ID N°7, SEQ ID N°8,

SEQ ID N°9, SEQ ID N°13, SEQ ID N°14, SEQ ID N°15, SEQ ID N°19 or SEQ ID N°21.

- 5 5) A purified or isolated nucleic acid, having at least 90% identity with the nucleotide sequence of SEQ ID N°19 or SEQ ID N°21.
- 6) A purified or isolated polynucleotide comprising at least 10 consecutive nucleotides of the nucleotide sequence of SEQ ID N°19 or SEQ ID N°21.
- 10 7) A polynucleotide probe or primer hybridizing, under stringent conditions, with the nucleotide sequence of SEQ ID N°19 or SEQ ID N°21.
- 8) A method for the amplification of a nucleic acid encoding a mammalian secreted soluble cerebral cortical voltage-dependent calcium channel  $\alpha_2\delta$ -n subunit polypeptide wherein n is 2, 3 or 4, said method comprising the steps of:
- 15 (a) contacting a test sample suspected of containing the target secreted soluble  $\alpha_2\delta$ -n subunit nucleic acid, or a sequence complementary thereto, with an amplification reaction reagent comprising a pair of amplification primers located on either side of the  $\alpha_2\delta$ -n subunit nucleic acid region to be amplified, and
- 20 (b) optionally, detecting the amplification products.
- 9) A kit for the amplification of a nucleic acid encoding a secreted soluble  $\alpha_2\delta$ -n subunit polypeptide wherein n is 2, 3 or 4, or a complementary sequence thereto in a test sample, wherein said kit comprises:
- 25 (a) a pair of oligonucleotide primers which can hybridize, under stringent conditions, to the secreted soluble  $\alpha_2\delta$ -n subunit nucleic acid region to be amplified;
- (b) optionally, the reagents necessary for performing the amplification reaction.
- 30 10) A recombinant vector comprising a nucleic acid according to any one of 1) to 6).
- 11) A recombinant host cell comprising a nucleic acid according to any one of 1) to 6) or a vector according to 10).
- 35 12) A method for producing a secreted soluble  $\alpha_2\delta$ -n subunit wherein n is 2, 3 or 4, and said method comprises the steps of:

- (a) inserting the nucleic acid encoding the desired  $\alpha_2\delta$ -n subunit polypeptide in an appropriate vector;
- (b) culturing, in an appropriate culture medium, a host cell previously transformed or transfected with the recombinant vector of step (a);
- 5 (c) harvesting the culture medium thus obtained or lyse the host cell, for example by sonication or osmotic shock;
- (d) separating or purifying, from said culture medium, or from the pellet of the resultant host cell lysate, the thus produced  $\alpha_2\delta$ -n subunit polypeptide of interest.
- 10 13) A purified or isolated recombinant polypeptide comprising the amino acid sequence of a secreted soluble  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit polypeptide.
- 14) A recombinant polypeptide according to 13), having at least 80% amino-acid identity with a polypeptide comprising :
- 15 - from amino acid 1 to between amino acids 1027 and 1062 of the amino acid sequence of SEQ ID N°20, or
- from amino acid 1 to between amino acids 1019 and 1079 of the amino acid sequence of SEQ ID N°22.
- 20 15) A recombinant polypeptide according to 14), wherein said recombinant polypeptide is selected from the group consisting of the amino acid sequences of SEQ ID n°4, SEQ ID n°5, SEQ ID n°6, SEQ ID n°10, SEQ ID n°11, SEQ ID n°12, SEQ ID n°16, SEQ ID n°17, SEQ ID n°18, SEQ ID n°23 and SEQ ID n°24.
- 25 16) A method for the screening of ligands which bind a cerebral cortical voltage-dependent calcium channel  $\alpha_2\delta$ -n subunit wherein n is 2, 3 or 4, said method comprising the steps of:
- contacting a secreted soluble recombinant calcium channel  $\alpha_2\delta$ -n subunit polypeptide with:
- 30 - a ligand of interest; and
- a labelled compound which binds the  $\alpha_2\delta$ -n subunit; and
- measuring the level of binding of the labelled compound to the  $\alpha_2\delta$ -n subunit.
- 17) A method according to 16), wherein said method is a scintillation proximity
- 35 assay.
- 18) A method according to 16), wherein said method is a flashplate assay.

19) A method according to 16), wherein said method is a filter binding assay.

20) A method according to 16), wherein said secreted soluble recombinant calcium channel  $\alpha_2\delta$ -n subunit polypeptide is selected from polypeptides having at least 80%, preferably 90%, more preferably 95%, and most preferably 98 or 99% amino-acid identity with the polypeptide comprising from amino acid 1 to between amino-acids 984 and 1063, preferably between amino-acids 994 and 1054, and most preferably between amino-acids 1019 and 1054 of SEQ ID N°5 or SEQ ID N°16.

21) A method according to 16), wherein said secreted soluble recombinant calcium channel  $\alpha_2\delta$ -n subunit polypeptide is selected from the group consisting of SEQ ID N°4, 5, 6, 10, 11, 12, 16, 17 and 18,

22) A kit for the screening of ligands which bind a cerebral cortical voltage-dependent calcium channel  $\alpha_2\delta$ -n subunit wherein n is 2, 3 or 4, said kit comprising:

- a secreted soluble recombinant calcium channel  $\alpha_2\delta$ -n subunit; and
- a labelled compound which binds to the  $\alpha_2\delta$ -n subunit.

Hence, the invention concerns nucleotide sequence fragments of a cerebral cortical voltage dependent calcium channel  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit cDNA encoding a soluble secreted  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit polypeptide (hereinafter a  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit). Preferably, these nucleotide sequences encode a soluble secreted  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit polypeptide bearing a gabapentin or a [ $^3$ H]gabapentin binding site. More preferably, the soluble secreted  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit nucleic acid is derived from a eukaryotic, preferably a mammal, more preferably a human  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit.

bearing a gabapentin or a [ $^3$ H]gabapentin binding site

A further object of the present invention concerns recombinant vectors comprising a nucleic acid sequence encoding a soluble secreted  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit polypeptide.

The invention also encompasses host cells and transgenic non-human mammals comprising said nucleic acid sequences or recombinant vectors.

The invention also concerns a soluble secreted  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit polypeptide which is characterized in that it is a soluble secreted polypeptide having affinity for

[<sup>3</sup>H]gabapentin. Preferably, the soluble secreted polypeptide is derived from a mammal, more preferably a human  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit.

5 The inventors have also found that it was possible to use a soluble secreted form of a voltage-dependant calcium channel  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit polypeptide in an assay for the screening of ligands which bind the  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit.

The invention therefore also concerns a method for the screening of ligands which bind a calcium channel  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit.

10 The method comprises the steps of:

- contacting a secreted soluble recombinant calcium channel  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit polypeptide with:
  - a ligand of interest; and
  - a labelled compound which binds a  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit; and
- 15 - measuring the level of binding of the labelled compound to the secreted soluble  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit.

The invention also concerns a kit for the screening of ligands which bind a calcium channel  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit.

20 The kit comprises:

- a secreted soluble recombinant calcium channel  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit polypeptide; and
- a labelled compound which binds a calcium channel  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit.

25

The invention also concerns :

- 1) A calcium channel  $\alpha_2\delta$  subunit that is soluble and retain the functional characteristics of the full-length or wild-type  $\alpha_2\delta$  subunit from which it derives.
- 30 2) A calcium channel  $\alpha_2\delta$  subunit according to 1) above wherein the full-length or wild-type  $\alpha_2\delta$  subunit from which it derives is of mammalian origin.
- 3) A calcium channel  $\alpha_2\delta$  subunit according to 2) above wherein the mammalian origin is a human, a porcine, a rat or a mouse origin.
- 4) A calcium channel  $\alpha_2\delta$  subunit according to 3) above wherein the mammalian
- 35 origin is a human origin.



- 5) A calcium channel  $\alpha_2\delta$  subunit according to any one of 1) to 4) above, wherein the full-length or wild-type  $\alpha_2\delta$  subunit from which it derives is naturally expressed in the cerebral cortical.
- 6) A calcium channel  $\alpha_2\delta$  subunit according to any one of 1) to 5) above, wherein the full-length or wild-type  $\alpha_2\delta$  subunit from which it derives is voltage-dependent.
- 7) A calcium channel  $\alpha_2\delta$  subunit according to any one of 1) to 6) above, wherein the  $\alpha_2\delta$  subunit is cleaved.
- 8) A calcium channel  $\alpha_2\delta$  subunit according to any one of 1) to 7) above, wherein the  $\alpha_2\delta$  subunit is cleaved into separate  $\alpha_2$  and  $\delta$  peptides.
- 9) A calcium channel  $\alpha_2\delta$  subunit according to 8) above, wherein the  $\alpha_2$  and  $\delta$  peptides are disulfide-bridged.
- 10) A calcium channel  $\alpha_2\delta$  subunit according to any one of 1) to 6) above, wherein the  $\alpha_2\delta$  subunit is not cleaved.
- 11) A calcium channel  $\alpha_2\delta$  subunit according to any one of 1) to 10) above characterized in that it is purified or isolated.
- 12) A calcium channel  $\alpha_2\delta$  subunit according to any one of 1) to 11) above characterized in that it is processed as the full-length or wild-type  $\alpha_2\delta$  subunit from which it derives is naturally processed.
- 13) A calcium channel  $\alpha_2\delta$  subunit according to any one of 1) to 12) above characterized in that it is producible by the baculovirus/insect cells expression system.
- 14) A calcium channel  $\alpha_2\delta$  subunit according to any one of 1) to 13) above characterized in that it is produced by the baculovirus/insect cells expression system.
- 15) A calcium channel  $\alpha_2\delta$  subunit according to any one of 1) to 14) above characterized in that its  $\delta$  peptide comprises at least the ligand-interacting part(s) of the complete  $\delta$  peptide from which it originates
- 16) A calcium channel  $\alpha_2\delta$  subunit according to any one of 1) to 15) above characterized in that its  $\delta$  peptide has a C-terminal truncation with respect to the complete  $\delta$  peptide from which it originates, said truncation being sufficient to render the truncated  $\delta$  peptide soluble.
- 17) A calcium channel  $\alpha_2\delta$  subunit according to any one of 1) to 16) above characterized in that its  $\alpha_2$  peptide comprises at least the ligand-interacting part(s) of the complete  $\alpha_2$  peptide from which it originates.
- 18) A calcium channel  $\alpha_2\delta$  subunit according to any one of 15) or 17) above characterized in that ligand is gabapentin, L-Norleucine, L-Allo-Isoleucine, L-Methionine, L-Leucine, L-Isoleucine, L-Valine, Spermine or L-Phenylalanine.
- 19) A calcium channel  $\alpha_2\delta$  subunit according to any one of 1) to 18) above characterized in that its  $\alpha_2$  peptide comprises at least the ligand-interacting part(s) of the

complete  $\alpha_2$  peptide from which it originates, its  $\delta$  peptide comprises at least the ligand-interacting part(s) of the complete  $\delta$  peptide from which it originates and its  $\delta$  peptide does not comprise a part of the transmembrane domain of the complete  $\delta$  peptide from which it originates which renders said calcium channel insoluble.

- 5 20) A calcium channel  $\alpha_2\delta$  subunit according to any one of 1) to 19) above wherein the full-length or wild-type  $\alpha_2\delta$  subunit from which it derives or originates is  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4.
- 21) A calcium channel  $\alpha_2\delta$  subunit according to any one of 1) to 20) above wherein the full-length or wild-type  $\alpha_2\delta$  subunit from which it derives or originates has the amino  
10 acid sequence of SEQ ID N°20.
- 22) A calcium channel  $\alpha_2\delta$  subunit according to 20) or 21) above characterized in that the amino acid sequence of its unprocessed form comprises or consists of SEQ ID N° 4, SEQ ID N° 5 or SEQ ID N° 6.
- 23) A calcium channel  $\alpha_2\delta$  subunit according to any one of 20) to 22) above  
15 characterized in that the amino acid sequence of its unprocessed form comprises the region comprised between amino acid number 340 and amino acid number 1062 of SEQ ID N°20.
- 24) A calcium channel  $\alpha_2\delta$  subunit according to any one of 1) to 20) above wherein the full-length or wild-type  $\alpha_2\delta$  subunit from which it derives or originates has the amino  
20 acid sequence of SEQ ID N°21.
- 25) A calcium channel  $\alpha_2\delta$  subunit according to 20) or 24) characterized in that the amino acid sequence of its unprocessed form comprises or consists of SEQ ID N° 10, SEQ ID N° 11 or SEQ ID N° 12.
- 26) A calcium channel  $\alpha_2\delta$  subunit according to any one of 20), 24) or 25) above  
25 characterized in that the amino acid sequence of its unprocessed form comprises or consists of the region comprised between amino acid number 306 and amino acid number 1019 of SEQ ID N°20.
- 27) A calcium channel  $\alpha_2\delta$  subunit according to any one of 1) to 20) above wherein the full-length or wild-type  $\alpha_2\delta$  subunit from which it derives or originates has the amino  
30 acid sequence of SEQ ID N°55.
- 28) A calcium channel  $\alpha_2\delta$  subunit according to 20) or 27) above characterized in that the amino acid sequence of its unprocessed form comprises or consists of SEQ ID N° 53, SEQ ID N° 54 or SEQ ID N° 55.
- 29) A calcium channel  $\alpha_2\delta$  subunit according to any one of 20), 27) or 28) above  
35 characterized in that the amino acid sequence of its unprocessed form comprises or consists of the region comprised between amino acid number 302 and amino acid number 1050 of SEQ ID N°55.

- 30) A calcium channel  $\alpha_2\delta$  subunit according to any one of 1) to 20) above wherein the full-length or wild-type  $\alpha_2\delta$  subunit from which it derives or originates has the amino acid sequence of SEQ ID N°33 or SEQ ID N°44.
- 5 31) A calcium channel  $\alpha_2\delta$  subunit according to 20) or 30) above characterized in that the amino acid sequence of its unprocessed form comprises or consists of SEQ ID N° 34, SEQ ID N° 35, SEQ ID N° 36, SEQ ID N° 41, SEQ ID N° 42 or SEQ ID N° 43.
- 10 32) A calcium channel  $\alpha_2\delta$  subunit according to any one of 20), 30) or 31) above characterized in that the amino acid sequence of its unprocessed form comprises or consists of the region comprised between amino acid number 302 and amino acid number 1018 of SEQ ID N°33 or SEQ ID N°44.
- 15 33) A calcium channel  $\alpha_2\delta$  subunit according to any one of 20), 30) or 31) above characterized in that the amino acid sequence of its unprocessed form comprises or consists of the region comprised between amino acid number 302 and amino acid number 1018 of SEQ ID N°33 or SEQ ID N°44.
- 20 34) A calcium channel  $\alpha_2\delta$  subunit according to any one of 20), 30), 31), 32) or 33) above characterized in that its  $\alpha_2$  peptide comprises the region comprised between amino acid number 302 and amino acid number 946 or 997 of SEQ ID N°33 or of SEQ ID N°44 and its  $\delta$  peptide comprises the region comprised between amino acid number 984 and amino acid number 1018 of SEQ ID N°33 or of SEQ ID N°44.
- 35 35) A calcium channel  $\alpha_2\delta$  subunit characterized in that its  $\alpha_2$  peptide and its  $\delta$  peptide have 99%, 98%, 97%, 96%, or 95% homology or identity with the  $\alpha_2$  peptide and the  $\delta$  peptide respectively of a calcium channel  $\alpha_2\delta$  subunit according to any one of 1) to 34) above.
- 36) A nucleic acid molecule characterized in that its nucleotide sequence comprises a nucleotide sequence which encodes a calcium channel  $\alpha_2\delta$  subunit according to any one of 1) to 35) above.
- 37) A nucleic acid molecule characterized in that its nucleotide sequence comprises a nucleotide sequence which encodes the  $\alpha_2$  peptide or the  $\delta$  peptide of a calcium channel  $\alpha_2\delta$  subunit according to any one of 1) to 35) above.
- 30 38) A nucleic acid molecule which hybridizes under stringent conditions with a nucleic acid molecule according to 36) or 37) above or 39) herebelow.
- 39) A nucleic acid molecule according to any one of 36) to 38) above which comprises SEQ ID N°1, SEQ ID N°2, SEQ ID N°3, SEQ ID N°7, SEQ ID N°8, SEQ ID N°9, SEQ ID N°13, SEQ ID N°14, SEQ ID N°15, SEQ ID N°30, SEQ ID N°31, SEQ ID N°32, SEQ ID N°38, SEQ ID N°39, SEQ ID N°40, SEQ ID N°50, SEQ ID N°51, or SEQ ID N°52.

- 40) A vector capable of expressing a nucleic acid molecule according to any one of 36) to 39) above.
- 41) An expression vector comprising a nucleic acid molecule according to any one of 36) to 39) above.
- 5 42) A vector according to 40) or 41) above which is a baculovirus vector.
- 43) A cell comprising a nucleic acid molecule according to any one of 36) to 39) above.
- 44) A cell comprising a vector according to 40), 41) or 42) above.
- 45) A cell according to 43) or 44) above which is a mammalian cell or an insect cell.
- 10 46) A composition comprising a calcium channel  $\alpha_2\delta$  subunit according to any one of 7) to 9) above and a calcium channel  $\alpha_2\delta$  subunit according to 10) above.
- 47) Screening assay using a calcium channel  $\alpha_2\delta$  subunit according to any one of 11) to 35) above.
- 48) Screening assay according to 47) above which is an SPA assay, a Flashplate assay, a Nickel Flasplate assay, a Filter binding assay or a Wheat Germ Lectin flasplate assay.
- 15 49) Use of screening assay according to 47) or 48) above to detect or measure the binding or interaction of a ligand of a calcium channel  $\alpha_2\delta$  subunit and a calcium channel  $\alpha_2\delta$  subunit.
- 20 50) Use according to 49) above wherein the ligand is gabapentin, L-Norleucine, L-Allo-Isoleucine, L-Methionine, L-Leucine, L-Isoleucine, L-Valine, Spermine or L-Phenylalanine.
- 51) Kit to detect or measure the binding or interaction of a ligand of a calcium channel  $\alpha_2\delta$  subunit and a calcium channel  $\alpha_2\delta$  subunit comprising a calcium channel  $\alpha_2\delta$  subunit according to any one of 1) to 35) above.
- 25 52) Kit according to 51) above wherein the ligand is gabapentin, L-Norleucine, L-Allo-Isoleucine, L-Methionine, L-Leucine, L-Isoleucine, L-Valine, Spermine or L-Phenylalanine.
- 53) Kit according to 51) or 52) above usable in an SPA assay, a Flashplate assay, a Nickel Flasplate assay, a Filter binding assay or a Wheat Germ Lectin flasplate assay.
- 30

#### BRIEF DESCRIPTION OF THE FIGURES

- Figure 1 illustrates the dose response nature of [ $^3$ H]gabapentin binding s- $\alpha_2\delta$ -2-6His and the maintenance of a constant low-level of non-specific binding (around 30-60cpm) independent of protein volume assayed.
- 35

Figure 2 illustrates the dose response nature of [<sup>3</sup>H]gabapentin binding s- $\alpha_2\delta$ -2-6His in the Nickel flashplate assay. As in the filter-binding assay, the level of non-specific binding is low (around 70-100cpm) and stable, independent of the volume of protein assayed or the point analysed on the time-course. A stable window is maintained for a period of at least 50 hours (between ~20 and 70 hours on the time-course)

Figure 3 illustrates the dose response nature of [<sup>3</sup>H]gabapentin binding s- $\alpha_2\delta$ -2-6His in the Wheat Germ lectin flashplate assay. Once again the level of non-specific binding is low (around 50-70cpm) and stable, independent of the volume of protein assayed or the point analysed on the time-course. The window is relatively stable over an extended period of time with just a gradual decline from the 15-hour time point (approximately 10% of the window every 24 hours).

#### DETAILED DESCRIPTION OF THE INVENTION

The invention concerns truncated  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit cDNA sequences. These truncated sequences encode soluble secreted polypeptides which retain their affinity for [<sup>3</sup>H]gabapentin.

Throughout the present specification, the expression "nucleotide sequence" is used to designate indifferently a polynucleotide or a nucleic acid. More precisely, the expression "nucleotide sequence" encompasses the nucleic material and the sequence information and is not restricted to the sequence information (i.e. the succession of letters chosen among the four base letters) that biochemically characterizes a specific DNA or RNA molecule.

As used interchangeably herein, the terms "oligonucleotides", "nucleic acids" and "polynucleotides" include RNA, DNA, or RNA/DNA hybrid sequences of more than one nucleotide in either single chain or duplex form.

Further to its general meaning understood by the one skilled in the art, the term "nucleotide" is also used herein to encompass modified nucleotides which comprise at least one of the following modifications (a) an alternative linking group, (b) an analogous form of purine, (c) an analogous form of pyrimidine, or (d) an analogous sugar. For examples of analogous linking groups, purines, pyrimidines, and sugars, see for example PCT publication N°WO 95/04064.

The polynucleotide sequences of the invention may be prepared by any known method, including synthetic, recombinant, or a combination thereof as well as through any purification methods known in the art.

**A) Secreted  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit polypeptides**

The invention comprises polynucleotide sequences encoding a soluble secreted eukaryotic, preferably a soluble secreted mammal  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit polypeptide. These sequences particularly include but are not restricted to 1) those sequences encoding a soluble secreted polypeptide of this  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit which preferably retains its binding affinity for [ $^3$ H]gabapentin and 2) nucleotide fragments useful as nucleic acid primers or probes for amplification or detection purposes.

The expression "soluble secreted  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit" is intended to designate polypeptide sequences which, when produced by a recombinant host cell, are secreted at least partially into the culture medium rather than remaining associated with the host cell membrane.

**1) cDNA fragments encoding soluble secreted  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3,  $\alpha_2\delta$ -4 subunit polypeptides**

One of the important embodiments of the present invention concerns truncated nucleotide sequences of  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit cDNAs which encode soluble secreted  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit polypeptides. The inventors have found that it was possible to generate deletion mutants of  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit cDNAs which, when expressed, produce a significant amount of soluble secreted proteins, preferably soluble secreted proteins, which retain their [ $^3$ H]gabapentin binding affinity. These truncated nucleotide sequences of the invention are of significant value to the skilled person as they now allow fast and reliable access to significant concentrations of selected soluble secreted  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit polypeptides. To that end, the inventors have determined the minimal and optimal fragment lengths required to express a polypeptide which: 1) binds [ $^3$ H]gabapentin with sufficient affinity and; 2) is obtained in a soluble secreted form.

The discussion provided below provides comments on possible truncations, giving as an example the human  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit. However, given the very substantial cross-species homology for  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit sequences, the comments below can also be applied to other eukaryotic species, and more particularly other mammalian species such as rat, mouse, rabbit or pig. Their  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit sequences, which for most are available in public databases, share a very substantial homology with the human  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit sequences.

The inventors believe that the soluble secreted  $\alpha_2\delta$ -2 subunit polypeptides which are as close as possible to the native sequence and which are therefore more likely to retain

their native folding and hence their [<sup>3</sup>H]gabapentin binding properties are those corresponding to the native protein in which amino-acid stretch 1027 to the C-terminal end of the amino-acid sequence of SEQ ID N°20 has been deleted. The skilled scientist can quite easily determine within this amino-acid stretch the optimal  $\alpha_2\delta$ -2 subunit polypeptides.

The inventors also believe that the soluble secreted  $\alpha_2\delta$ -3 subunit polypeptides which are as close as possible to the native sequence and which are therefore more likely to retain their native folding and hence their [<sup>3</sup>H]gabapentin binding properties are those corresponding to the native protein in which amino-acid stretch 984 to C-terminal end of the amino-acid sequence of SEQ ID N°22 has been deleted. The skilled scientist can quite easily determine within this amino-acid stretch the optimal  $\alpha_2\delta$ -3 subunit polypeptides.

The invention therefore particularly concerns a nucleotide sequence encoding a polypeptide having at least 80% identity with the polypeptide comprising from amino-acid 1 to between amino-acids 1027 and 1145, preferably to between amino-acids 1062 and 1145 of SEQ ID N°20.

Preferred nucleotide sequences include those of SEQ ID N°1, SEQ ID N° 2 and SEQ ID N°3.

The invention also concerns a nucleotide sequence encoding a polypeptide having at least 80% identity with the polypeptide comprising from amino-acid 1 to between amino-acids 984 and 1085, preferably to between amino-acids 1019 and 1085 of SEQ ID N°22.

Preferred nucleotide sequences include those of SEQ ID N°7, SEQ ID N° 8 and SEQ ID N°9.

The invention also encompasses isolated and/or purified nucleic acid molecules that hybridize under stringent conditions with the above nucleic acid sequences or a part thereof, and encode a soluble secreted  $\alpha_2\delta$  subunit polypeptide having the ability to bind [<sup>3</sup>H]gabapentin.

#### **B) Amplification of the soluble secreted $\alpha_2\delta$ -2, $\alpha_2\delta$ -3 or $\alpha_2\delta$ -4 subunit nucleotide sequences**

Another object of the invention consists of a method for the amplification of a nucleic acid encoding a soluble secreted  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit polypeptide, preferably a polypeptide bearing a [<sup>3</sup>H]gabapentin binding site, said method comprising the steps of:

(a) contacting a test sample suspected of containing the target  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit nucleic acid, a fragment or a variant thereof, or a sequence complementary thereto, with an amplification reaction reagent comprising a pair of amplification primers which can hybridize under stringent conditions, the  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit nucleic acid region to be amplified, and

(b) optionally, detecting the amplification products.

The expression [ $^3\text{H}$ ]gabapentin binding site, when used herein is intended to designate a site which can bind either [ $^3\text{H}$ ]gabapentin or other ligands such as (S+)-3-isobutyl gaba or (R-)-3-isobutyl gaba.

In a first preferred embodiment of the above method, the nucleic acid encodes a secreted soluble  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit polypeptide of SEQ ID N°4, SEQ ID N°5, SEQ ID N°6, SEQ ID N°10, SEQ ID N°11, SEQ ID N°12, SEQ ID N°16, SEQ ID N°17 and SEQ ID N°18.

In a second preferred embodiment of the above amplification method, the amplification product is detected by hybridization with a labelled probe having a sequence which is complementary to the amplified region.

### **C) Recombinant vectors and hosts cells for the expression of a secreted soluble $\alpha_2\delta$ -2, $\alpha_2\delta$ -3 or $\alpha_2\delta$ -4 subunit polypeptide**

A most preferred system of expression of the calcium channel  $\alpha_2\delta$  of the invention is the baculovirus/insect cell system. In fact, this system of expression allows to produce only the soluble form, is easy to use because the insect cells can be cultured without adherency and results in very high yield of production. Thus, this system allows mass-production of the calcium channel  $\alpha_2\delta$  of the invention, provides an homogeneous production and is therefore particularly suitable for the preparation of this target for screening, in particular for high-throughput screening.

#### **1) Recombinant vectors**

The present invention also encompasses a family of recombinant vectors comprising any one of the nucleic acids described herein. Firstly, the invention deals with a recombinant vector comprising a nucleic acid selected from the group consisting of:

(a) a purified or isolated nucleic acid encoding a secreted soluble  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit having at least 80% amino acid identity with the polypeptide of SEQ ID N°20 or 22, or a sequence complementary thereto;



(b) a purified or isolated nucleic acid having at least 90% nucleotide identity with a polynucleotide selected from the group consisting of the nucleotide sequences of SEQ ID N°1, SEQ ID N°2, SEQ ID N°3, SEQ ID No 7, SEQ ID N°8, SEQ ID N°9, SEQ ID N°13, SEQ ID N°14, SEQ ID N°15 or a sequence complementary thereto;

- 5 (c) a purified or isolated polynucleotide comprising at least 10 consecutive nucleotides of a nucleic acid described in (a) or (b) or a sequence complementary thereto.

In a first preferred embodiment a recombinant vector of the invention is used to amplify the inserted polynucleotide of the invention in a suitable host cell, this polynucleotide being amplified every time the recombinant vector replicates.

Recombinant expression vectors comprising a nucleic acid encoding secreted soluble  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit polypeptides that are described in the present specification are also part of the invention. These include, but are not restricted to, nucleic acids encoding from amino-acid 1 to between amino-acids 1027 and 1145, preferably between amino-acids 1062 and 1145 of SEQ ID N°20, as well as nucleic acids encoding from amino-acid 1 to between amino-acids 984 and 1085, preferably between amino-acids 1019 and 1085, of SEQ ID N°22.

Another preferred embodiment of the recombinant vectors according to the invention consist of expression vectors comprising a nucleic acid encoding  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit polypeptides of the invention, and more preferably a nucleic acid encoding a polypeptide selected from the group consisting of the amino acid sequences of SEQ ID N°4, SEQ ID N°5, SEQ ID N°6, SEQ ID N°10, SEQ ID N°11, SEQ ID N°12, SEQ ID N°16, SEQ ID N°17 and SEQ ID n°18.

25 Within certain embodiments, expression vectors can be employed to express the secreted soluble  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit polypeptides which can then be purified and for example, be used as a immunogen in order to raise specific antibodies directed against said secreted soluble  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit polypeptides.

30 Preferred eukaryotic vectors of the invention are listed hereafter as illustrative but not limitative examples: pcDNA3, pFLAG, pCMV-Script, pIND, pMC1NEO, pHIL, pGAPZA, pMT/V5-His-TOPO, pMT/V5-His, pAc5.1/V5-HisA, pDS47/V5-His, pcDNA4, pcDNA6, pEF1, pEF4, pEF6, pUB6, pZeoSV2, pRc/CMv2, pcDM8, pCR3.1, pDisplay, pSecTag2, pVP22, pEMZ, pCMV/Zeo, pSinRep5, pCEP, pREP, pHook-1

35

Preferred bacteriophage recombinant vectors of the invention are P1 bacteriophage vectors such as described by Sternberg N.L. (1992;1994).

A suitable vector for the expression of a soluble secreted  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit polypeptide is a baculovirus vector that can be propagated in insect cells and in insect cell-lines. Specific suitable host vectors includes, but are not restricted to :pFastBac-1, 5 pIZ/V5-His, pBacMan-1, pBlueBac4.5, pBlueBacHis2, pMelBacA, pVL1392, pVL1393

The recombinant expression vectors from the invention may also be derived from an adenovirus such as those described by Feldman and Steig. (1996) or Ohno et al. (1994). Another preferred recombinant adenovirus according to this specific embodiment of the 10 present invention is the human adenovirus type two or five (Ad 2 or Ad 5) or an adenovirus of animal origin (French Patent Application n°FR 93 05 954).

#### a) Regulatory expression sequences

Expression requires that appropriate signals are provided in the vectors, said signals 15 including various regulatory elements such as enhancers/promoters from both viral and mammalian sources that drive expression of the genes of interest in host cells. The regulatory sequences of the expression vectors of the invention are operably linked to the nucleic acid encoding a soluble secreted  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit polypeptide.

As used herein, the term "operably linked" refers to a linkage of polynucleotide elements 20 in a functional relationship. For instance, a promoter or an enhancer is operably linked to a coding sequence if it affects the transcription of the coding sequence.

More precisely, two DNA molecules (such as a polynucleotide containing a promoter region and a polynucleotide encoding a desired polypeptide or polynucleotide) are said to be "operably linked" if the nature of the linkage between the two polynucleotides does 25 not : (1) result in the introduction of a frame-shift mutation or (2) interfere with the ability of the polynucleotide containing the promoter to direct the transcription of the coding polynucleotide.

Generally, recombinant expression vectors include origins of replication, selectable markers permitting transformation of the host cell, and a promoter derived from a highly 30 expressed gene to direct transcription of a downstream structural sequence. The heterologous structural sequence is assembled in an appropriate frame with the translation, initiation and termination sequences, and preferably a leader sequence capable of directing sequences of the translated protein into the periplasmic space or the extra-cellular medium.

35 In a specific embodiment wherein the vector is adapted for transfecting and expressing desired sequences in eukaryotic host cells, preferred vectors comprise an origin of replication from the desired host, a suitable promoter and an enhancer, and also any

necessary ribosome binding sites, polyadenylation site, transcriptional termination sequences, and optionally 5'-flanking non-transcribed sequences.

DNA sequences derived from the SV 40 viral genome, for example SV 40 origin ~~early~~ promoter, enhancer, and polyadenylation sites may be used to provide the required non-transcribed genetic elements.

#### **b) Promoter sequences**

Suitable promoter regions used in the expression vectors according to the invention are chosen taking into account the host cell in which the heterologous nucleic acids have to be expressed.

A suitable promoter may be heterologous with respect to the nucleic acid for which it controls the expression, or alternatively can be endogenous to the native polynucleotide containing the coding sequence to be expressed.

Additionally, the promoter is generally heterologous with respect to the recombinant vector sequences within which the construct promoter/coding sequence has been inserted.

Preferred eukaryotic promoters are the CMV, polyhidran or OPIE2.

#### **2) Recombinant host cells**

Host cells that have been transformed or transfected with one of the nucleic acids described herein, or with one of the recombinant vector, particularly recombinant expression vector, described herein are also part of the present invention.

Are included host cells that are transformed (prokaryotic cells) or are transfected (eukaryotic cells) with a recombinant vector such as one of those described above.

Preferred host cells used as recipients for the expression vectors of the invention are the following:

(a) prokaryotic host cells: *Escherichia coli*, strains. (i.e. DH10 Bac strain), *Bacillus subtilis*, *Salmonella typhimurium* and strains from species such as *Pseudomonas*, *Streptomyces* and *Staphylococcus*;

(b) eukaryotic host cells: HeLa cells (ATCC N°CCL2; N°CCL2.1; N°CCL2.2), Cv 1 cells (ATCC N°CCL70), COS cells (ATCC N°CRL 1650; N°CRL 1651), Sf-9 cells (ATCC N°CRL 1711), C127 cells (ATCC N°CRL-1804), 3T3 cells (ATCC N°CRL-6361), CHO cells (ATCC N°CCL-61), human kidney 293 cells (ATCC N° 45504; N°CRL-1573), BHK (ECACC N°84100 501; N°84111301), sf 9, sf 21 and hi-5 cells.

**D) Production of recombinant secreted soluble  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit polypeptides**

The present invention also concerns a method for producing one of the amino acid sequences described herein and especially a polypeptide selected from the group consisting of the amino acid sequences of SEQ ID N°4, SEQ ID N°5, SEQ ID N°6, SEQ ID N°10, SEQ ID n°11, SEQ ID n°12, SEQ ID n°16, SEQ ID n°17 or SEQ ID n°18 wherein said method comprises the steps of:

- (a) inserting the nucleic acid encoding the desired amino acid sequence in an appropriate vector;
- (b) culturing, in an appropriate culture medium, a host cell previously transformed or transfected with the recombinant vector of step (a);
- (c) harvesting the culture medium thus obtained or lyse the host cell, for example by sonication or osmotic shock;
- (d) separating or purifying, from said culture medium, or from the pellet of the resultant host cell lysate, the thus produced recombinant polypeptide of interest.

In some instances, it is required to tag the secreted soluble  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit polypeptide prior to purification. The tag is then in most instances encoded into the nucleotide sequence that is needed to express the polypeptide. Examples of such tags include, but are not limited to sequences encoding C-myc, FLAG, a sequence of histidine residues, heamagglutinin A, V5, Xpress or GST. Most of these tags can be incorporated directly into the sequence, for instance through PCR amplification by incorporating the appropriate coding sequence in one of the PCR amplification primers. However, the tag can also be introduced by other means such as covalent binding of the appropriate nucleic acid sequence encoding the tag moiety with the 3' or 5' end of the nucleic acid sequence encoding the polypeptide sequence. This is the case for GST.

Purification of the recombinant secreted soluble  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3,  $\alpha_2\delta$ -4 subunit polypeptides according to the present invention is then carried out by passage onto a nickel or copper affinity chromatography column, such as a Ni NTA column or a Q-Sepharose column.

In another embodiment of the above method, the polypeptide thus produced is further characterized, for example by binding onto an immuno-affinity chromatography column on which polyclonal or monoclonal antibodies directed to the secreted soluble  $\alpha_2\delta$ -2 subunit polypeptide of interest have been previously immobilised.

In another embodiment of the invention, the secreted soluble  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3,  $\alpha_2\delta$ -4 subunit polypeptide can be only partially purified. For instance, it can be purified along with other contaminating proteins using an appropriate chromatography matrix such as an ion-exchange chromatography column. In such instances, it is not required to tag the desired polypeptide of interest.

The most preferred embodiment contemplated by the inventors concerns the use of a purified tagged secreted soluble  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit polypeptide. A particularly preferred tag is a nucleotide sequence encoding from 2 to 10, and preferably 6 histidine residues. Examples of such tagged polypeptides are depicted on SEQ ID N°23 and 24.

With regard to the secreted soluble  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit polypeptide used subsequently in the screening assay of the invention, several possibilities are also open to the skilled person.

In a first and preferred embodiment, the secreted soluble  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit polypeptide comprises a tag moiety which can be selected among the tags referred to above. Such tagged polypeptides are particularly useful in SPA or flashplate assays. A preferred tag is the nucleotide sequence encoding histidine residues referred to above.

In a second embodiment, the secreted soluble  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit polypeptide can be used without a tag. This is the case for instance in SPA or flashplate assays comprising beads or plates coated with wheat germ lectin. In such an embodiment, the tag is not needed as the carbohydrate moieties of the secreted soluble  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit polypeptide bind directly to the wheat germ lectin-coated beads or plates.

#### **E) Purified recombinant secreted soluble $\alpha_2\delta$ -2, $\alpha_2\delta$ -3 or $\alpha_2\delta$ -4 polypeptides**

Another object of the present invention consists of a purified or isolated recombinant polypeptide comprising the amino acid sequence of a secreted soluble  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit polypeptide.

Preferred isolated recombinant polypeptides of the invention include those having at least 80%, preferably 90%, more preferably 95, and most preferably 98 or 99%, amino-acid identity with polypeptides comprising from amino acid 1 to between amino-acids 1027 and 1145, preferably between amino-acids 1062 and 1145 of SEQ ID N°20, as well as

those having at least 80%, preferably 90%, more preferably 95, and most preferably 98 or 99%, amino-acid identity with polypeptides comprising from amino acid 1 to between amino-acids 984 and 1085, preferably between amino-acids 1019 and 1085 of SEQ ID N°22.

5 In a further preferred embodiment, the polypeptide comprises an amino acid sequence having at least 80%, preferably 90%, more preferably 95%, and most preferably 98% or 99% amino acid identity with the amino acid sequence of SEQ ID N°4, SEQ ID N°5, SEQ ID N°6, SEQ ID N°10, SEQ ID N°11, SEQ ID N°12, SEQ ID N°16, SEQ ID N°17 and SEQ ID N°18

10 More generally, the invention encompasses any secreted soluble  $\alpha_2\delta$  subunit polypeptide encoded by a nucleic acid of the present invention.

#### **F) Modified secreted soluble $\alpha_2\delta$ -2, $\alpha_2\delta$ -3 or $\alpha_2\delta$ -4 subunit polypeptides**

15 The invention also relates to secreted soluble  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit polypeptide comprising amino acid changes ranging from 1, 2, 3, 4, 5, 10, 20, 25, 30, 35, 40 substitutions, additions or deletions of one amino acid as regards to polypeptides of anyone of the amino acid sequences of the present invention. Preferred sequences are those of SEQ ID N°4, SEQ ID N°5, SEQ ID N°6, SEQ ID N°10, SEQ ID N°11, SEQ ID N°12, SEQ ID N°16, SEQ ID N°17 and SEQ ID N°18.

In the case of an amino acid substitution in the amino acid sequence of a polypeptide according to the invention, one or several consecutive or non-consecutive amino-acids are replaced by "equivalent" amino-acids. The expression "equivalent" amino acid is used herein to designate any amino acid that may be substituted for one of the amino-acids belonging to the native protein structure without decreasing the binding properties of the corresponding peptides to the antibodies raised against the polypeptides of the invention. In other words, the "equivalent" amino-acids are those which allow the generation or the synthesis of a polypeptide with a modified sequence when compared to the amino acid sequence of the secreted soluble  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit polypeptides of interest, said modified polypeptide being able to bind to the antibodies raised against the secreted soluble  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit polypeptide of interest and/or to induce antibodies recognizing the parent polypeptide.

Alternatively, amino acid changes encompassed are those which will not abolish the biological activity of the resulting modified polypeptide. These equivalent amino-acids may be determined either by their structural homology with the initial amino-acids to be replaced, by the similarity of their net charge or of their hydrophobicity, and optionally

by the results of the cross-immunogenicity between the parent peptides and their modified counterparts.

The peptides containing one or several "equivalent" amino-acids must retain their specificity and affinity properties to the biological targets of the parent protein, as it can be assessed by a ligand binding assay or an ELISA assay.

Examples of amino-acids belonging to specific classes include Acidic (Asp, Glu), Basic (Lys, Arg, His), Non-polar (Ala, Val, Leu, Ile, Pro, Met, Phe, Trp) or uncharged Polar (Gly, Ser, Thr, Cys, Tyr, Asn, Gln) amino-acids.

Preferably, a substitution of an amino acid in  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit polypeptide of the invention, or in a peptide fragment thereof, consists in the replacement of an amino acid of a particular class for another amino acid belonging to the same class.

By an equivalent amino acid according to the present invention is also contemplated the replacement of a residue in the L-form by a residue in the D form or the replacement of a Glutamic acid (E) residue by a Pyro-glutamic acid compound. The synthesis of peptides containing at least one residue in the D-form is, for example, described by Koch (1977).

A specific embodiment of a modified peptide of interest according to the present invention, includes, but is not limited to, a peptide molecule, which is resistant to proteolysis. This is a peptide in which the -CONH- peptide bond is modified and replaced by a (CH<sub>2</sub>NH) reduced bond, a (NHCO) retro inverso bond, a (CH<sub>2</sub>-O) methylene-oxy bond, a (CH<sub>2</sub>S) thiomethylene bond, a (CH<sub>2</sub>CH<sub>2</sub>) carba bond, a (CO-CH<sub>2</sub>) cetomethylene bond, a (CHOH-CH<sub>2</sub>) hydroxyethylene bond, a (N-N) bound, a E-alcane bond or also a -CH=CH-bond.

The invention also encompasses secreted soluble  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit polypeptide in which at least one peptide bond has been modified as described above.

The polypeptides according to the invention may also be prepared by the conventional methods of chemical synthesis, either in a homogenous solution or in solid phase. As an illustrative embodiment of such chemical polypeptide synthesis techniques, it may be cited the homogenous solution technique described by Houbenweyl (1974).

The secreted soluble  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit polypeptide of interest, or a fragment thereof may thus be prepared by chemical synthesis in liquid or solid phase by successive couplings of the different amino acid residues to be incorporated (from the N-terminal end to the C-terminal end in liquid phase, or from the C-terminal end to the N-terminal end in solid phase) wherein the N-terminal ends and the reactive side chains are previously blocked by conventional groups.

For solid phase synthesis, the technique described by Merrifield (1965a; 1965b) may be used in particular.

### **G) Antibody production**

The secreted soluble  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit polypeptides of the invention and their peptide fragments of interest can be used for the preparation of antibodies.

- 5 Polyclonal antibodies may be prepared by immunization of a mammal, especially a mouse or a rabbit, with a polypeptide according to the invention that is combined with an adjuvant of immunity, and then by purifying the specific antibodies contained in the serum of the immunized animal on an affinity chromatography column on which has previously been immobilized the polypeptide that has been used as the antigen.
- 10 Monoclonal antibodies may be prepared from hybridomas according to the technique described by Kohler and Milstein (1975).

The present invention also deals with antibodies produced by the trioma technique and by the human B-cell hybridoma technique, such as described by Kozbor et al. (1983).

- Antibodies of the invention also include chimeric single chain Fv antibody fragments
- 15 (US Patent N° 4,946,778; Martineau et al., (1998), antibody fragments obtained through phage display libraries Ridder et al. (1995) and humanized antibodies (Leger et al., (1997)).

### **H) Screening assays**

- 20 The invention concerns a method for the screening of ligands which bind soluble secreted  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit polypeptide. More particularly, the targeted  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit binding site is preferably the [ $^3$ H]gabapentin binding site. The various parameters of the method of the invention are described in further detail below.

- 25 **1) Labelled compounds which bind the secreted soluble  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit polypeptide**

- In cases where the  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 binding site is the [ $^3$ H]gabapentin binding site, the preferred labelled compound which can be used is of course gabapentin itself. However, gabapentin is not the only labelled compound which can be used in this
- 30 context. Indeed, it has been previously demonstrated that saturation binding analyses on porcine synaptic plasma cerebral cortex membranes performed in the presence of L-leucine indicate a competitive interaction of the amino acid with the [ $^3$ H]gabapentin binding site, significantly reducing [ $^3$ H]gabapentin binding affinity for the site. The inventors believe that this competitive interaction is true across all the amino-acids listed
- 35 in table 1 below.



**TABLE 1**

**Binding affinities of selected amino acids ( $IC_{50} < 500nM$ ) for the [ $^3H$ ]gabapentin site in porcine cortical membranes**

5

COMPOUND	$IC_{50}$ (nM) ARITHMETIC MEAN (N=3) $\pm$ S.E.M.
Gabapentin	42.1 $\pm$ 5.5
L-Norleucine	23.6 $\pm$ 6.7
L-Allo-Isoleucine	32.8 $\pm$ 6.0
10 L-Methionine	49.6 $\pm$ 10.0
L-Leucine	61.3 $\pm$ 20.9
L-Isoleucine	68.8 $\pm$ 1.9
L-Valine	330 $\pm$ 18
L-Phenylalanine	351 $\pm$ 89

15

It is therefore possible to use commercially available labelled forms of these high affinity ligands in replacement of gabapentin. The utility of [ $^3H$ ]L-leucine has been demonstrated in a filter binding assay and in a flashplate assay format. The inventors believe that labelled amino acids but also other compounds, with affinities preferably below 500 nM in the binding assay can be used as replacements of gabapentin.

20

With regard to the label, several embodiments can be used in the context of the invention. Preferred labels are of course radioactive labels, a list of which is provided further in this specification.

25

## **2) Assay formats and conditions**

Several assay formats can be used to carry out the method of the present invention. Preferred assay formats include scintillation assays such as the scintillation proximity assay (SPA) or the flashplate assay. Other assay formats well known to those skilled in the arts such as the filter binding assay and the centrifugation assay are also contemplated in the present invention.

30

SPA and flashplate assays are preferred assay formats for the present invention. Additional details on these assays are provided below.

35

**Scintillation assay format**

Scintillation assays technology either involves the use of scintillant beads (for the SPA assay) or plates (for the flashplate assay). SPA beads are usually made from either cerium-doped yttrium ion silicate ( $\text{Y}_2\text{SiO}_5:\text{Ce}$ ) or polyvinyltoluene (PVT) containing an organic scintillant such as PPO. Flashplates commonly used are those such as Ni chelate flashplates although other flashplates can also be used, such as the Wheat Germ lectin flashplate.

Assays are usually carried out in aqueous buffers using radioisotopes such as  $^3\text{H}$ ,  $^{125}\text{I}$ ,  $^{14}\text{C}$ ,  $^{35}\text{S}$  or  $^{33}\text{P}$  that emit low-energy radiation, the energy of which is easily dissipated in an aqueous environment. For example, the electrons emitted by  $^3\text{H}$  have an average energy of only 6 keV and have a very short path length ( $\sim 1 \mu\text{m}$ ) in water. If a molecule labelled with one of these isotopes is bound to the bead or flashplate surface, either directly or via interaction with another molecule previously coupled to the bead or flashplate, the emitted radiation will activate the scintillant and produce light. The amount of light produced, which is proportional to the amount of labelled molecules bound to the beads, can be measured conveniently with a liquid scintillation (LS) counter. If the labelled molecule is not attached to the bead or a flashplate surface, its radiation energy is absorbed by the surrounding aqueous solvent before it reaches the bead, and no light is produced. Thus, bound ligands give a scintillation signal, but free ligands do not, and the need for a time-consuming separation step, characteristic of conventional radioligand binding assays, is eliminated. The manipulations required in the assays are reduced to a few simple pipetting steps leading to better precision and reproducibility.

The conditions under which SPA and flashplate assays are performed in the context of the present invention are provided below.

**Scintillation assay conditions****a) SPA assay**

The SPA assays is first developed to optimize the conditions under which the radioligand binds the secreted soluble  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit polypeptide. The parameters which can be varied to optimize radioligand binding in a typical SPA assay using Amersham beads include assay temperature,  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit polypeptide interaction with the radioligand and the SPA beads, radioligand concentration as well as pH variations.

The temperature at which the assay can be carried out can vary from 1 to 30°C. Preferred temperatures range from 18 to 23°C, with 21°C being the most preferred temperature. The interaction of the  $\alpha_2\delta$  subunit polypeptide with the SPA beads can be optimized by adjusting the concentration of the polypeptide and by introducing a reagent which will favor this interaction. When 50 mg of Amersham SPA beads are used, the  $\alpha_2\delta$ -1 subunit polypeptide concentration may vary from 0.1 to 10 pmoles per well, with the optimal concentration being generally around 5 to 6 pmoles per well.

As for the reagent favoring the interaction between the secreted soluble  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit polypeptide and the radioligand as well as the Amersham SPA beads, the inventors found that imidazole could be efficiently used for that purpose when the  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit polypeptide is tagged with an amino acid sequence including 6 histidine residues. Furthermore, and more importantly, it was found that imidazole also enhanced binding of the radioligand to the  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 polypeptide.

The concentration of the radioligand is evaluated with respect to the concentration of secreted soluble  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit polypeptide present in the assay medium. Generally, the concentration of radioligand varies from 1 nM to 100 nM. A preferred [ $^3$ H]gabapentin concentration is about 5 to 20 nM, with a most preferred concentration being about 10 nM. A preferred [ $^3$ H]leucine concentration is also about 5 to 20 nM, with a most preferred concentration being about 10 nM. It is to be noted that the concentration of other radioligands having affinities similar to those of [ $^3$ H]gabapentin and [ $^3$ H]leucine should also be in the range of about 5 to 20 nM.

Once the optimal radioligand binding conditions have been determined, a test ligand can be introduced in the assay medium to evaluate the level of displacement of the radioligand. The concentration of test ligand to be introduced in the assay medium usually varies from 0.1 nM to about 100  $\mu$ M. A preferred test ligand concentration of about 10  $\mu$ M is usually a starting point in a high throughput screening assay. Then, depending on the number of hits obtained, it may be lowered or increased.

It is to be noted that the parameters set forth above, which have been evaluated for a typical SPA assay using Amersham SPA beads can be adjusted by the skilled person, for example if SPA beads of a different type are used.

#### **b) Flashplate assay**

Similarly to the SPA assays, the flashplate can first be developed in order to optimize the conditions under which the radioligand binds the  $\alpha_2\delta$  subunit polypeptide. The parameters which can be varied to optimize radioligand binding in a typical flashplate assay using NEN Ni chelate flashplates or the Wheat Germ lectin flashplates also include assay temperature, secreted soluble  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit polypeptide interaction with both the radioligand and the flashplates, radioligand concentration as well as pH variations.

The temperature at which the assay can be carried out can vary from 1 to 30°C. Preferred temperatures range from 18 to 23°C, with 21°C being the most preferred temperature.

The interaction of the secreted soluble  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit polypeptide with the flashplates can be optimized by adjusting the concentration of the polypeptide and by introducing a reagent which will favor this interaction. When a standard NEN Ni chelate flashplate is used, the secreted soluble  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit polypeptide volume usually varies between 0.5 and 20  $\mu$ l for a concentration of secreted soluble  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit polypeptide of 0.6 pmol/ $\mu$ l. As the published maximum binding capacity of NEN p plates is about 6 pmol per well, the inventors consider that an optimal concentration of secreted soluble  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit polypeptide is probably around 5 pmol per well at 8  $\mu$ l.

With regard to the reagent favoring the interaction between the secreted soluble  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit polypeptide and the radioligand as well as the flashplates, the inventors believe that imidazole could also be efficiently used for that purpose when the secreted soluble  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit polypeptide is tagged with an amino acid sequence including 6 histidine residues. The inventors also believe that imidazole concentrations can substantially enhanced binding of the radioligand to the secreted soluble  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 polypeptide. The optimal concentration of imidazole used to enhance radioligand binding varies depending on the concentration of secreted soluble  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit polypeptide used in the assay. For instance, when the volume of the  $\alpha_2\delta$ -1 subunit polypeptide is about 10  $\mu$ l ( $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 polypeptide concentration of 0.6 pmol/ $\mu$ l), the optimal imidazole concentration can vary between 1 and 20 mM, with a concentration of about 10 mM being preferred. As mentioned previously, other compounds such as histidine as well as pH variations may be used to enhance radioligand binding.

- The concentration of the radioligand is evaluated with respect to the concentration of  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4 subunit polypeptide present in the assay medium. Generally, the concentration of radioligand varies from 1 nM to 100 nM. A preferred [ $^3$ H]gabapentin concentration is about 5 to 20 nM, with a most preferred concentration being about 10 nM. A preferred [ $^3$ H]leucine concentration is also about 5 to 20 nM, with a most preferred concentration being about 10 nM. It is to be noted that the concentration of other radioligands having affinities similar to those of [ $^3$ H]gabapentin and [ $^3$ H]leucine should also be in the range of about 5 to 20 nM.
- 10 Once the optimal radioligand binding conditions have been determined, a test ligand can be introduced in the assay medium to evaluate the level of displacement of the radioligand. The concentration of test ligand to be introduced in the assay medium usually varies from 0.1 nM to about 100  $\mu$ M. A preferred test ligand concentration of about 10  $\mu$ M is usually a starting point in a high throughput screening assay. Then,  
15 depending on the number of hits obtained, it may be lowered or increased.

The inventors have tested the displacement of a particular radioligand, [ $^3$ H]gabapentin, with (S+)-3-isobutyl gaba. The data provided in the examples which follow clearly shows that the assay can be used in high throughput competition studies.

20

The invention also resides in a product or ligand isolated, identified or selected using the above screening methods or kits, for use as a medicament or as a lead for further drug development purposes. As indicated above, the compounds are potentially useful for treating disorders of the nervous system, including epilepsy, pain and anxiety.

25

Further aspects and advantages of the present invention will be described in the following examples, which should be regarded as illustrative and not limiting the scope of the present application.

## EXAMPLES

### Example 1

#### 5 Construction of a nucleotide sequence encoding a soluble secreted human $\alpha_2\delta$ -2 subunit polypeptide deletion mutant of SEQ ID N°23

##### a) Primer design

10 PCR primers were designed to generate the secreted soluble human  $\alpha_2\delta$ -2 deletion mutant of SEQ ID N° 23 as follows:

5' PCR primer: This was designed to engineer in a KOZAK translation initiation consensus sequence prior to the coding sequence (Kozak *JBC* 266 19867-19870)

15 3' PCR primer: This was designed to engineer in six histidine residues followed by a stop-codon at the desired location in the coding sequence. In addition to the stop codon the  $\alpha_2\delta$ -2 primers also included an *Eco* RI restriction site.

20 The bold region in each primer sequence denotes the 'tagged' region; addition of sequences not present in the template. Primers were custom synthesized by Perkin Elmer Applied Biosystems UK to the ABI ready pure grade, supplied lyophilized then resuspended to 15 $\mu$ M in 10mM TE. JB197 and 198 were provided with 5' phosphate groups:

5' Primer JB197 (5' - **TCGCCACCATGGCGGTGCCGGCTC** - 3' , SEQ ID N°25)

25 3' Primer JB198 (5' - **TCGGAATTCCTCAGTGATGGTGATGGTGATGGGCCCCGCGGCCACAGTC** - 3' , SEQ ID N°26)

##### b) Protocol for PCR mediated 5' Kozak and 3' 6His tagging of human $\alpha_2\delta$ -2

30 The full length human  $\alpha_2\delta$ -2 gene (Gen Bank Accession Number AF042792) in a pcDNA 3 vector as described in Brown, J.P. and Gee, N.S., (Cloning and deletion mutagenesis of the  $\alpha_2\delta$  calcium channel subunit from porcine cerebral cortex, *The journal of biological chemistry*, 273(39):25458-25465) was used as the template in the following PCR reaction.

35 The reagents were added in the following order in triplicate to a 96 well PCR plate:

	$\mu$ l
10x Pfx Amplification buffer	5
10mM dNTPs	1.5
50mM MgSO <sub>4</sub>	1
5 15 $\mu$ M JB197	1.5
15 $\mu$ M JB198	1.5
100ng/ $\mu$ l pcDNA3.1-humans- $\alpha_2\delta$ -2	1
10x PCR Enhancer	5
H <sub>2</sub> O	32.7
10 2.5 UNITS/ $\mu$ L PFX POLYMERASE	0.8 $\mu$ L

The plate was the cycled on an MJ Tetrad DNA engine according to the following cycling conditions:

15 94°C / 2mins

*followed by:*

for 30 cycles 94°C / 45sec  
58°C / 45sec  
68°C / 4mins

20 *followed by:*

68°C / 10mins

*followed by:*

hold at 4°C

25 The 3366bp product was then gel purified from a 1% TAE agarose gel using QIAEX beads and eluted in approximately 50 $\mu$ l TE.

## **Example 2**

### **Cloning of the PCR fragments of Example 1 into the Baculovirus transfer vector**

30 **pFastBac1**

The PCR products of Example 1 were cloned into *Stu* I digested, calf intestinal phosphatase dephosphorylated, phenol chloroform extracted and QIAEX gel purified pFastBac1 (Life Technologies) using the Rapid DNA ligation kit (Roche Diagnostics)

35 transforming XL1-blue ( $\alpha_2\delta$ -1b) *E. Coli* cells:

**a) Screening for positive recombinants**

Given that the PCR product was cloned by blunt-end ligation a screen was required to select a recombinant with the gene ligated in the positive orientation with respect to the polyhedrin promoter in pFastBac1. This was achieved by restriction digest of miniprep DNA (Qiagen miniprep kit) prepared from colony minicultures and analysis on a 1% TAE agarose gel. A positive clone was identified according to the following digest patterns:

SEQ ID N° 23 in pFastBac1

10 *Eco* RI digest performed on miniprep DNA

	Predicted fragments (bp)
PCR product cloned in a positive orientation	4773 and 3368
PCR product cloned in a negative orientation	8127 and 14

15 **b) Sequencing analysis of selected clones**

One positive was selected for this clone and used to prepare a plasmid DNA stock of the desired construct (QIAGEN maxi kit). Confirmatory sequence reactions were performed using the Big Dye terminator sequencing kit and run on an ABI 310 Prism Genetic Analyzer. Sequence analysis of both coding strands was performed using a selection of sequencing oligonucleotide primers.

**Example 3****Protocol for establishing baculovirus banks for the expression of the  $\alpha_2\delta$ -2 deletion mutant SEQ ID N°23**

25

Essentially, the protocol used to generate the baculovirus banks is that outlined in the Life Technologies Bac-to Bac™ baculovirus expression systems manual.

**a) Transposition of DH10Bac *E. coli* cells**

30 One ng (5µl) of the recombinant pFastBac-1 construct containing the nucleotide sequence encoding the porcine  $\alpha_2\delta$ -2 deletion mutant of SEQ ID N°23 was added to 100µl of DH10Bac cells thawed on ice. The cells were then mixed gently by tapping the tube then incubated on ice for 30 minutes before heat shock treatment by incubation in a 42°C water bath for 45 seconds. The mixture was then chilled on ice for 2 minutes before  
35 the addition of 900µl of S.O.C. medium. The mixture was then placed in a shaking incubator (200rpm) at 37°C for 4 hours. The cells were then serially diluted (10 fold dilutions from  $10^{-1}$  to  $10^{-3}$ ) and 10µl of each dilution plated on LB agar plates containing



50µg/ml kanamycin, 7µg/ml gentamicin, 10µg/ml tetracycline, 100µg/ml Blueo-gal and 40µg/ml IPTG. The plates were incubated at 37°C for between 1 and 3 days until discrete colonies of blue and white colour were discernible.

5 **b) Isolation of recombinant DNA**

White colonies (containing the recombinant bacmid) were picked and grown for 24 hours (to stationary phase) at 37°C with shaking (200rpm) in 2ml of LB containing 50µg/ml kanamycin, 7µg/ml gentamicin and 10µg/ml tetracycline. 1.5ml of culture was then transferred to a microfuge tube and centrifuged at 14,000xg for 1 minute. The supernatant  
10 was removed and the cells resuspended gently in 0.3ml of 15mM Tris-HCl (pH8.0), 10mM EDTA, 100µg/ml RNase A. 0.3ml of 0.2N NaOH, 1% SDS was then added and the mixture mixed gently before incubation at 22°C for 5 minutes. Then 0.3ml of 3M Potassium acetate (pH5.5) was added and the sample placed on ice for 10 minutes. After centrifugation at 14,000xg for 10 minutes the supernatant was transferred to a tube  
15 containing 0.8ml of isopropanol, mixed then placed on ice for 10 minutes before centrifugation at 14,000xg for 10 minutes. The supernatant was then discarded and the pellet rinsed with 0.5ml of 70% ethanol before centrifugation at 14,000xg for 5 minutes. This 70% ethanol rinse was then repeated before removing all of the supernatant and air drying the pellet for 10 minutes at room temperature. The pellet was finally resuspended  
20 in 40µl of TE.

**c) Transfection of sf9 cells with the recombinant bacmid DNA**

A 6-well tissue culture plate was seeded with  $0.9 \times 10^6$  sf9 cells (cells at log phase having grown from a culture passaged at  $0.3 \times 10^6$  cells/ml) per 35mm well in 2ml of Sf-900 II  
25 SFM media containing 50units/ml penicillin and 50µg/ml streptomycin. Cells were left to attach at 27°C for 1 hour. Bacmid DNA prepared as described above (5µl) was added to 200µl of Sf-900 II SFM media containing 6µl of CELLFECTIN and mixed before incubation at room temperature for 45 minutes. The cells were washed once with 2ml of Sf-900 II SFM media without antibiotics then 0.8ml of Sf-900 II SFM media was added  
30 to each tube containing the lipid-DNA complex. The wash buffer was removed from the cells and the 1ml of diluted lipid-DNA complex overlaid on the cells. The cells were incubated for 5 hours at 27°C after which time the transfection mixture was removed and 2ml of Sf-900 II SFM media containing 50units/ml penicillin and 50µg/ml streptomycin was added. The cells were then incubated for 72 hours.

35

After incubation for 72 hours the media was removed from the cells and centrifuged at 500xg for 5 minutes. The supernatant was then transferred to a fresh tube, this was

labelled as the P0 bank and stored at 4°C in the dark. The P1 bank was prepared by passing sf9 cells at approx  $5 \times 10^6$  cells/ml to  $2 \times 10^6$  cells/ml (100ml in a 250ml Erlenmeyer flask) and adding 0.5ml of the P0 bank harvested above. The cells were then incubated shaking (200rpm) at 27°C for 4 days. Under sterile conditions the culture was centrifuged at 500xg for 10 minutes and the supernatant 0.2µM filtered (P1 bank). The P2 bank was prepared by adding 2ml of P1 bank per 400ml culture (in 1L Erlenmeyer flasks) passed as above to  $2 \times 10^6$  cells/ml. The culture was incubated as before for 4 days and the supernatant harvested and filtered as described for the P1 bank. The supernatant was first pooled then aliquoted (10ml) and stored at 4°C.

10

#### **Example 4**

##### **Expression of the $\alpha_2\delta$ -2 deletion mutant of SEQ ID N°23**

To sf9 cells passaged from  $\sim 5 \times 10^6$  cells/ml to  $2 \times 10^6$  cells/ml in Sf-900 II SFM media was added 0.1ml virus per 100ml of cells of the appropriate viral bank (400ml volume in 1L Erlenmeyer flasks). The cells were then cultured for 4-5 days at 27°C with 110rpm shaking. Expression of the protein was confirmed by SDS-PAGE and Western blotting using an anti penta-His monoclonal antibody (Qiagen) and was detected in the culture supernatant and cell lysate.

15

#### **Example 5**

##### **Purification of $\alpha_2\delta$ -2 deletion mutant of SEQ ID N°23**

The  $\alpha_2\delta$ -2 deletion mutant of SEQ ID N°23 was purified from the cell lysate following the purification strategy outlined below:

25 The culture was centrifuged at 6,000xg for 10 minutes and the supernatant removed. The weight of the cell pellet was determined before re-suspension in 20mM Tris pH8.0, 100mMKCl, 1% P40-Nonidet (100ml per 20g of wet cells). A protease inhibitor cocktail (Sigma, Cat# P8849), 1ml/L, was added to the mixture. The solution was then stirred for 10 minutes before centrifugation for 1 hour at 30,000xg and 4°C. The supernatant was concentrated (30kDa cut off) to approx.  $\sim 300$ ml then centrifuged for 1 hour at 100,000xg.

30

Supernatant containing the soluble proteins was diluted 1:3 in 10mM Tris-HCl pH8.0 (equilibration buffer) and loaded onto a pre-equilibrated Q-Sepharose column (2.5cm i.d. x 30cm h.) at a flow rate of 900ml/h. After washing with equilibration buffer until a stable  $A_{280nm}$  baseline had been achieved, protein was eluted with 20mM Tris-HCl pH8.0, 0.5M KCl, 10mM Imidazole.

The eluate was then loaded onto a Ni-NTA (Qiagen) column (2.5cm i.d. x 6cm h.) pre-equilibrated in 20mM Tris pH8.0, 0.5M KCl, 10mM Imidazole at a flow rate of 2 ml/min. The column was washed successively with buffer A (20mM Tris pH8.0, 0.5M KCl, 20mM Imidazole), buffer B (100mM Tris-HCl pH8.0, 1M KCl), and buffer A again. Elution was performed with buffer C (20mM Tris-HCl pH8.0, 100mM KCl, 0.5M Imidazole). The Ni-NTA eluate (~50ml) was concentrated (30kDa cut-off) to ~2ml and applied at 1ml/min and in 0.2ml aliquots, to an FPLC Superdex-200 column equilibrated in 10mM HEPES, pH7.4, 150mM NaCl. Fractions containing the polypeptide of SEQ ID N°23 were pulled.

#### Example 6

#### SPA assay of [ $^3$ H]gabapentin binding to the secreted soluble human $\alpha_2\delta$ -2 subunit of SEQ ID N°23

20

The assay is carried out at 21°C. Assay components are added in the following order (all reagents are diluted in 10mM HEPES (pH 7.4 at 21°C) to 96-well Optiplates:

	25µl	imidazole at various concentrations (diluted from a 1M stock pH8.0, see assay details)
25	50µl	10mM HEPES pH 7.4
	25µl	(50mg) SPA beads (Amersham)
	100µl	s- $\alpha_2\delta$ -2 subunit polypeptide of SEQ ID No 23 (2µl protein diluted to 100µl)
	25µl	radioligand ([ $^3$ H]gabapentin obtained from example 5)

30

Immediately after adding radioligand, the optiplates were loaded in the Packard Top Count scintillation counter to follow the binding time course. Imidazole was first used in the assay to optimize the specific interaction of the protein's 6His tag with the SPA bead. Imidazole itself (up to 100mM) in the filtration assay has no effect on [ $^3$ H]gabapentin binding (n=1).

35

**Example 7****Ni Flashplate assay of [<sup>3</sup>H]gabapentin binding to secreted soluble human  $\alpha_2\delta-2$  (SEQ ID N°23)**

Assays are carried out at 21°C in a final volume of 250µl in 96-well NEN Ni chelate flash plates. Assay components are added in the following order (all reagents were diluted in 10mM HEPES (pH 7.4 at 21°C)):

- 25µl 10mM HEPES pH7.4
- 25µl imidazole at various concentrations (diluted from a 1M stock pH8.0, see assay details)
- 10 75µl 10mM HEPES pH 7.4
- 100µl s- $\alpha_2\delta-2$ -6His (2µl protein diluted to 100µl) obtained from example 5
- 25µl radioligand ([<sup>3</sup>H]gabapentin (65Ci/mmol))
- 15 Immediately after adding the radioligand, flash plates are loaded in the Packard Top Count scintillation counter to follow the binding time course. The '[<sup>3</sup>H] flash plate' programme (cpm) is used to monitor activity. Imidazole is first used in the assay to optimize the specific interaction of the protein's 6His tag with the Ni flashplate.

**Example 8****Ni Flashplate assay of [<sup>3</sup>H]Leucine binding to secreted soluble human  $\alpha_2\delta-2$ -6His**

The procedure described in example 7 is repeated, except that [<sup>3</sup>H]gabapentin is replaced by 25 µl (10.1 nM) of [<sup>3</sup>H]Leucine (141 Ci/mmol).

25

**Example 9****Ni Flashplate assay studying competitive binding of [<sup>3</sup>H]gabapentin and (S+)-3-isobutyl GABA to human  $\alpha_2\delta-2$ -6His (SEQ ID N°23).**

- 30 Assays are carried out at 21°C in a final volume of 250µl in 96-well NEN Ni chelate flash plates. Wells are set up for both 'total' and 'non-specific' binding. Specific binding is defined as that remaining after subtraction of the average of the 'non-specific binding' values from the average of the 'total' binding values. Assay components are added in the following order (all reagents were diluted in 10mM HEPES (pH 7.4 at 21°C)):
- 35 25µl 10mM HEPES pH7.4 or 25 µl of the test compound at the appropriate concentration in HEPES

- 25µl 200 mM imidazole (diluted from a 1M stock pH8.0, see assay details)
- Total binding 75µl 10mM HEPES pH 7.4
- Non-specific binding 50µl 10mM HEPES pH 7.4 and 25µl 100µM (S+)-3-isobutyl GABA
- 5 100µl  $\alpha_2\delta$ -2-6His (2µl protein\* diluted to 100µl)
- 25µl radioligand ( $[^3\text{H}]$ gabapentin or  $[^3\text{H}]$ Leucine)

- \* The source of  $\alpha_2\delta$ -2-6His is that purified by fplc Superdex-200 gel filtration (see example 5)

- Immediately after adding radioligand, flash plates are loaded in the Packard Top Count scintillation counter to follow the binding time course. Incubation time before the assay is 3 hours. The ' $[^3\text{H}]$  flash plate' programme (cpm) is used to monitor activity
- Competition studies are compared across the flash-plate and filter binding methodologies
- 15 in order to validate the new assay technology with the established filter binding methodology.

- GraphPad Prism software is used to process competition curve data and determine  $\text{IC}_{50}$  and hill slope values. Twelve point competition curves with half log dilution steps of test compounds are used in the experiments.
- 20

### Example 10

#### Filter binding assay of $[^3\text{H}]$ gabapentin binding to the recombinant polypeptide of SEQ ID N°23

25

Assays were carried out at 21°C in a final volume of 250µl in 96-deep well plates. Assay components were (all reagents were diluted in 10mM HEPES (pH 7.4 at 21°C)):

- 25µl compound to test
- 200µl Polypeptide of SEQ ID N°23 (3µl protein diluted to 200µl)
- 30 25µl radioligand ( $[^3\text{H}]$ gabapentin (65Ci/mmol))

- Plates were incubated at room temperature for 1h prior to filtering on to 96-well GF/B Unifilter plates pre-soaked in 0.3% polyethylenimine. Filters were washed with 3x1ml 50mM Tris-HCl (pH 7.4 at 4°C), and dried over-night. Scintillant (Microscint O, 50µl)
- 35 was added and the plates counted using a Packard Top Count scintillation counter. Specific binding was ~98% of the 'total' value. In  $[^3\text{H}]$ gabapentin saturation studies, the  $K_D$  (nM) obtained was about 10.62.

[<sup>3</sup>H]Gabapentin saturation studies.

Data shown represent the mean  $\pm$  SEM determined in 3 separate experiments. Saturation experiments were performed with 12 duplicate data points, [<sup>3</sup>H]gabapentin concentration ranged from ~1-350nM. data was analysed using KEL-RADLIG

Human s- $\alpha_2\delta$ -2-6His

K<sub>D</sub> in the filtration assay 28.55  $\pm$  3.08nM

10

**Table 2**

**Binding affinities of key compounds in the [<sup>3</sup>H]gabapentin binding assay using s- $\alpha_2\delta$ -2-6His**

Compound	Ki (nM) and range (n=3) Filtration assay
<i>Gabapentin</i>	20 (19-23)
(S+)-3-isobutyl GABA	11 (9.5-13)
(R-)-3-isobutyl GABA	296 (282-310)

15 N.B.  $K_i = IC_{50} / (1 + [L]/K_D)$

Competition curves were generated with 10 duplicate data points from 10 $\mu$ M to 1nM and analyzed on GraphPad prism.

## 20 Example 11

Binding of [<sup>3</sup>H]gabapentin to the recombinant polypeptide of SEQ ID N°23 using various flasplates assay formats and conditions

### a) Preparation of protein stocks:

25 Protein was expressed as described in Example 4 except that the cells were infected at 1x10<sup>6</sup> cells/ml. Additionally, the cells were cultured in 20 litre Applikon fermentation vessels (18L culture volume). The culture was maintained at 27°C and 60% dO<sub>2</sub> (100% dO<sub>2</sub> equates to [O<sub>2</sub>] when media - without cells - has been saturated with air at 27°C) with single marine impeller stirring at 125rpm. The protein was expressed in either Sf-  
30 900 II SFM (LTI Inc) or ESF-921 (Expression Systems Inc.) media.

### b) Purification of s- $\alpha_2\delta$ -2-6His protein from cell culture supernatants:

- On the harvest day (day 4-7 post-infection with virus) the cell culture was centrifuged at 9,000xg for 20 minutes to remove the cellular debris, and the supernatant concentrated to approximately 3 litres using a pellicon tangential-flow filtration system employing 10kDa cut-off cassettes. The concentrated sample was re-centrifuged at 9,000xg for 20 minutes then diluted with 2 volumes of 10mM Tris pH9.0. The diluted sample was then loaded at 10ml/min onto a Q-sepharose column (5cm i.d. x 50cm h.) which was washed with 20mM Tris-HCl (pH8.0) and eluted with 20mM Tris-HCl (pH8.0), 0.5M KCl, 10mM Imidazole.
- 10 The eluate was then loaded at 10ml/min onto a Ni-superflow (Qiagen) column (2.5cm i.d. x 6cm h.) pre-equilibrated in 20mM Tris (pH8.0), 0.1M KCl, 10mM Imidazole. The column was washed successively with buffer A (20mM Tris pH8.0, 0.5M KCl, 20mM Imidazole), 20mM Tris-HCl (pH8.0), 100mM KCl, and buffer A again at 10ml/min. Elution was performed with a gradient of buffer C (20mM Tris-HCl (pH8.0), 100mM
- 15 KCl, 0.5M Imidazole) against buffer B at 2ml/min. Fractions from the gradient elution were assayed for [<sup>3</sup>H]gabapentin binding activity and the active fractions pooled then dialysed at 4°C four times (each for 24 hours) against 10mM HEPES, 150mM NaCl at a ratio of 1:60 (sample:dialysate). The dialysed material was then aliquoted and frozen for use in the assays as described below.

20

**c) Preparation of protein cocktails for filter, wheat germ lectin and Ni chelate assays**

(volumes in µl):

25	cocktail	x1		x23	
		s-α <sub>2</sub> δ-2-6His	HBS	s-α <sub>2</sub> δ-2-6His	HBS
	0µl	0	75	0	1,725
	1µl	1	74	23	1,702
	2µl	2	73	46	1,679
30	4µl	4	71	92	1,633

s-α<sub>2</sub>δ-2-6His protein was sourced from the aliquots generated above.

**d) Filter and Wheat Germ Lectin flashplate assays**

- 35 The reagents were added in the following order to each well of either a 96-well Wheat Germ Lectin flashplate or a 96-deep well plate. Conditions were prepared in triplicate for both 'total' and 'non-specific' binding (20µl H<sub>2</sub>O added for total binding and 20µl of

100 $\mu$ M (S+)-3-isobutyl GABA to define non-specific binding) for each of the four volumes of protein tested.

Assay set-up per well:

5

100 $\mu$ M (S+)-3-isobutyl GABA / H <sub>2</sub> O	20 $\mu$ l
*100nM [ <sup>3</sup> H]Gabapentin	20 $\mu$ l
235mM HEPES (pH7.3)	85 $\mu$ l
s- $\alpha_2\delta$ -2-6His (0, 1, 2 or 4 $\mu$ l - x23 cocktail)	75 $\mu$ l

10

\* 20 $\mu$ l aliquots of the [<sup>3</sup>H]gabapentin stock added to each well were counted on a liquid  $\beta$ -scintillation counter (Beckman LS 5000TD) to determine the actual concentration of [<sup>3</sup>H]gabapentin achieved in each well. For these experiments this value was calculated as 10.8nM.

15

The Wheat Germ flashplate was then counted under continuous cycling conditions on a Packard Top Count Microplate scintillation counter. The plate was counted on the '[<sup>3</sup>H]flashplate' programme with a count delay and count time of 1 minute. Data for the wheat germ lectin assay was plotted as 'specific' binding (i.e. 'total' minus 'non-specific binding'), see figure 3.

20

In the Filter assay, the binding reaction in the deep-well plate was left for 1 hour at 22°C then filtered with three 1ml washes of 4°C 50mM Tris (pH 7.4 at 4°C) onto a 96-well GF/B filter plate pre-soaked for 1 hour in 0.3% Polyethylenimine at 4°C. After leaving at 22°C to dry overnight 45 $\mu$ l of Microscint-O (Packard) was added to each filter well and the plate sealed and counted in the Packard Top Count Microplate Scintillation counter on the '[<sup>3</sup>H]Microscint' programme with a count delay and count time of 1 minute. The mean of the 'total' and 'non-specific' binding is presented in figure 1.

25

### 30 e) Nickel flashplate assay

2.35x Nickel flashplate buffer:

4.7ml	1M HEPES (pH7.3)
35 0.118ml	10% BSA (Sigma A7906, Fraction V (98%), Lot 57H1088) in H <sub>2</sub> O
1.175ml	0.2M Imidazole pH7.3 (NaOH)
14.007ml	H <sub>2</sub> O



Assay set-up per well:

	100 $\mu$ M (S+)-3-isobutyl GABA / H <sub>2</sub> O	20 $\mu$ l
5	*100nM [ <sup>3</sup> H]Gabapentin	20 $\mu$ l
	2.35x Nickel Flashplate buffer	85 $\mu$ l
	s- $\alpha_2\delta$ -2-6His (0, 1, 2 or 4 $\mu$ l of the x23 cocktail)	75 $\mu$ l

\* 20 $\mu$ l aliquots of the [<sup>3</sup>H]gabapentin stock added to each well were counted on a liquid  
10  $\beta$ -scintillation counter (Beckman LS5000TD) to determine the actual concentration of  
[<sup>3</sup>H]gabapentin reached in the each well. For these experiments this value was calculated  
as 10.8nM.

The Nickel flashplate was then counted under continuous cycling conditions on the  
15 Packard Top Count Microplate scintillation counter. The plate was counted on the  
[<sup>3</sup>H]flashplate' programme with a count delay and count time of 1 minute (Figure 2).

The data described demonstrates that it is possible to assay [<sup>3</sup>H]gabapentin binding to  
recombinantly expressed freely soluble and purified s- $\alpha_2\delta$ -2-6His in either a filter assay  
20 or an homogenous flashplate assay in either the Nickel chelate or the Wheat germ lectin  
format. The data demonstrates the extended stability of the flashplate assay over time,  
which is crucial if the assay format is to be used for mass-screening purposes, thus  
enabling the stacking of plates into counters (ideally with appropriate controls on each  
plate along with test compound wells in order to confirm signal stability across  
25 individual plates).

The data presented also demonstrate that it is possible to use the Wheat Germ lectin  
flashplate assay, as a primary assay or as a secondary screen to further refine and screen  
ligands identified or selected using the Ni flashplate assay or another format of this  
30 invention.

**Example 12****Construction of a nucleotide sequence encoding a soluble secreted mouse  $\alpha_2\delta$ -3 deletion mutant of SEQ ID N°24 as follows.**

5

**a) Primer design**

PCR primers were designed to generate the secreted soluble mouse  $\alpha_2\delta$ -3 deletion mutant of SEQ ID N° 24 as follows:

5' PCR primer: This was designed to engineer in a KOZAK translation initiation consensus sequence prior to the coding sequence (Kozak *JBC* 266 19867-19870)

3' PCR primer: This was designed to engineer in six histidine residues followed by a stop-codon at the desired location in the coding sequence. In addition to the stop codon the  $\alpha_2\delta$ -3 primers also included an *Eco* RI restriction site.

15 The bold region in each primer sequence denotes the 'tagged' region; addition of sequences not present in the template. Primers were custom synthesized by Perkin Elmer Applied Biosystems UK to the ABI ready pure grade, supplied lyophilized then resuspended to 15 $\mu$ M in 10mM TE. JB201 and 202 were provided with 5' phosphate groups:

20

5' Primer JB201 (5'-TCGCCACCATGGCCGGGCGGGC-3', SEQ ID N°27)

3' Primer JB202 (5'-TCTCAGTGATGGTGATGGTGATGCGATGCACCCCACACTCTC-3', SEQ ID N°28)

25

**b) Protocol for PCR mediated 5' Kozak and 3' 6His tagging of mouse  $\alpha_2\delta$ -3**

30 The full length mouse  $\alpha_2\delta$ -3 gene (Gen Bank Accession number AJ010949) in the pcDNA3 vector as described in Brown, J.P. and Gee, N.S., (Cloning and deletion mutagenesis of the  $\alpha_2\delta$  calcium channel subunit from porcine cerebral cortex, *The journal of biological chemistry*, 273(39):25458-25465) was used as the template in the following PCR reaction.

The reagents were added in the following order in triplicate to a 96 well PCR plate:

35

	$\mu$ l
10x Pfx Amplification buffer	5
10mM dNTPs	1.5

	50mM MgSO <sub>4</sub>	1
	15μM JB201	1.5
	15μM JB202	1.5
	100ng/μl pcDNA3-mouse-α <sub>2</sub> δ-3	1
5	10x PCR Enhancer	5
	H <sub>2</sub> O	32.7
	<u>2.5 UNITS/μL</u> PFX POLYMERASE	0.8μL

The plate was the cycled on an MJ Tetrad DNA engine according to the following  
 10 cycling conditions:

94°C / 2mins

*followed by:*

for 30 cycles 94°C / 45sec

15 60°C / 45sec  
 68°C / 4mins

*followed by:*

68°C / 10mins

*followed by:*

20 hold at 4°C

The 3244bp product was then gel purified from a 1% TAE agarose gel using QIAEX  
 beads and eluted in approximately 50μl.

The truncated protein of SEQ ID N°24 was expressed such the procedure of example 2,3  
 25 and 4.

REFERENCES

- Perez-Reyes, E., and Schneider, T. (1994) *Drug Dev. Res.* 33, 295-318
- Catterall, W. A. (1995) *Annu. Rev. Biochem.* 64, 493-531
- 5 - Birnbaumer, L., Campbell, K. P., Catterall, W. A., Harpold, M. M., Hofmann, F., Horne, W. A., Mori, Y., Schwartz, A., Snutch, T. P., Tanabe, T., and Tsien, R. W. (1994) *Neuron* 13, 505-506
- Brust, P. F., Simerson, S., McCue, A. F., Deal, C. R., Schoonmaker, S., Williams, M. E., Velicelebi, G., Johnson, E. C., Harpold, M. M., and Ellis, S. B. (1993)
- 10 *Neuropharmacology* 32, 1089-1102
- Itagaki, K., Koch, W. J., Bodi, L., Klockner, U., Shish, D. F., and Schwartz, A. (1992) *FEBS Lett.* 297, 221-225
- Mikami, A., Imoto, F., Tanabe, T., Niidome, T., Mori, Y., Takeshima, H., Narumiya, S., and Numa, S. (1989) *Nature* 340, 230-233
- 15 - Mori, Y., Friedrich, T., Kim, M. S., Mikami, A., Nakai, J., Ruth, P., Bosse, E., Hofmann, F., Flockerzi, V., Furuichi, T., Mikoshiba, K., Imoto, K., Tanabe, T., and Numa, S. (1991) *Nature* 350, 398-402
- Singer, D., Biel, M., Lotan, I., Flockerzi, V., Hofmann, F., and Dascal, N. (1991) *Science* 253, 1553-1657
- 20 - Ramsay, R. E. (1994) *Neurology* 44, Suppl. 5, 23-30
- Watson, W. P., and Little, H. J. (1995) *Br. J. Pharmacol.* 116, 33P (abstr.)
- Singh, L., Field, M. J., Ferris, P., Hunter, J. C., Oles, R. J., Williams, R. G., and Woodruff, G. N. (1996) *Psychopharmacology* 127, 1-9
- Xiao, W. H., and Bennet, G. L. (1995) *Soc. Neurosci.* 21, 897 (abstr.)
- 25 - Mellick, G. A., Mellicy, L. B., and Mellick, L. B. (1995) *J. Pain Symptom Manage.* 10, 265-266
- Shimoyama, N., Shimoyama, M., Davis, A. M., Inturrisi, C. E., and Elliott, K. J. (1997) *Neurosci. Lett.* 222, 65-67
- Segal, A. Z., and Rordorf, G. (1996) *Neurology* 46, 1175-1176
- 30 - Mellick, G. A., and Mellick, L. B. (1996) *Sleep* 19, 224-226
- Patel, J., and Naritoku, D. K. (1996) *Clin. Neuropharmacol.* 19, 185-188
- Suman Chauhan, N., Webdale, L., Hill, D. R., and Woodruff, G. N. (1993) *Eur. J. Pharmacol.* 244, 293-301
- Macdonald, R. L., and Kelly, F. M. (1993) *Epilepsia* 34, Suppl. 5, S1-S8
- 35 - Taylor, C. P. (1994) *Neurology* 44, Suppl. 5, 10-16
- Gotz, E., Feuerstein, T. J., Lais, A., and Meyer, D. K. (1993) *Arzneimittelforschung* 43, 636-638

- Loscher, W., Honack, D., and Taylor, C. P. (1991) *Neurosci. Lett.* **128**,150-154
- Honmou, O., Knesis, J. D., and Richerson, G. B. (1995) *Epilepsy Res.* **20**, 193-202
- Honmou, O., Oyelese, A. A., and Kocsis, J. D. (1995) *Brain Res.* **692**,273-277
- Petroff, O. A. C., Rothman, D. L., Behar, K. L., Lamoureux, D., and Mattson, R. H.  
5 (1996) *Ann. Neurol.* **39**, 95-99
- Reimann, W. (1983) *Eur. J. Pharmacol.* **94**, 341-344
- Dooley, D. J., Bartoszyk, G. D., Hartenstein, J., Reimann, W., Rock, D. M., and  
Satzinger, G. (1986) *Golden Jubilee Conference and Northern European Epilepsy  
Meeting*. Abstracts, University of York, UK, September 1986 (Abstract 8).
- 10 - Thurlow, R. J., Brown, J. P., Gee, N. S., Hill, D. R., and Woodruff, G. N. (1993) *Eur. J.  
Pharmacol.* **247**,341-345
- Gee, N. S., Brown, J. P., Dissanayake, V. U. I., Offord, J., Thurlow, R., and Woodruff,  
G. N. (1996) *J. Biol. Chem.* **271**, 5768-5776
- Dissanayake, V. U. I., Gee, N. S., Brown, J. P., and Woodruff, G. N. (1997) *Br. J.*  
15 *Pharmacol.* **120**, 833-840
- Taylor, C. P., Vartanian, M. G., Yuen, P. W., Bigge, C., Suman Chauhan, N., and Hill,  
D. R. (1993) *Epilepsy Res.* **14**,11-15
- Rock, D. M., Kelly, K. M., and Macdonald, R. L. (1993) *Epilepsy Res.* **16**, 89 -98
- Wamil, A. W., Mclean, M. J., Nashville, T. N., and Taylor, C. P. (1991) *Neurology* **41**,  
20 Suppl. 1, 140 (abstr.)
- De Jongh, K. S., Warner, C., and Catterall, W. A. (1990) *J. Biol. Chem.* **265**,  
14738-14741
- Jay, S. D., Sharp, A. H., Kahl, S. D., Vedvick, T. S., Harpold, M. M., and Campbell, K.  
P. (1991) *J. Biol. Chem.* **266**, 3287-3293
- 25 - Burgess, A. J., and Norman, R. I. (1988) *Eur. J. Biochem.* **178**, 527-533
- Ellis, S. B., Williams, M. E., Ways, N. R., Brenner, R., Sharp, A. H., Leung, A. T.,  
Campbell, K. P., McKenna, E., Koch, W. J., Hai, A., Schwartz, A., and Harpold, M. M.  
(1988) *Science* **241**, 1661-1664
- Brickley, K., Campbell, V., Berrow, N., Leach, R., Norman, R. I., Wray, D., Dolphin,  
30 A. C., and Baldwin, S. A- (1995) *FEBS Lett.* **364**,129-133
- Brice, N. L., Berrow, N. S., Campbell, V., Page, K. M., Brickley, K., Tedder, I.,  
Dolphin, A C. (1997) *Eur. J. Neurosci.* **9**, 749-759
- Wiser, O., Trus, M., Tobi, D., Halevi, S., Giladi, E., and Atlas, D. (1996) *FEBS Lett.*  
**379**,15-20
- 35 - Xu, X., and Arnason, U. (1994) *Gene (Amst.)* **148**, 357-362
- Williams, M. E., Feldman, D. H., McCue, A. F., Brenner, R., Velicelebi, G., Ellis, S.  
B., and Harpold, M. M. (1992) *Neuron* **8**, 71-84

- Kim, H. L., Kim, H., Lee, P., King, R. G., and Chin, H. (1992) *Proc. Natl. Acad. Sci. U.S.A.* **89**, 3251-3255
- Brown, J. P., Dissanayake, V. U. K., Briggs, A. R., Milic, M. R., and Gee, N. S. (1998) *Anal. Biochem.* **255**, 236-243
- 5 - Higuchi, R. (1990) in *PCR Protocols: A Guide to Methods and Applications* (Innis, M. A., Gelfand, D. H., Sninsky, J. J., and White, T. J. eds) pp. 177-183, Academic Press, Ltd., London
- Bradford, M. M. (1976) *Anal. Biochem.* **72**, 248-252
- Kyte, J., and Doolittle, F. (1982) *J. Mol. Biol.* **157**, 105-132
- 10 - Summers, M. F., Henderson, L. E., Chance, M. R., Bess, J. W., Jr., South, T. L., Blake, P. R., Sagi, I., Perez-Alvarado, G., Sowder, R. C., Hare, D. R., and Arthur, L. O. (1992) *Protein Sci.* **1**, 563-574
- Klug, A. and Rhodes, D. (1987) *Trends. Biochem. Sci.* **12**, 464-469
- Pieler, T., and Bellefroid, E. (1994) *Mol. Biol. Rep.* **20**, 1-8
- 15 - Preston, R. A., Manolson, M. F., Becherer, M., Weidenhammer, E., Kirkpatrick, D., Wright, R., and Jones, E. W. (1991) *Mol. Cell, Biol.* **11**, 5801-5812
- Tan, X., Waterham, H. R., Veenhuis, M., and Cregg, J. M. (1995) *J. Cell Biol.* **128**, 307-319
- Scotland, P. B., Colledge, M., Melnikova, I., Dai, Z., and Froehner, S. C. (1993) *J. Cell Biol.* **123**, 719-728
- 20 - Henderson, L. E., Copeland, T. D., Sowder, R. C., Smythers, G. W., and Oroszlan, S. (1981) *J. Biol. Chem.* **256**, 8400- 8406
- Beaucage et al., *Tetrahedron Lett* (1981) **22**: 1859-1862.
- Brown El., Belagaje R, Ryan MJ, Khorana HG, *Methods Enzymol* (1979); **68**, 109-151.
- 25 - Feldman and Steg, (1996) *Medecine/Sciences, synthese*, **12**, 47-55.
- Houbenweyl, (1974), in *Meuthode der Organischen Chemie*, E. Wunsch Ed., Volume 15-I et 15-II, Thieme, Stuttgart.
- Koch Y. (1977), *Biochem. Biophys. Res. Commun.*, **74**, 488-491.
- Kohler G. and Milstein C., (1975) *Nature*, **256**, 495.
- 30 - Kozbor et al., (1983) *Hybridoma*, **2**(1), 7-16.
- Leger OJ, et al. (1997) *Hum Antibodies* , **8**(1), 3-16.
- Martineau P, Jones P, Winter G. (1998), *J. Mol Biol*, **280**(1), 117-127.
- Merrifield RB, 1965a, *Nature*, **207**(996), 522-523.
- Merrifield RB, 1965b, *Nature*, **207** (996), 22-523.
- 35 - Narang SA, Hsiung HM, Brousseau R, *Methods Enzymol* 1979, **68**, 90-98.
- Ohno et al., (1994), *Science*, **265**, 781-784.

- O'Reilly et al., (1992) *Baculovirus expression vectors: a Laboratory Manual*. W.H. Freeman and Co., New York.
- Ridder R. Schmitz R, Legay F, Gram H, (1995) *Biotechnology* (NY), **13(3)**, 255-260.
- Smith et al., (1983), *Mol. Cell. Biol.*, **3**, 2156-2165.
- 5 - Sternberg N.L. (1992), *Trends Genet*, **8**, 1-16.
- Sternberg N.L. (1994) *Mamm. Genome*, **5**, 397-404.
- Sambrook, J. Fritsch, E.F. and T. Maniatis (1989). *Molecular cloning: a laboratory manual*, 2ed. Cold Spring Harbor Laboratory, Cold Spring Harbor, New York.
- Sanchez-Pescador R., (1988), *J. Clin. Microbiol.*, **26(10)**, 1934-1938.
- 10 - Urdea et al., MS (1988) *Nucleic Acids Research*, **11**, 4937-4957.
- Urdea et al., MS (1991) *Nucleic Acids Symp Ser.*, **24**, 197-200.

CLAIMS

1. A calcium channel  $\alpha_2\delta$  subunit that is soluble and retain the functional characteristics of the full-length or wild-type  $\alpha_2\delta$  subunit from which it derives.
- 5 2. A calcium channel  $\alpha_2\delta$  subunit according to claim 1 wherein the full-length or wild-type  $\alpha_2\delta$  subunit from which it derives is of mammalian origin.
3. A calcium channel  $\alpha_2\delta$  subunit according to claim 2 wherein the mammalian origin is a human, a porcine, a rat or a mouse origin.
4. A calcium channel  $\alpha_2\delta$  subunit according to claim 3 wherein the mammalian origin is a human origin.
- 10 5. A calcium channel  $\alpha_2\delta$  subunit according to any one of claims 1 to 4, wherein the full-length or wild-type  $\alpha_2\delta$  subunit from which it derives is naturally expressed in the cerebral cortical.
6. A calcium channel  $\alpha_2\delta$  subunit according to any one of claims 1 to 5, wherein the full-length or wild-type  $\alpha_2\delta$  subunit from which it derives is voltage-dependent.
- 15 7. A calcium channel  $\alpha_2\delta$  subunit according to any one of claims 1 to 6, wherein the  $\alpha_2\delta$  subunit is cleaved.
8. A calcium channel  $\alpha_2\delta$  subunit according to any one of claims 1 to 7, wherein the  $\alpha_2\delta$  subunit is cleaved into separate  $\alpha_2$  and  $\delta$  peptides.
- 20 9. A calcium channel  $\alpha_2\delta$  subunit according to claim 8, wherein the  $\alpha_2$  and  $\delta$  peptides are disulfide-bridged.
10. A calcium channel  $\alpha_2\delta$  subunit according to any one of claims 1 to 6, wherein the  $\alpha_2\delta$  subunit is not cleaved.
11. A calcium channel  $\alpha_2\delta$  subunit according to any one of claims 1 to 10 characterized in that it is purified or isolated.
- 25 12. A calcium channel  $\alpha_2\delta$  subunit according to any one of claims 1 to 11 characterized in that it is processed as the full-length or wild-type  $\alpha_2\delta$  subunit from which it derives is naturally processed.
13. A calcium channel  $\alpha_2\delta$  subunit according to any one of claims 1 to 12 characterized in that it is producible by the baculovirus/insect cells expression system.
- 30 14. A calcium channel  $\alpha_2\delta$  subunit according to any one of claims 1 to 13 characterized in that it is produced by the baculovirus/insect cells expression system.
15. A calcium channel  $\alpha_2\delta$  subunit according to any one of claims 1 to 14 characterized in that its  $\delta$  peptide comprises at least the ligand-interacting part(s) of the complete  $\delta$  peptide from which it originates
- 35 16. A calcium channel  $\alpha_2\delta$  subunit according to any one of claims 1 to 15 characterized in that its  $\delta$  peptide has a C-terminal truncation with respect to the complete  $\delta$  peptide




- from which it originates, said truncation being sufficient to render the truncated  $\delta$  peptide soluble.
17. A calcium channel  $\alpha_2\delta$  subunit according to any one of claims 1 to 16 characterized in that its  $\alpha_2$  peptide comprises at least the ligand-interacting part(s) of the complete  $\alpha_2$  peptide from which it originates.
18. A calcium channel  $\alpha_2\delta$  subunit according to any one of claims 15 or 17 characterized in that ligand is gabapentin, L-Norleucine, L-Allo-Isoleucine, L-Methionine, L-Leucine, L-Isoleucine, L-Valine, Spermine or L-Phenylalanine.
19. A calcium channel  $\alpha_2\delta$  subunit according to any one of claims 1 to 18 characterized in that its  $\alpha_2$  peptide comprises at least the ligand-interacting part(s) of the complete  $\alpha_2$  peptide from which it originates, its  $\delta$  peptide comprises at least the ligand-interacting part(s) of the complete  $\delta$  peptide from which it originates and its  $\delta$  peptide does not comprise a part of the transmembrane domain of the complete  $\delta$  peptide from which it originates which renders said calcium channel insoluble.
20. A calcium channel  $\alpha_2\delta$  subunit according to any one of claims 1 to 19 wherein the full-length or wild-type  $\alpha_2\delta$  subunit from which it derives or originates is  $\alpha_2\delta$ -2,  $\alpha_2\delta$ -3 or  $\alpha_2\delta$ -4.
21. A calcium channel  $\alpha_2\delta$  subunit according to any one of claims 1 to 20 wherein the full-length or wild-type  $\alpha_2\delta$  subunit from which it derives or originates has the amino acid sequence of SEQ ID N°20.
22. A calcium channel  $\alpha_2\delta$  subunit according to claim 20 or 21 characterized in that the amino acid sequence of its unprocessed form comprises or consists of SEQ ID N° 4, SEQ ID N° 5 or SEQ ID N° 6.
23. A calcium channel  $\alpha_2\delta$  subunit according to any one of claims 20 to 22 characterized in that the amino acid sequence of its unprocessed form comprises or consists of the region comprised between amino acid number 340 and amino acid number 1062 of SEQ ID N°20.
24. A calcium channel  $\alpha_2\delta$  subunit according to any one of claims 1 to 20 wherein the full-length or wild-type  $\alpha_2\delta$  subunit from which it derives or originates has the amino acid sequence of SEQ ID N°21.
25. A calcium channel  $\alpha_2\delta$  subunit according to claim 20 or 24 characterized in that the amino acid sequence of its unprocessed form comprises or consists of SEQ ID N° 10, SEQ ID N° 11 or SEQ ID N° 12.
26. A calcium channel  $\alpha_2\delta$  subunit according to any one of claims 20, 24 or 25 characterized in that the amino acid sequence of its unprocessed form comprises or consists of the region comprised between amino acid number 306 and amino acid number 1019 of SEQ ID N°20.

27. A calcium channel  $\alpha_2\delta$  subunit according to any one of claims 1 to 20 wherein ~~the~~ full-length or wild-type  $\alpha_2\delta$  subunit from which it derives or originates has the amino acid sequence of SEQ ID N°55.
- 5 28. A calcium channel  $\alpha_2\delta$  subunit according to claim 20 or 27 characterized in that ~~the~~ amino acid sequence of its unprocessed form comprises or consists of SEQ ID N° ~~53~~, SEQ ID N° 54 or SEQ ID N° 55.
- 10 29. A calcium channel  $\alpha_2\delta$  subunit according to any one of claims 20, 27 or ~~28~~ characterized in that the amino acid sequence of its unprocessed form comprises ~~or~~ consists of the region comprised between amino acid number 302 and amino acid number 1050 of SEQ ID N°55.
30. A calcium channel  $\alpha_2\delta$  subunit according to any one of claims 1 to 20 wherein ~~the~~ full-length or wild-type  $\alpha_2\delta$  subunit from which it derives or originates has the amino acid sequence of SEQ ID N°33 or SEQ ID N°44.
- 15 31. A calcium channel  $\alpha_2\delta$  subunit according to claim 20 or 30 characterized in that ~~the~~ amino acid sequence of its unprocessed form comprises or consists of SEQ ID N° ~~34~~, SEQ ID N° 35, SEQ ID N° 36, SEQ ID N° 41, SEQ ID N° 42 or SEQ ID N° 43.
- 20 32. A calcium channel  $\alpha_2\delta$  subunit according to any one of claims 20, 30 or ~~31~~ characterized in that the amino acid sequence of its unprocessed form comprises ~~or~~ consists of the region comprised between amino acid number 302 and amino acid number 1018 of SEQ ID N°33 or SEQ ID N°44.
33. A calcium channel  $\alpha_2\delta$  subunit according to any one of claims 20, 30 or ~~31~~ characterized in that the amino acid sequence of its unprocessed form comprises ~~or~~ consists of the region comprised between amino acid number 302 and amino acid number 1018 of SEQ ID N°33 or SEQ ID N°44.
- 25 34. A calcium channel  $\alpha_2\delta$  subunit according to any one of claims 20, 30, 31, 32 or ~~33~~ characterized in that its  $\alpha_2$  peptide comprises the region comprised between amino acid number 302 and amino acid number 946 or 997 of SEQ ID N°33 or of SEQ ID N°44 and its  $\delta$  peptide comprises the region comprised between amino acid number 984 and amino acid number 1018 of SEQ ID N°33 or of SEQ ID N°44.
- 30 35. A calcium channel  $\alpha_2\delta$  subunit characterized in that its  $\alpha_2$  peptide and its  $\delta$  peptide have 99%, 98%, 97%, 96%, or 95% homology or identity with the  $\alpha_2$  peptide and the  $\delta$  peptide respectively of a calcium channel  $\alpha_2\delta$  subunit according to any one of claims 1 to 34.
- 35 36. A nucleic acid molecule characterized in that its nucleotide sequence comprises a nucleotide sequence which encodes a calcium channel  $\alpha_2\delta$  subunit according to any one of claims 1 to 35.

37. A nucleic acid molecule characterized in that its nucleotide sequence comprises a nucleotide sequence which encodes the  $\alpha_2$  peptide or the  $\delta$  peptide of a calcium channel  $\alpha_2\delta$  subunit according to any one of claims 1 to 35.
38. A nucleic acid molecule which hybridizes under stringent conditions with a nucleic acid molecule according to claim 36, 37 or 39.
39. A nucleic acid molecule according to any one of claims 36 to 38 which comprises SEQ ID N°1, SEQ ID N°2, SEQ ID N°3, SEQ ID N°7, SEQ ID N°8, SEQ ID N°9, SEQ ID N°13, SEQ ID N°14, SEQ ID N°15, SEQ ID N°30, SEQ ID N°31, SEQ ID N°32, SEQ ID N°38, SEQ ID N°39, SEQ ID N°40, SEQ ID N°50, SEQ ID N°51, or SEQ ID N°52.
40. A vector capable of expressing a nucleic acid molecule according to any one of claims 36 to 39.
41. An expression vector comprising a nucleic acid molecule according to any one of claims 36 to 39.
42. A vector according to claim 40 or 41 which is a baculovirus vector.
43. A cell comprising a nucleic acid molecule according to any one of claims 36 to 39.
44. A cell comprising a vector according to claim 40, 41 or 42.
45. A cell according to claim 43 or 44 which is a mammalian cell or an insect cell.
46. A composition comprising a calcium channel  $\alpha_2\delta$  subunit according to any one of claims 7 to 9 and a calcium channel  $\alpha_2\delta$  subunit according to claim 10.
47. Screening assay using a calcium channel  $\alpha_2\delta$  subunit according to any one of claims 1 to 35.
48. Screening assay according to claim 47 which is an SPA assay, a Flashplate assay, a Nickel Flashplate assay, a Filter binding assay or a Wheat Germ Lectin flashplate assay.
49. Use of screening assay according to claim 47 or 48 to detect or measure the binding or interaction of a ligand of a calcium channel  $\alpha_2\delta$  subunit and a calcium channel  $\alpha_2\delta$  subunit.
50. Use according to claim 49 wherein the ligand is gabapentin, L-Norleucine, L-Allo-Isoleucine, L-Methionine, L-Leucine, L-Isoleucine, L-Valine, Spermine or L-Phenylalanine.
51. Kit to detect or measure the binding or interaction of a ligand of a calcium channel  $\alpha_2\delta$  subunit and a calcium channel  $\alpha_2\delta$  subunit comprising a calcium channel  $\alpha_2\delta$  subunit according to any one of claims 1 to 35.
52. Kit according to claim 51 wherein the ligand is gabapentin, L-Norleucine, L-Allo-Isoleucine, L-Methionine, L-Leucine, L-Isoleucine, L-Valine, Spermine or L-Phenylalanine.

53. Kit according to claim 51 or 52 usable in an SPA assay, a Flashplate assay, a Nickel  
Flashplate assay, a Filter binding assay or a Wheat Germ Lectin flasplate assay.

Figure 1



T -Total Binding  
NSB -Non-Specific Binding

Figure 2





Figure 3



## SEQUENCE LISTING

&lt;110&gt; Warner-Lambert

5 <120> Secreted soluble alpha2 delta-2, alpha2 delta-3, alpha2  
delta-4 calcium channel subunit polypeptides and  
screening assays using same

&lt;130&gt; 180PCT

10

&lt;140&gt;

&lt;141&gt;

&lt;160&gt; 55

15

&lt;170&gt; PatentIn Ver. 2.1

&lt;210&gt; 1

&lt;211&gt; 3186

20

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 1

25	atggcggtgc	eggctcggac	ctgcggcgcc	tctcgggccc	gcccagcgcg	gactgcgcgc	60
	ccctggccc	gctgcggccc	ccacctggc	cccggcacc	ggcgcccgac	gtccgggccc	120
	ccgcgcccgc	tgtggctgct	gctgccgtt	ctaccgctgc	tcgcccgc	cggcgcctct	180
	gcctacagct	ccccccagca	gcacacgatg	cagcactggg	cccggcgtct	ggagcaggag	240
	gtcgacggcg	tgatgcggat	ttttggaggc	gtccagcagc	tccgtgagat	ttacaaggac	300
	aaccggaacc	tgttcgaggt	acaggagaat	gagcctcaga	agttggtgga	gaaggtggca	360
30	ggggacattg	agagccttct	ggacaggaag	gtgcaggccc	tgaagagact	ggctgatgct	420
	gcagagaact	tccagaaagc	acaccgctgg	caggacaaca	tcaaggagga	agacatcgtg	480
	tactatgacg	ccaaggctga	cgctgagctg	gacgaccctg	agagtgaagg	tgtggaaagg	540
	gggtctaagg	ccagcacctt	aaggctggac	ttcatcgagg	acccaaactt	caagaacaag	600
	gtcaactatt	catacgcgcc	tgtacagatc	cctacggaca	tctacaaagg	ctccactgtc	660
35	atcctcaatg	agctcaactg	gacagaggcc	ctggagaatg	tgttcatgga	aaaccgcaga	720
	caagacccca	caactgctgtg	gcaggtcttc	ggcagcgcca	caggagtac	tcgctactac	780
	ccggccaccc	cgtggcgagc	ccccagaag	atcgacctgt	acgatgtccg	aaggagaccc	840
	tggatatatt	agggggcctc	gtcacccaaa	gacatggtca	tcctcgtgga	tgtgagtggc	900
	agtgtgagcg	gcctgaccct	gaagctgatg	aagacatctg	tctgcgagat	gctggacacg	960
40	ctgtctgatg	atgactatgt	gaatgtggcc	tcgttcaacg	agaaggcaca	gcctgtgtca	1020
	tgtttcacac	acctggtgca	ggccaatgtg	cgcaacaaga	aggtgttcaa	ggaagctgtg	1080
	cagggcatgg	tggccaaggg	caccacaggc	tacaaggccg	gctttgagta	tgcctttgac	1140
	cagctgcaga	actccaacat	cactcgggcc	aactgcaaca	agatgatcat	gatgttcacg	1200
	gatggtggtg	aggaccgcgt	gcaggacgtc	tttgagaagt	acaattggcc	aaaccggacg	1260
45	gtgcgcgtgt	ttacttttct	cgtggggcag	cataactatg	acgtcacacc	gctgcagtgg	1320
	atggcctgtg	ccaacaaagg	ctactatttt	gagatccctt	ccatcggagc	catccgcac	1380
	aacacacagg	aatatctaga	tgtgttgggc	aggcccatgg	tgtcggcagg	caaggaggcc	1440
	aagcaggttc	agtggaccaa	cgtgtatgag	gatgcactgg	gactgggggt	ggtggttaaca	1500
	gggaccctcc	ctgttttcaa	cctgacacag	gatggccctg	gggaaaagaa	gaaccagctg	1560
50	atcctgggcy	tgatgggcat	tgacgtggct	ctgaatgaca	tcaagaggct	gaccccaaac	1620
	tacacgtttg	gagccaacgg	ctatgtgttt	gccattgacc	tgaacggcta	cgtgttgctg	1680
	cacccaatc	tcaagcccca	gaccaccaac	ttccgggagc	ctgtgactct	ggacttcttc	1740
	gatgcggagc	tagaggatga	gaacaaggaa	gagatccgtc	ggagcatgat	tgatggcaac	1800
	aagggccaca	agcagatcag	aacgttggtc	aagtccctgg	atgagaggta	catagatgag	1860
55	gtgacacgga	actacacctg	ggtgcctata	aggagcacta	actacagcct	ggggctggtg	1920
	ctcccaccct	acagcacctt	ctacctcaa	gccaatctca	gtgaccagat	cctgcaggtc	1980
	aagtattttg	agttcctgct	ccccagcagc	tttgagtctg	aaggacacgt	tttcattgct	2040
	cccagagagt	actgcaaggga	cctgaatgcc	tcagacaaca	acaccgagtt	cctgaaaaac	2100
	tttattgagc	tcatggagaa	agtgactcca	gactccaagc	agtgaacaa	cttccttctg	2160

	cacaacctga	tcttggacac	gggcatcacg	cagcagctgg	tagagcgtgt	gtggaggggac	2220
	caggatctca	acacgtacag	cctactggcc	gtgttcgctg	ccacagacgg	tggcatcacc	2280
	cgagtcttcc	ccaacaaggc	agctgaggac	tggacagaga	accctgagcc	cttcaatgcc	2340
	agcttctacc	gccgcagcct	ggataaaccac	ggttatgtct	tcaagccccc	acaccaggat	2400
5	gccctgttaa	ggccgctgga	gctggagaat	gacactgtgg	gcatcctcgt	cagcacagct	2460
	gtggagctca	gcctaggcag	gcgcacactg	aggccagcag	tgggtggcgt	caagctggac	2520
	ctagaggctt	gggctgagaa	gttcaagggtg	ctagccagca	accgtaccca	ccaagaccag	2580
	cctcagaagt	gcggccccc	cagccactgt	gagatggact	gcgagggtta	caatgaggac	2640
	ttactctgtg	tcctcattga	tgatggagga	ttcctggtgc	tgtcaaacca	gaaccatcag	2700
10	tgggaccagg	tgggcaggtt	cttcagttag	gtggatgcca	acctgatgct	ggcactctac	2760
	aataactcct	tctacaccgg	caaggagtcc	tatgactatc	aggcagcctg	tgccccctcag	2820
	ccccctggca	acctgggtgc	tgcaccccg	ggtgtctttg	tgccccacgt	tgcagatttc	2880
	cttaacctgg	cctggtggac	ctctgctgcc	gcctgggtccc	tgttccagca	gcttctctac	2940
	ggcctcatct	accacagctg	gttccaagca	gaccccgcg	aggccgaggg	gagccccgag	3000
15	acgcgcgaga	gcagctgcgt	catgaaacag	accagtagct	acttcggctc	ggtaaacgcc	3060
	tcctacaacg	ccatcatcga	ctgcggaaac	tgttccaggc	tgttccacgc	gcagagactg	3120
	accaacacca	atcttctctt	tgtggtggcc	gagaagccgc	tgtgcagcca	gtgcgaggct	3180
	ggccgg						3186
20	<210> 2						
	<211> 3248						
	<212> DNA						
	<213> Homo sapiens						
25	<400> 2						
	atggcggtgc	cggtctcgac	ctgcggcgcc	tctcgggccc	gcccagcgcg	gactgcgcgc	60
	ccctggccc	gctgcggccc	ccacctggc	cccggcacc	ggcgcccgac	gtccggggccc	120
	ccgcgcccgc	tgtggctgct	gctgccgtt	ctaccgctgc	tcgccgcccc	cgcgccctct	180
30	gcctacagct	tccccagca	gcacacgatg	cagcactggg	cccggcgctc	ggagcaggag	240
	tgcgacggcg	tgatgcggat	ttttggaggc	gtccagcagc	tccgtgagat	ttacaaggac	300
	aaccggaacc	tgttcgaggt	acaggagaat	gagcctcaga	agttggtgga	gaagggtggca	360
	ggggacattg	agagccttct	ggacaggaag	gtgcaggccc	tgaagagact	ggctgatgct	420
	gcagagaact	tccagaaagc	acaccgctgg	caggacaaca	tcaaggagga	agacatcgtg	480
35	tactatgacg	ccaaggctga	cgctgagctg	gacgaccctg	agagtggagga	tgtggaaagg	540
	gggtctaagg	ccagcaccct	aaggctggac	ttcatcgagg	acccaaactt	caagaacaag	600
	gtcaactatt	catacgcygc	tgtacagatc	cctacggaca	tctacaaagg	ctccactgtc	660
	atcctcaatg	agctcaactg	gacagaggcc	ctggagaatg	tgttcatgga	aaaccgcaga	720
	caagacccca	cactgctgtg	gcaggctctc	ggcagcgcca	caggagtcac	tcgctactac	780
40	ccggccaccc	cgtggcgagc	ccccaaaga	atcgacctgt	acgatgtccg	aaggagaccc	840
	tggatatatc	agggggcctc	gtcacccaaa	gacatggtca	tcacgtgga	tgtgagtggc	900
	agtgtgagcg	gcctgaccct	gaagctgatg	aagacatctg	tctgcgagat	gctggacacg	960
	ctgtctgatg	atgactatgt	gaatgtggcc	tcgttcaacg	agaaggcaca	gcctgtgtca	1020
	tgttccacac	acctggtgca	ggccaatgtg	cgcaacaaga	aggtgttcaa	ggaagctgtg	1080
45	cagggcagtg	tggccaagg	caccacaggc	tacaaggccg	gctttgagta	tgcccttgac	1140
	cagctgcaga	actccaacat	cactcgggcc	aactgcaaca	agatgatcat	gatgttcacg	1200
	gatggtggtg	aggaccgctg	gcaggacgtc	tttgagaagt	acaattggcc	aaaccggacg	1260
	gtgcgcgtgt	ttactttctc	cgtggggcag	cataactatg	acgtcacacc	gctgcagtgg	1320
	atggcctgtg	ccaacaaagg	ctactatttt	gagatccctt	ccatcggagc	catccgcac	1380
50	aacacacagg	aatatctaga	tgtgttgggc	aggcccatgg	tgtcggcagg	caaggaggcc	1440
	aagcaggttc	agtggacc	cgtgtatgag	gatgcactgg	gactgggggt	ggtggttaaca	1500
	gggaccctcc	ctgttttcaa	cctgacacag	gatggccctg	gggaaaagaa	gaaccagctg	1560
	atcctgggcg	tgatgggcat	tgacgtggct	ctgaatgaca	tcaaggaggt	gacccccaac	1620
	tacacgcttg	gagccaacgg	ctatgtgttt	gccattgacc	tgaacggcta	cgtgttgctg	1680
55	caccccaatc	tcaagcccca	gaccaccaac	ttccggggagc	ctgtgactct	ggacttcctg	1740
	gatgcggagc	tagaggatga	gaacaaggaa	gagatccgtc	ggagcatgat	tgatggcaac	1800
	aagggccaca	agcagatcag	aacgttggtc	aagtccctgg	atgagaggta	catagatgag	1860
	gtgacacgga	actacacctg	ggtgcctata	aggagcacta	actacagcct	ggggctggtg	1920
	ctcccaccct	acagcacctt	ctacctccaa	gccaatctca	gtgaccagat	cctgcaggctc	1980



	aagtattttg	agttcctgct	ccccagcagc	tttgagtcgt	aaggacacgt	tttcattgct	2040
	cccagagagt	actgcaagga	cctgaatgcc	tcagacaaca	acaccgagtt	cctgaaaaaac	2100
	tttatttgagc	tcatggagaa	agtgactcca	gactccaagc	agtgaacaa	cttccttctg	2160
	cacaacctga	tcttgacac	gggcatcacg	cagcagctgg	tagagcgtgt	gtggagggac	2220
5	caggatctca	acacgtacag	cctactggcc	gtgttcgctg	ccacagacgg	tggcatcacc	2280
	cgagtcttcc	ccaacaaggc	agctgaggac	tggacagaga	accctgagcc	cttcaatgcc	2340
	agcttctacc	gccgcagcct	ggataaccac	ggttatgtct	tcaagcccc	acaccaggat	2400
	gccctgttaa	ggccgctgga	gctggagaat	gacactgtgg	gcatectcgt	cagcacagct	2460
	gtggagctca	gcctaggcag	gcgcacactg	aggccagcag	tgggtggcgt	caagctggac	2520
10	ctagaggctt	gggctgagaa	gttcaagggtg	ctagccagca	accgtacceca	ccaagaccag	2580
	cctcagaagt	gcggcccca	cagccactgt	gagatggact	gcgagggtta	caatgaggac	2640
	ttactctgtg	tcttcattga	tgatggagga	ttcctgggtc	tgtaaaacca	gaaccatcag	2700
	tgggaccagg	tgggcaggtt	cttcagttag	gtggatgcc	acctgatgct	ggcactctac	2760
	aataactcct	tctacaccgg	caaggagtcc	tatgactatc	aggcagcctg	tgccccctcag	2820
15	ccccctggca	acctgggtgc	tgcaccccg	gggtgtctttg	tgcccaccgt	tgcagatttc	2880
	cttaacctgg	cctgggtggac	ctctgtgccc	gectgggtccc	tgttccagca	gcttctctac	2940
	ggcctcatct	accacagctg	gttccaagcg	aggccgaggg	gagccccgag	gagccccgag	3000
	acgcgcgaga	gcagctgcgt	catgaaacag	accagtagct	acttcggctc	ggtaaacgcc	3060
	tctacaacg	ccatcatcga	ctgcggaaac	tgtctcaggc	tgttccacgc	gcagagactg	3120
20	accaacacca	atcttctctt	tgtggtggcc	gagaagccgc	tgtgcagcca	gtgcgaggct	3180
	ggccggtgc	tgcagaagga	gacgcactgc	ccagcggacg	gcccggagca	gtgtgagcta	3240
	gtgcagag						3248
25	<210> 3						
	<211> 3327						
	<212> DNA						
	<213> Homo sapiens						
30	<400> 3						
	atggcggtgc	eggctcggac	ctgcggcgcc	tctcgccccg	gcccagcgcg	gactgcgcgc	60
	ccctggcccg	gctgcggccc	ccaccctggc	cccggcacc	ggcgcccgac	gtccggggcc	120
	ccgcgccccg	tgtggctgct	gctgcgcctt	ctaccgctgc	tcgcccgc	cggcgcctct	180
	gcctacagct	tccccagca	gcacacgatg	cagcactggg	cccggcgctt	ggagcaggag	240
35	gtcgacggcg	tgatgcggat	ttttggaggc	gtccagcagc	tccgtgagat	ttacaaggac	300
	aaccggaacc	tgttcgaggt	acaggagaat	gagcctcaga	agttgggtgga	gaaggtggca	360
	ggggacattg	agagccttct	ggacaggaag	gtgcaggccc	tgaagagact	ggctgatgct	420
	gcagagaact	tccagaaagc	acaccgctgg	caggacaaca	tcaaggagga	agacatcggtg	480
	tactatgacg	ccaaggctga	cgctgagctg	gacgaccctg	agagtgagga	tgtggaaagg	540
40	gggtctaagg	ccagcaccct	aaggctggac	ttcatcgagg	acccaaactt	caagaacaag	600
	gtcaactatt	catacgcggc	tgtacagatc	cctacggaca	tctacaaagg	ctccactgtc	660
	atcctcaatg	agctcaactg	gacagaggcc	ctggagaatg	tgttcatgga	aaaccgcaga	720
	caagacccca	cactgctgtg	gcaggctctt	ggcagcgcca	caggagtcac	tcgctactac	780
	ccggccaccc	cgtggcgagc	ccccaaaga	atcgacctgt	acgatgtccg	aaggagaccc	840
45	tggtatatcc	agggggcctc	gtcacccaaa	gacatgggtca	tcatcggtgga	tgtgagtggc	900
	agtgtgagcg	gcctgaccct	gaagctgatg	aagacatctg	tctgcgagat	gctggacacg	960
	ctgtctgatg	atgactatgt	gaatgtggcc	tcgttcaacg	agaaggcaca	gcctgtgtca	1020
	tgcttcacac	acctgggtgca	ggccaatgtg	cgcaacaaga	aggtgttcaa	ggaagctgtg	1080
	cagggcatgg	tggccaaggg	caccacaggc	tacaaggccg	gctttgagta	tgcttttgac	1140
50	cagctgcaga	actccaacat	cactcggggc	aactgcaaca	agatgatcat	gatgttcacg	1200
	gatggctggtg	aggaccgcgt	gcaggacgtc	tttgagaagt	acaattggcc	aaaccggacg	1260
	gtgcgcgtgt	ttactttctc	cgtggggcag	cataactatg	acgtcacacc	gctgcagtgg	1320
	atggcctgtg	ccaacaaagg	ctactatttt	gagatccctt	ccatcggagc	catccgcate	1380
	aacacacagg	aatatctaga	tgtgttgggc	aggcccatgg	tgctggcagg	caaggaggcc	1440
55	aagcaggttc	agtggaccaa	cgtgtatgag	gatgcactgg	gactgggggtt	ggtggtaaca	1500
	gggacctcc	ctgttttcaa	cctgacacag	gatggccctg	gggaaaagaa	gaaccagctg	1560
	atcctgggcg	tgatgggcat	tgacgtggct	ctgaatgaca	tcaagagggt	gacccccaac	1620
	tacacgcttg	gagccaacgg	ctatgtgttt	gccattgacc	tgaacggcta	cgtgttgctg	1680
	caccccaatc	tcaagcccca	gaccaccaac	ttccgggagc	ctgtgactct	ggacttctctg	1740

gatcgaggc tagaggatga gaacaaggaa gagatccgtc ggagcatgat tgatggcaac 1800  
 aagggccaca agcagatcag aacgttggtc aagtccttgg atgagaggta catagatgag 1860  
 gtgacacgga actacacctg ggtgcctata aggagcacta actacagcct ggggctggtg 1920  
 ctcccacctt acagcacctt ctacctcaa gccaatctca gtgaccagat cctgcaggte 1980  
 5 aagtattttg agttcctgct cccagcagc tttgagtctg aaggacacgt tttcattgct 2040  
 cccagagagt actgcaagga cctgaatgcc tcagacaaca acaccgagtt cctgaaaaac 2100  
 tttattgagc tcatggagaa agtgactcca gactccaagc agtgcaacaa cttccttctg 2160  
 cacaacctga tcttggacac gggcatcacg cagcagctgg tagagcgtgt gtggaggggac 2220  
 caggatctca acacgtacag cctactggcc gtgttcgctg ccacagacgg tggcatcacc 2280  
 10 cgagtcttcc ccaacaaggc agctgaggac tggacagaga accctgagcc cttcaatgcc 2340  
 agcttctacc gccgcagcct ggataaccac ggttatgtct tcaagcccc acaccaggat 2400  
 gccctgttaa ggccgctgga gctggagaat gacactgtgg gcatcctcgt cagcacagct 2460  
 gtggagctca gcctaggcag gcgcacactg aggccagcag tgggtgggct caagctggac 2520  
 ctagaggctt gggctgagaa gttcaagggtg ctagccagca accgtaccca ccaagaccag 2580  
 15 cctcagaagt ggggccccaa cagccactgt gagatggact gcgagggttaa caatgaggac 2640  
 ttactctgtg tcctcattga tgatggagga ttcttggtgc tgtcaaacca gaaccatcag 2700  
 tgggaccagg tgggcagggt cttcagttag gtggatgcca acctgatgct ggcactctac 2760  
 aataactcct tctacaccgc caaggagtcc tatgactatc aggcagcctg tgccccctcag 2820  
 ccccttgga acctgggtgc tgcaccccg ggtgtctttg tgcccccggt tgcagatttc 2880  
 20 cttaacctgg cctggtggac ctctgtctgc gcttggtccc tgttccagca gcttctctac 2940  
 ggctcatct accacagctg gttccaagca gaccccgcg aggccgaggg gagccccgag 3000  
 acgcgcgaga gcagctgcgt catgaaacag acccagtaact acttcggctc ggtaaacgcc 3060  
 tctacaacg ccatcatcga ctgcggaaac tgctccaggc tgttccacgc gcagagactg 3120  
 accaaccacca atcttctctt tgtggtggcc gagaagccgc tgtgcagcca gtgcgaggct 3180  
 25 ggccggtctg tgcagaagga gacgcactgc ccagcggacg gcccggagca gtgtgagcta 3240  
 gtgcagagac cgcgataccg gagaggcccc cacatctgct tcgactacaa cgcgacagaa 3300  
 gatacctcag actgtggccg cggggcc 3327

30 <210> 4  
 <211> 1062  
 <212> PRT  
 <213> Homo sapiens

35 <400> 4  
 Met Ala Val Pro Ala Arg Thr Cys Gly Ala Ser Arg Pro Gly Pro Ala  
 1 5 10 15  
 Arg Thr Ala Arg Pro Trp Pro Gly Cys Gly Pro His Pro Gly Pro Gly  
 20 25 30  
 Thr Arg Arg Pro Thr Ser Gly Pro Pro Arg Pro Leu Trp Leu Leu Leu  
 35 40 45  
 45 Pro Leu Leu Pro Leu Leu Ala Ala Pro Gly Ala Ser Ala Tyr Ser Phe  
 50 55 60  
 Pro Gln Gln His Thr Met Gln His Trp Ala Arg Arg Leu Glu Gln Glu  
 65 70 75 80  
 50 Val Asp Gly Val Met Arg Ile Phe Gly Gly Val Gln Gln Leu Arg Glu  
 85 90 95  
 Ile Tyr Lys Asp Asn Arg Asn Leu Phe Glu Val Gln Glu Asn Glu Pro  
 100 105 110  
 55 Gln Lys Leu Val Glu Lys Val Ala Gly Asp Ile Glu Ser Leu Leu Asp  
 115 120 125

Arg Lys Val Gln Ala Leu Lys Arg Leu Ala Asp Ala Ala Glu Asn Phe  
 130 135 140  
 Gln Lys Ala His Arg Trp Gln Asp Asn Ile Lys Glu Glu Asp Ile Val  
 5 145 150 155 160  
 Tyr Tyr Asp Ala Lys Ala Asp Ala Glu Leu Asp Asp Pro Glu Ser Glu  
 165 170 175  
 10 Asp Val Glu Arg Gly Ser Lys Ala Ser Thr Leu Arg Leu Asp Phe Ile  
 180 185 190  
 Glu Asp Pro Asn Phe Lys Asn Lys Val Asn Tyr Ser Tyr Ala Ala Val  
 195 200 205  
 15 Gln Ile Pro Thr Asp Ile Tyr Lys Gly Ser Thr Val Ile Leu Asn Glu  
 210 215 220  
 Leu Asn Trp Thr Glu Ala Leu Glu Asn Val Phe Met Glu Asn Arg Arg  
 20 225 230 235 240  
 Gln Asp Pro Thr Leu Leu Trp Gln Val Phe Gly Ser Ala Thr Gly Val  
 245 250 255  
 25 Thr Arg Tyr Tyr Pro Ala Thr Pro Trp Arg Ala Pro Lys Lys Ile Asp  
 260 265 270  
 Leu Tyr Asp Val Arg Arg Arg Pro Trp Tyr Ile Gln Gly Ala Ser Ser  
 275 280 285  
 30 Pro Lys Asp Met Val Ile Ile Val Asp Val Ser Gly Ser Val Ser Gly  
 290 295 300  
 Leu Thr Leu Lys Leu Met Lys Thr Ser Val Cys Glu Met Leu Asp Thr  
 35 305 310 315 320  
 Leu Ser Asp Asp Asp Tyr Val Asn Val Ala Ser Phe Asn Glu Lys Ala  
 325 330 335  
 40 Gln Pro Val Ser Cys Phe Thr His Leu Val Gln Ala Asn Val Arg Asn  
 340 345 350  
 Lys Lys Val Phe Lys Glu Ala Val Gln Gly Met Val Ala Lys Gly Thr  
 355 360 365  
 45 Thr Gly Tyr Lys Ala Gly Phe Glu Tyr Ala Phe Asp Gln Leu Gln Asn  
 370 375 380  
 Ser Asn Ile Thr Arg Ala Asn Cys Asn Lys Met Ile Met Met Phe Thr  
 50 385 390 395 400  
 Asp Gly Gly Glu Asp Arg Val Gln Asp Val Phe Glu Lys Tyr Asn Trp  
 405 410 415  
 55 Pro Asn Arg Thr Val Arg Val Phe Thr Phe Ser Val Gly Gln His Asn  
 420 425 430  
 Tyr Asp Val Thr Pro Leu Gln Trp Met Ala Cys Ala Asn Lys Gly Tyr  
 435 440 445

Tyr Phe Glu Ile Pro Ser Ile Gly Ala Ile Arg Ile Asn Thr Gln Glu  
 450 455 460  
 5 Tyr Leu Asp Val Leu Gly Arg Pro Met Val Leu Ala Gly Lys Glu Ala  
 465 470 475 480  
 Lys Gln Val Gln Trp Thr Asn Val Tyr Glu Asp Ala Leu Gly Leu Gly  
 485 490 495  
 10 Leu Val Val Thr Gly Thr Leu Pro Val Phe Asn Leu Thr Gln Asp Gly  
 500 505 510  
 Pro Gly Glu Lys Lys Asn Gln Leu Ile Leu Gly Val Met Gly Ile Asp  
 15 515 520 525  
 Val Ala Leu Asn Asp Ile Lys Arg Leu Thr Pro Asn Tyr Thr Leu Gly  
 530 535 540  
 20 Ala Asn Gly Tyr Val Phe Ala Ile Asp Leu Asn Gly Tyr Val Leu Leu  
 545 550 555 560  
 His Pro Asn Leu Lys Pro Gln Thr Thr Asn Phe Arg Glu Pro Val Thr  
 565 570 575  
 25 Leu Asp Phe Leu Asp Ala Glu Leu Glu Asp Glu Asn Lys Glu Glu Ile  
 580 585 590  
 Arg Arg Ser Met Ile Asp Gly Asn Lys Gly His Lys Gln Ile Arg Thr  
 30 595 600 605  
 Leu Val Lys Ser Leu Asp Glu Arg Tyr Ile Asp Glu Val Thr Arg Asn  
 610 615 620  
 35 Tyr Thr Trp Val Pro Ile Arg Ser Thr Asn Tyr Ser Leu Gly Leu Val  
 625 630 635 640  
 Leu Pro Pro Tyr Ser Thr Phe Tyr Leu Gln Ala Asn Leu Ser Asp Gln  
 645 650 655  
 40 Ile Leu Gln Val Lys Tyr Phe Glu Phe Leu Leu Pro Ser Ser Phe Glu  
 660 665 670  
 Ser Glu Gly His Val Phe Ile Ala Pro Arg Glu Tyr Cys Lys Asp Leu  
 45 675 680 685  
 Asn Ala Ser Asp Asn Asn Thr Glu Phe Leu Lys Asn Phe Ile Glu Leu  
 690 695 700  
 50 Met Glu Lys Val Thr Pro Asp Ser Lys Gln Cys Asn Asn Phe Leu Leu  
 705 710 715 720  
 His Asn Leu Ile Leu Asp Thr Gly Ile Thr Gln Gln Leu Val Glu Arg  
 725 730 735  
 55 Val Trp Arg Asp Gln Asp Leu Asn Thr Tyr Ser Leu Leu Ala Val Phe  
 740 745 750  
 Ala Ala Thr Asp Gly Gly Ile Thr Arg Val Phe Pro Asn Lys Ala Ala

	755	760	765
	Glu Asp Trp Thr Glu Asn Pro Glu Pro Phe Asn Ala Ser Phe Tyr Arg		
	770	775	780
5	Arg Ser Leu Asp Asn His Gly Tyr Val Phe Lys Pro Pro His Gln Asp		
	785	790	795 800
	Ala Leu Leu Arg Pro Leu Glu Leu Glu Asn Asp Thr Val Gly Ile Leu		
10		805	810 815
	Val Ser Thr Ala Val Glu Leu Ser Leu Gly Arg Arg Thr Leu Arg Pro		
		820	825 830
15	Ala Val Val Gly Val Lys Leu Asp Leu Glu Ala Trp Ala Glu Lys Phe		
		835	840 845
	Lys Val Leu Ala Ser Asn Arg Thr His Gln Asp Gln Pro Gln Lys Cys		
		850	855 860
20	Gly Pro Asn Ser His Cys Glu Met Asp Cys Glu Val Asn Asn Glu Asp		
		865	870 875 880
	Leu Leu Cys Val Leu Ile Asp Asp Gly Gly Phe Leu Val Leu Ser Asn		
25		885	890 895
	Gln Asn His Gln Trp Asp Gln Val Gly Arg Phe Phe Ser Glu Val Asp		
		900	905 910
30	Ala Asn Leu Met Leu Ala Leu Tyr Asn Asn Ser Phe Tyr Thr Arg Lys		
		915	920 925
	Glu Ser Tyr Asp Tyr Gln Ala Ala Cys Ala Pro Gln Pro Pro Gly Asn		
		930	935 940
35	Leu Gly Ala Ala Pro Arg Gly Val Phe Val Pro Thr Val Ala Asp Phe		
		945	950 955 960
	Leu Asn Leu Ala Trp Trp Thr Ser Ala Ala Ala Trp Ser Leu Phe Gln		
40		965	970 975
	Gln Leu Leu Tyr Gly Leu Ile Tyr His Ser Trp Phe Gln Ala Asp Pro		
		980	985 990
45	Ala Glu Ala Glu Gly Ser Pro Glu Thr Arg Glu Ser Ser Cys Val Met		
		995	1000 1005
	Lys Gln Thr Gln Tyr Tyr Phe Gly Ser Val Asn Ala Ser Tyr Asn Ala		
		1010	1015 1020
50	Ile Ile Asp Cys Gly Asn Cys Ser Arg Leu Phe His Ala Gln Arg Leu		
		1025	1030 1035 1040
	Thr Asn Thr Asn Leu Leu Phe Val Val Ala Glu Lys Pro Leu Cys Ser		
55		1045	1050 1055
	Gln Cys Glu Ala Gly Arg		
		1060	

<210> 5  
 <211> 1082  
 <212> PRT  
 5 <213> Homo sapiens

<400> 5  
 Met Ala Val Pro Ala Arg Thr Cys Gly Ala Ser Arg Pro Gly Pro Ala  
 1 5 10 15  
 10 Arg Thr Ala Arg Pro Trp Pro Gly Cys Gly Pro His Pro Gly Pro Gly  
 20 25 30  
 Thr Arg Arg Pro Thr Ser Gly Pro Pro Arg Pro Leu Trp Leu Leu Leu  
 15 35 40 45  
 Pro Leu Leu Pro Leu Leu Ala Ala Pro Gly Ala Ser Ala Tyr Ser Phe  
 50 55 60  
 20 Pro Gln Gln His Thr Met Gln His Trp Ala Arg Arg Leu Glu Gln Glu  
 65 70 75 80  
 Val Asp Gly Val Met Arg Ile Phe Gly Gly Val Gln Gln Leu Arg Glu  
 85 90 95  
 25 Ile Tyr Lys Asp Asn Arg Asn Leu Phe Glu Val Gln Glu Asn Glu Pro  
 100 105 110  
 Gln Lys Leu Val Glu Lys Val Ala Gly Asp Ile Glu Ser Leu Leu Asp  
 115 120 125  
 30 Arg Lys Val Gln Ala Leu Lys Arg Leu Ala Asp Ala Ala Glu Asn Phe  
 130 135 140  
 35 Gln Lys Ala His Arg Trp Gln Asp Asn Ile Lys Glu Glu Asp Ile Val  
 145 150 155 160  
 Tyr Tyr Asp Ala Lys Ala Asp Ala Glu Leu Asp Asp Pro Glu Ser Glu  
 165 170 175  
 40 Asp Val Glu Arg Gly Ser Lys Ala Ser Thr Leu Arg Leu Asp Phe Ile  
 180 185 190  
 Glu Asp Pro Asn Phe Lys Asn Lys Val Asn Tyr Ser Tyr Ala Ala Val  
 195 200 205  
 45 Gln Ile Pro Thr Asp Ile Tyr Lys Gly Ser Thr Val Ile Leu Asn Glu  
 210 215 220  
 50 Leu Asn Trp Thr Glu Ala Leu Glu Asn Val Phe Met Glu Asn Arg Arg  
 225 230 235 240  
 Gln Asp Pro Thr Leu Leu Trp Gln Val Phe Gly Ser Ala Thr Gly Val  
 245 250 255  
 55 Thr Arg Tyr Tyr Pro Ala Thr Pro Trp Arg Ala Pro Lys Lys Ile Asp  
 260 265 270  
 Leu Tyr Asp Val Arg Arg Arg Pro Trp Tyr Ile Gln Gly Ala Ser Ser

	275					280					285					
5	Pro	Lys	Asp	Met	Val	Ile	Ile	Val	Asp	Val	Ser	Gly	Ser	Val	Ser	Gly
	290						295					300				
10	Leu	Thr	Leu	Lys	Leu	Met	Lys	Thr	Ser	Val	Cys	Glu	Met	Leu	Asp	Thr
	305					310					315					320
15	Leu	Ser	Asp	Asp	Asp	Tyr	Val	Asn	Val	Ala	Ser	Phe	Asn	Glu	Lys	Ala
					325					330					335	
20	Gln	Pro	Val	Ser	Cys	Phe	Thr	His	Leu	Val	Gln	Ala	Asn	Val	Arg	Asn
				340					345					350		
25	Lys	Lys	Val	Phe	Lys	Glu	Ala	Val	Gln	Gly	Met	Val	Ala	Lys	Gly	Thr
	355						360						365			
30	Thr	Gly	Tyr	Lys	Ala	Gly	Phe	Glu	Tyr	Ala	Phe	Asp	Gln	Leu	Gln	Asn
	370					375						380				
35	Ser	Asn	Ile	Thr	Arg	Ala	Asn	Cys	Asn	Lys	Met	Ile	Met	Met	Phe	Thr
	385					390					395					400
40	Asp	Gly	Gly	Glu	Asp	Arg	Val	Gln	Asp	Val	Phe	Glu	Lys	Tyr	Asn	Trp
				405					410						415	
45	Pro	Asn	Arg	Thr	Val	Arg	Val	Phe	Thr	Phe	Ser	Val	Gly	Gln	His	Asn
				420					425					430		
50	Tyr	Asp	Val	Thr	Pro	Leu	Gln	Trp	Met	Ala	Cys	Ala	Asn	Lys	Gly	Tyr
	435						440						445			
55	Tyr	Phe	Glu	Ile	Pro	Ser	Ile	Gly	Ala	Ile	Arg	Ile	Asn	Thr	Gln	Glu
	450						455					460				
60	Tyr	Leu	Asp	Val	Leu	Gly	Arg	Pro	Met	Val	Leu	Ala	Gly	Lys	Glu	Ala
	465					470					475					480
65	Lys	Gln	Val	Gln	Trp	Thr	Asn	Val	Tyr	Glu	Asp	Ala	Leu	Gly	Leu	Gly
				485					490						495	
70	Leu	Val	Val	Thr	Gly	Thr	Leu	Pro	Val	Phe	Asn	Leu	Thr	Gln	Asp	Gly
				500					505					510		
75	Pro	Gly	Glu	Lys	Lys	Asn	Gln	Leu	Ile	Leu	Gly	Val	Met	Gly	Ile	Asp
	515						520						525			
80	Val	Ala	Leu	Asn	Asp	Ile	Lys	Arg	Leu	Thr	Pro	Asn	Tyr	Thr	Leu	Gly
	530					535						540				
85	Ala	Asn	Gly	Tyr	Val	Phe	Ala	Ile	Asp	Leu	Asn	Gly	Tyr	Val	Leu	Leu
	545					550					555					560
90	His	Pro	Asn	Leu	Lys	Pro	Gln	Thr	Thr	Asn	Phe	Arg	Glu	Pro	Val	Thr
				565					570						575	
95	Leu	Asp	Phe	Leu	Asp	Ala	Glu	Leu	Glu	Asp	Glu	Asn	Lys	Glu	Glu	Ile
				580					585					590		

Arg Arg Ser Met Ile Asp Gly Asn Lys Gly His Lys Gln Ile Arg Thr  
 595 600 605  
 5 Leu Val Lys Ser Leu Asp Glu Arg Tyr Ile Asp Glu Val Thr Arg Asn  
 610 615 620  
 Tyr Thr Trp Val Pro Ile Arg Ser Thr Asn Tyr Ser Leu Gly Leu Val  
 625 630 635 640  
 10 Leu Pro Pro Tyr Ser Thr Phe Tyr Leu Gln Ala Asn Leu Ser Asp Gln  
 645 650 655  
 Ile Leu Gln Val Lys Tyr Phe Glu Phe Leu Leu Pro Ser Ser Phe Glu  
 660 665 670  
 15 Ser Glu Gly His Val Phe Ile Ala Pro Arg Glu Tyr Cys Lys Asp Leu  
 675 680 685  
 Asn Ala Ser Asp Asn Asn Thr Glu Phe Leu Lys Asn Phe Ile Glu Leu  
 690 695 700  
 20 Met Glu Lys Val Thr Pro Asp Ser Lys Gln Cys Asn Asn Phe Leu Leu  
 705 710 715 720  
 25 His Asn Leu Ile Leu Asp Thr Gly Ile Thr Gln Gln Leu Val Glu Arg  
 725 730 735  
 Val Trp Arg Asp Gln Asp Leu Asn Thr Tyr Ser Leu Leu Ala Val Phe  
 740 745 750  
 30 Ala Ala Thr Asp Gly Gly Ile Thr Arg Val Phe Pro Asn Lys Ala Ala  
 755 760 765  
 Glu Asp Trp Thr Glu Asn Pro Glu Pro Phe Asn Ala Ser Phe Tyr Arg  
 770 775 780  
 35 Arg Ser Leu Asp Asn His Gly Tyr Val Phe Lys Pro Pro His Gln Asp  
 785 790 795 800  
 40 Ala Leu Leu Arg Pro Leu Glu Leu Glu Asn Asp Thr Val Gly Ile Leu  
 805 810 815  
 Val Ser Thr Ala Val Glu Leu Ser Leu Gly Arg Arg Thr Leu Arg Pro  
 820 825 830  
 45 Ala Val Val Gly Val Lys Leu Asp Leu Glu Ala Trp Ala Glu Lys Phe  
 835 840 845  
 Lys Val Leu Ala Ser Asn Arg Thr His Gln Asp Gln Pro Gln Lys Cys  
 850 855 860  
 50 Gly Pro Asn Ser His Cys Glu Met Asp Cys Glu Val Asn Asn Glu Asp  
 865 870 875 880  
 55 Leu Leu Cys Val Leu Ile Asp Asp Gly Gly Phe Leu Val Leu Ser Asn  
 885 890 895  
 Gln Asn His Gln Trp Asp Gln Val Gly Arg Phe Phe Ser Glu Val Asp  
 900 905 910



Ala Asn Leu Met Leu Ala Leu Tyr Asn Asn Ser Phe Tyr Thr Arg Lys  
 915 920 925  
 5 Glu Ser Tyr Asp Tyr Gln Ala Ala Cys Ala Pro Gln Pro Pro Gly Asn  
 930 935 940  
 Leu Gly Ala Ala Pro Arg Gly Val Phe Val Pro Thr Val Ala Asp Phe  
 945 950 955 960  
 10 Leu Asn Leu Ala Trp Trp Thr Ser Ala Ala Ala Trp Ser Leu Phe Gln  
 965 970 975  
 Gln Leu Leu Tyr Gly Leu Ile Tyr His Ser Trp Phe Gln Ala Asp Pro  
 15 980 985 990  
 Ala Glu Ala Glu Gly Ser Pro Glu Thr Arg Glu Ser Ser Cys Val Met  
 995 1000 1005  
 20 Lys Gln Thr Gln Tyr Tyr Phe Gly Ser Val Asn Ala Ser Tyr Asn Ala  
 1010 1015 1020  
 Ile Ile Asp Cys Gly Asn Cys Ser Arg Leu Phe His Ala Gln Arg Leu  
 1025 1030 1035 1040  
 25 Thr Asn Thr Asn Leu Leu Phe Val Val Ala Glu Lys Pro Leu Cys Ser  
 1045 1050 1055  
 Gln Cys Glu Ala Gly Arg Leu Leu Gln Lys Glu Thr His Cys Pro Ala  
 30 1060 1065 1070  
 Asp Gly Pro Glu Gln Cys Glu Leu Val Gln  
 1075 1080  
 35  
 <210> 6  
 <211> 1109  
 <212> PRT  
 <213> Homo sapiens  
 40  
 <400> 6  
 Met Ala Val Pro Ala Arg Thr Cys Gly Ala Ser Arg Pro Gly Pro Ala  
 1 5 10 15  
 45 Arg Thr Ala Arg Pro Trp Pro Gly Cys Gly Pro His Pro Gly Pro Gly  
 20 25 30  
 Thr Arg Arg Pro Thr Ser Gly Pro Pro Arg Pro Leu Trp Leu Leu Leu  
 35 40 45  
 50 Pro Leu Leu Pro Leu Leu Ala Ala Pro Gly Ala Ser Ala Tyr Ser Phe  
 50 55 60  
 Pro Gln Gln His Thr Met Gln His Trp Ala Arg Arg Leu Glu Gln Glu  
 55 65 70 75 80  
 Val Asp Gly Val Met Arg Ile Phe Gly Gly Val Gln Gln Leu Arg Glu  
 85 90 95

Ile Tyr Lys Asp Asn Arg Asn Leu Phe Glu Val Gln Glu Asn Glu Pro  
 100 105 110  
 5 Gln Lys Leu Val Glu Lys Val Ala Gly Asp Ile Glu Ser Leu Leu Asp  
 115 120 125  
 Arg Lys Val Gln Ala Leu Lys Arg Leu Ala Asp Ala Ala Glu Asn Phe  
 130 135 140  
 10 Gln Lys Ala His Arg Trp Gln Asp Asn Ile Lys Glu Glu Asp Ile Val  
 145 150 155 160  
 Tyr Tyr Asp Ala Lys Ala Asp Ala Glu Leu Asp Asp Pro Glu Ser Glu  
 165 170 175  
 15 Asp Val Glu Arg Gly Ser Lys Ala Ser Thr Leu Arg Leu Asp Phe Ile  
 180 185 190  
 Glu Asp Pro Asn Phe Lys Asn Lys Val Asn Tyr Ser Tyr Ala Ala Val  
 195 200 205  
 20 Gln Ile Pro Thr Asp Ile Tyr Lys Gly Ser Thr Val Ile Leu Asn Glu  
 210 215 220  
 25 Leu Asn Trp Thr Glu Ala Leu Glu Asn Val Phe Met Glu Asn Arg Arg  
 225 230 235 240  
 Gln Asp Pro Thr Leu Leu Trp Gln Val Phe Gly Ser Ala Thr Gly Val  
 245 250 255  
 30 Thr Arg Tyr Tyr Pro Ala Thr Pro Trp Arg Ala Pro Lys Lys Ile Asp  
 260 265 270  
 35 Leu Tyr Asp Val Arg Arg Arg Pro Trp Tyr Ile Gln Gly Ala Ser Ser  
 275 280 285  
 Pro Lys Asp Met Val Ile Ile Val Asp Val Ser Gly Ser Val Ser Gly  
 290 295 300  
 40 Leu Thr Leu Lys Leu Met Lys Thr Ser Val Cys Glu Met Leu Asp Thr  
 305 310 315 320  
 Leu Ser Asp Asp Asp Tyr Val Asn Val Ala Ser Phe Asn Glu Lys Ala  
 325 330 335  
 45 Gln Pro Val Ser Cys Phe Thr His Leu Val Gln Ala Asn Val Arg Asn  
 340 345 350  
 50 Lys Lys Val Phe Lys Glu Ala Val Gln Gly Met Val Ala Lys Gly Thr  
 355 360 365  
 Thr Gly Tyr Lys Ala Gly Phe Glu Tyr Ala Phe Asp Gln Leu Gln Asn  
 370 375 380  
 55 Ser Asn Ile Thr Arg Ala Asn Cys Asn Lys Met Ile Met Met Phe Thr  
 385 390 395 400  
 Asp Gly Gly Glu Asp Arg Val Gln Asp Val Phe Glu Lys Tyr Asn Trp  
 405 410 415

Pro Asn Arg Thr Val Arg Val Phe Thr Phe Ser Val Gly Gln His Asn  
 420 425 430  
 5 Tyr Asp Val Thr Pro Leu Gln Trp Met Ala Cys Ala Asn Lys Gly Tyr  
 435 440 445  
 Tyr Phe Glu Ile Pro Ser Ile Gly Ala Ile Arg Ile Asn Thr Gln Glu  
 450 455 460  
 10 Tyr Leu Asp Val Leu Gly Arg Pro Met Val Leu Ala Gly Lys Glu Ala  
 465 470 475 480  
 Lys Gln Val Gln Trp Thr Asn Val Tyr Glu Asp Ala Leu Gly Leu Gly  
 15 485 490 495  
 Leu Val Val Thr Gly Thr Leu Pro Val Phe Asn Leu Thr Gln Asp Gly  
 500 505 510  
 20 Pro Gly Glu Lys Lys Asn Gln Leu Ile Leu Gly Val Met Gly Ile Asp  
 515 520 525  
 Val Ala Leu Asn Asp Ile Lys Arg Leu Thr Pro Asn Tyr Thr Leu Gly  
 530 535 540  
 25 Ala Asn Gly Tyr Val Phe Ala Ile Asp Leu Asn Gly Tyr Val Leu Leu  
 545 550 555 560  
 His Pro Asn Leu Lys Pro Gln Thr Thr Asn Phe Arg Glu Pro Val Thr  
 30 565 570 575  
 Leu Asp Phe Leu Asp Ala Glu Leu Glu Asp Glu Asn Lys Glu Glu Ile  
 580 585 590  
 35 Arg Arg Ser Met Ile Asp Gly Asn Lys Gly His Lys Gln Ile Arg Thr  
 595 600 605  
 Leu Val Lys Ser Leu Asp Glu Arg Tyr Ile Asp Glu Val Thr Arg Asn  
 610 615 620  
 40 Tyr Thr Trp Val Pro Ile Arg Ser Thr Asn Tyr Ser Leu Gly Leu Val  
 625 630 635 640  
 Leu Pro Pro Tyr Ser Thr Phe Tyr Leu Gln Ala Asn Leu Ser Asp Gln  
 45 645 650 655  
 Ile Leu Gln Val Lys Tyr Phe Glu Phe Leu Leu Pro Ser Ser Phe Glu  
 660 665 670  
 50 Ser Glu Gly His Val Phe Ile Ala Pro Arg Glu Tyr Cys Lys Asp Leu  
 675 680 685  
 Asn Ala Ser Asp Asn Asn Thr Glu Phe Leu Lys Asn Phe Ile Glu Leu  
 690 695 700  
 55 Met Glu Lys Val Thr Pro Asp Ser Lys Gln Cys Asn Asn Phe Leu Leu  
 705 710 715 720  
 His Asn Leu Ile Leu Asp Thr Gly Ile Thr Gln Gln Leu Val Glu Arg

				725					730					735			
	Val	Trp	Arg	Asp	Gln	Asp	Leu	Asn	Thr	Tyr	Ser	Leu	Leu	Ala	Val	Phe	
				740					745					750			
5	Ala	Ala	Thr	Asp	Gly	Gly	Ile	Thr	Arg	Val	Phe	Pro	Asn	Lys	Ala	Ala	
			755					760					765				
10	Glu	Asp	Trp	Thr	Glu	Asn	Pro	Glu	Pro	Phe	Asn	Ala	Ser	Phe	Tyr	Arg	
		770					775					780					
	Arg	Ser	Leu	Asp	Asn	His	Gly	Tyr	Val	Phe	Lys	Pro	Pro	His	Gln	Asp	
	785					790					795					800	
15	Ala	Leu	Leu	Arg	Pro	Leu	Glu	Leu	Glu	Asn	Asp	Thr	Val	Gly	Ile	Leu	
				805						810					815		
	Val	Ser	Thr	Ala	Val	Glu	Leu	Ser	Leu	Gly	Arg	Arg	Thr	Leu	Arg	Pro	
			820						825					830			
20	Ala	Val	Val	Gly	Val	Lys	Leu	Asp	Leu	Glu	Ala	Trp	Ala	Glu	Lys	Phe	
		835						840					845				
	Lys	Val	Leu	Ala	Ser	Asn	Arg	Thr	His	Gln	Asp	Gln	Pro	Gln	Lys	Cys	
25		850					855					860					
	Gly	Pro	Asn	Ser	His	Cys	Glu	Met	Asp	Cys	Glu	Val	Asn	Asn	Glu	Asp	
	865					870					875					880	
30	Leu	Leu	Cys	Val	Leu	Ile	Asp	Asp	Gly	Gly	Phe	Leu	Val	Leu	Ser	Asn	
				885						890						895	
	Gln	Asn	His	Gln	Trp	Asp	Gln	Val	Gly	Arg	Phe	Phe	Ser	Glu	Val	Asp	
			900						905					910			
35	Ala	Asn	Leu	Met	Leu	Ala	Leu	Tyr	Asn	Asn	Ser	Phe	Tyr	Thr	Arg	Lys	
		915						920					925				
	Glu	Ser	Tyr	Asp	Tyr	Gln	Ala	Ala	Cys	Ala	Pro	Gln	Pro	Pro	Gly	Asn	
40		930					935					940					
	Leu	Gly	Ala	Ala	Pro	Arg	Gly	Val	Phe	Val	Pro	Thr	Val	Ala	Asp	Phe	
	945					950				955						960	
45	Leu	Asn	Leu	Ala	Trp	Trp	Thr	Ser	Ala	Ala	Ala	Trp	Ser	Leu	Phe	Gln	
				965						970					975		
	Gln	Leu	Leu	Tyr	Gly	Leu	Ile	Tyr	His	Ser	Trp	Phe	Gln	Ala	Asp	Pro	
			980					985						990			
50	Ala	Glu	Ala	Glu	Gly	Ser	Pro	Glu	Thr	Arg	Glu	Ser	Ser	Cys	Val	Met	
		995						1000					1005				
	Lys	Gln	Thr	Gln	Tyr	Tyr	Phe	Gly	Ser	Val	Asn	Ala	Ser	Tyr	Asn	Ala	
55		1010					1015					1020					
	Ile	Ile	Asp	Cys	Gly	Asn	Cys	Ser	Arg	Leu	Phe	His	Ala	Gln	Arg	Leu	
	1025					1030					1035					1040	

	Thr	Asn	Thr	Asn	Leu	Leu	Phe	Val	Val	Ala	Glu	Lys	Pro	Leu	Cys	Ser	
					1045						1050					1055	
	Gln	Cys	Glu	Ala	Gly	Arg	Leu	Leu	Gln	Lys	Glu	Thr	His	Cys	Pro	Ala	
5					1060					1065					1070		
	Asp	Gly	Pro	Glu	Gln	Cys	Glu	Leu	Val	Gln	Arg	Pro	Arg	Tyr	Arg	Arg	
					1075					1080					1085		
10	Gly	Pro	His	Ile	Cys	Phe	Asp	Tyr	Asn	Ala	Thr	Glu	Asp	Thr	Ser	Asp	
					1090					1095					1100		
	Cys	Gly	Arg	Gly	Ala												
					1105												
15																	
	<210>	7															
	<211>	3057															
	<212>	DNA															
20	<213>	Homo sapiens															
	<400>	7															
	atggcgcgggc	cgggctcgcc	gcgcgcgcgcg	tcccgggggg	cctcggcgct	tctcgtcgcc	60										
	gcgcttctct	acgcgcgcgt	gggggacgtg	gtgcgcctcg	agcagcagat	accgctctcc	120										
25	gtggtgaagc	tctgggcctc	ggcttttggg	ggggagataa	aatccattgc	tgctaagtac	180										
	tccggttccc	agcttctgca	aaagaaatac	aaagagtatg	agaaagacgt	tgccatagaa	240										
	gaaattgatg	gcctccaact	ggtaagaag	ctggcaaaga	acatggaaga	gatgtttcac	300										
	aagaagtctg	aggccgtcag	gcgtctgggtg	gaggctgcag	aagaagcaca	cctgaaacat	360										
	gaatttgatg	cagacttaca	gtatgaatac	ttcaatgctg	tgctgataaa	tgaaagggac	420										
30	aaagacggga	atcttttggg	gctgggaaag	gaattcatct	tagcccaaaa	tgaccatttt	480										
	aataatttgc	ctgtgaacat	cagtctaagt	gacgtccaag	taccaacgaa	catgtacaac	540										
	aaagaccctg	caattgtcaa	tggggtttat	tggctgtaat	ctctaataca	agtttttgta	600										
	gataactttg	accgtgacct	atctctcata	tggcagtaact	ttggaagtgc	aaagggcttt	660										
	tttaggcagt	atccggggat	taaattgggaa	ccagatgaga	atggagtcat	tgcttcgac	720										
35	tgcaggaacc	gaaaatggta	catccaggca	gcaactcttc	cgaagacgt	ggtcatttta	780										
	gttgacgtca	gtggcagcat	gaaaggactc	cgctgtgacta	tcgcgaagca	aacagctcca	840										
	tccattttgg	atacacttgg	ggtgatgtac	ttcttcaaca	taattgctta	taatgaggag	900										
	cttcactatg	tggaaacctg	cctgaatgga	actttgggtg	aagccgacag	gacaaacaaa	960										
	gagcacttca	gggagcatct	ggacaaaactt	ttcgccaaag	gaattggaat	gttggatata	1020										
40	gctctgaatg	aggccttcaa	cattctgagt	gatttcaacc	acacgggaca	aggaagtatc	1080										
	tgcagtcagg	ccatcatgct	cataactgat	ggggcggtgg	acacctatga	tacaatcttt	1140										
	gcaaaatata	attggccaga	tgcgaaaggtt	cgcactcttca	catacctcat	tggacgagag	1200										
	gctgcgtttg	cagacaatct	aaagtggatg	gctctgtgcca	acaaaggatt	ttttaccag	1260										
	atctccactc	tggtgatgtg	gcaggagaat	gtcatggaat	accttcacgt	gcttagccgg	1320										

	accaatcagg	acttcctgaa	agctggcgac	aaggagaaca	tttttaacgc	agaccatttc	2280
	cctctctggt	accgaagagc	cgctgagcag	attccaggga	gcttcgtcta	ctcgatccca	2340
	ttcagcactg	gaccagtcaa	taaaagcaat	gtggtgacag	caagtacatc	catccagctc	2400
	ctggatgaac	ggaaatctcc	tgtggtggca	gctgtaggca	ttcagatgaa	acttgaattt	2460
5	ttccaaagga	agttctggac	tgccagcaga	cagtgtgctt	ccctggatgg	caaagtctcc	2520
	atcagctgtg	atgatgagac	tgtgaattgt	tacctcatag	acaataatgg	atttatatttg	2580
	gtgtctgaag	actacacaca	gactggagac	ttttttggtg	agatcgaggg	agctgtgatg	2640
	aacaaattgc	taacaatggg	ctcctttaa	agaattaccc	tttatgacta	ccaagccatg	2700
	tgtagagcca	acaaggaaa	cagcgatggc	gcccattggc	tcctggatcc	ttataatgcc	2760
10	ttcctctctg	cagtaaaatg	gatcatgaca	gaacttgtct	tgttcctggt	ggaatttaac	2820
	ctctgcagtt	ggtggcactc	cgatatgaca	gctaaagccc	agaaattgaa	acagaccctg	2880
	gagccttgtg	atactgaata	tccagcatte	gtctctgagc	gcaccatcaa	ggagactaca	2940
	gggaatattg	cttgtgaaga	ctgctccaag	tcctttgtca	tccagcaa	cccaagcagc	3000
	aacctgttca	tgggtggtggt	ggacagcagc	tgcctctgtg	aatctgtggc	ccccatc	3057
15							
	<210> 8						
	<211> 3114						
	<212> DNA						
20	<213> Homo sapiens						
	<400> 8						
	atggccgggc	cgggctcgcc	gcgcgcgcgc	tcccgggggg	cctcggcgct	tctcgctgcc	60
	gcgcttctct	acgcgcgcgc	gggggacgtg	gtgcgctcgc	agcagcagat	accgctctcc	120
25	gtggtgaagc	tctgggcctc	ggcttttggg	ggggagataa	aatccattgc	tgctaagtac	180
	tccggttccc	agcttctgca	aaagaaatac	aaagagtatg	agaaagacgt	tgccatagaa	240
	gaaattgatg	gcctccaact	ggtaaaaga	ctggcaaaga	acatggaaga	gatgtttcac	300
	aagaagtctg	aggccgtcag	gcgtctggtg	gaggctgcag	aagaagcaca	cctgaaacat	360
	gaatttgatg	cagacttaca	gtatgaatac	ttcaatgctg	tgctgataaa	tgaaagggac	420
30	aaagacggga	atttttttga	gctgggaaag	gaattcatct	tagcccaaaa	tgaccatttt	480
	aataatttgc	ctgtgaacat	cagcttaagt	gacgtccaag	taccaacgaa	catgtacaac	540
	aaagaccctg	caattgtcaa	tggggtttat	tggctggaat	ctctaaacaa	agtttttgta	600
	gataactttg	accgtgaccc	atctctcata	tggcagtagt	ttggaagtgc	aaagggtctt	660
	tttaggcagt	atccggggat	taaatgggaa	ccagatgaga	atggagtcac	tgcttctgac	720
35	tgcaggaaacc	gaaaatggta	catccaggca	gcaacttctc	cgaaagacgt	ggtcatttta	780
	gttgacgtca	gtggcagcat	gaaaggactc	cgtctgacta	tcggaagca	aacagtctca	840
	tccattttgg	atacacttgg	ggatgatgac	ttcttcaaca	taattgctta	taatgaggag	900
	cttactatg	tggaaacttg	cctgaatgga	actttggtgc	aagccgacag	gacaaacaaa	960
	gagcacttca	gggagcatct	ggacaaactt	ttcgccaaag	gaattggaat	gttggatata	1020
40	gctctgaatg	aggccttcaa	cattctgagt	gatttcaacc	acacgggaca	aggaagtatc	1080
	tgcagtcagg	ccatcatgct	cataactgat	ggggcggtgg	acacctatga	tacaatcttt	1140
	gcaaaataca	attggccaga	tcgaaagggt	cgcactctca	catacctcat	tggacgagag	1200
	gctgctttg	cagacaatct	aaagtggatg	gcctgtgcca	acaaaggatt	ttttaccacg	1260
	atctccacct	tggctgatgt	gcaggagaat	gtcatggaat	accttcacgt	gcttagccgg	1320
45	cccaagtc	tcgaccagga	gcgatgatgt	gtgtggaccg	aagcttacat	tgacagcact	1380
	ctgactgatg	atcagggccc	cgtcctgatg	accactgtag	ccatgcctgt	gtttagtaag	1440
	cagaacgaaa	ccagatcgaa	gggcattctt	ctgggagtgg	ttggcacaga	tgtcccagtg	1500
	aaagaacttc	tgaagaccat	ccccaaatac	aagttaggga	ttcacgggta	tgcttttgca	1560
	atcacaaata	atggrratat	cctgacgcac	ccggaactca	ggctgctgta	cgaagaagga	1620
50	aaaaagcgaa	ggaaacctaa	ctatagtagc	gttgacctct	ctgaggtgga	gtgggaagac	1680
	cgagatgacg	tgttgagaaa	tgctatggtg	aatcgaaaga	cggggaagtt	ttccatggag	1740
	gtgaagaaga	cagtgacaaa	agggaaacgg	gttttgggtg	tgacaaatga	ctactattat	1800
	acagacatca	agggtactcc	tttcagttta	ggtgtggcgc	tttccagagg	tcaggggaaa	1860
	tattttcttc	gagggaatgt	aaccatcgaa	gaaggcctgc	atgacttaga	acatcccgat	1920
55	gtgtccttgg	cagatgaatg	gtcctactgc	aacactgacc	tacacctga	gcaccgccat	1980
	ctgtctcagt	tagaagcgat	taagctctac	ctaaaaggca	aagaacctct	gctccagtg	2040
	gataaagaat	tgatccaaga	agtccttttt	gacgcggtgg	tgagtcccc	cattgaagcg	2100
	tattggacca	gcctggccct	caacaaatct	gaaaattctg	acaaggcgct	ggaggttgcc	2160
	ttcctcgga	ctcgacggg	cctctccaga	atcaacctgt	ttgtcggggc	tgagcagctc	2220

5 accaatcagg acttcctgaa agctggcgac aaggagaaca tttttaacgc agaccatttc 2280  
 cctctctggg accgaagagc cgctgagcag attccaggga gcttcgtcta ctcgatccca 2340  
 ttcagcactg gaccagtcaa taaaagcaat gtggtgacag caagtacatc catccagctc 2400  
 ctggatgaac ggaaatctcc tgtggtggca gctgtaggca ttcagatgaa acttgaattt 2460  
 10 ttcxaaagga agttctggac tgccagcaga cagtgtgctt ccctggatgg caaatgctcc 2520  
 atcagctgtg atgatgagac tgtgaattgt tacctcatag acaataatgg atttattttg 2580  
 gtgtctgaag actacacaca gactggagac ttttttgggt agatcgaggg agctgtgatg 2640  
 aacaaattgc taacaatggg ctcttttaaa agaattaccc tttatgacta ccaagccatg 2700  
 tgtagagcca acaaggaaa gacgatggc gcccatggcc tcctggatcc ttataatgcc 2760  
 15 ttcctctctg cagtaaaatg gatcatgaca gaacttgtct tgttcctggg ggaatttaac 2820  
 ctctgcagtt ggtggcactc cgatatgaca gctaaagccc agaaattgaa acagaccctg 2880  
 gagccttggt atactgaata tccagcattc gtctctgagc gcaccatcaa ggagactaca 2940  
 gggaaatttg cttgtgaaga ctgctccaag tcctttgtca tccagcaaat cccaagcagc 3000  
 aacctgttca tgggtgggtg ggacagcagc tgccctctgt aatctgtggc ccccatcacc 3060  
 20 atggcaccca ttgaaatcag gtataatgaa tcccttaagt gtgaacgtct aaag 3114

&lt;210&gt; 9

&lt;211&gt; 3213

20 &lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 9

25 atggccgggc cgggctcgcc gcgcgcgcgc tcccgggggg cctcggcgct tctcgtgcc 60  
 gcgcttctct acgcgcgcgt gggggacgtg gtgcgctcgg agcagcagat accgctctcc 120  
 gtggtgaagc tctgggcttc ggcttttggg ggggagataa aatccattgc tgctaagtac 180  
 tccggttccc agcttctgca aaagaaatc aaagagtatg agaaagacgt tgccatagaa 240  
 gaaattgatg gcctccaact ggtaaaaga ctggcaaaaga acatggaaga gatgtttcac 300  
 30 aagaagtctg aggcgtcag gcgtctgggt gaggtgcag aagaagcaca cctgaaacat 360  
 gaatttgatg cagacttaca gtatgaatc ttcaatgctg tgctgataa tgaaagggac 420  
 aaagacggga atttttggg gctgggaaag gaattcatct tagcccaaa tgaccatttt 480  
 aataatttgc ctgtgaacat cagtctaagt gacgtccaag taccaacgaa catgtacaac 540  
 aaagaccctg caattgtcaa tggggtttat tggctgaat ctctaaacaa agtttttgta 600  
 gataactttg accgtgaccc atctctcata tggcagtagc ttggaagtgc aaagggtttt 660  
 35 tttaggcagt atccggggat taaatgggaa ccagatgaga atggagtcac tgccttcgac 720  
 tgcaggaacc gaaaatggta catccaggca gcaacttctc cgaaagacgt ggtcatttta 780  
 gttgacgtca gtggcagcat gaaaggactc cgtctgacta tcgcgaagca aacagtctca 840  
 tccattttgg atacattgg ggatgagac ttcttcaaca taattgctta taatgaggag 900  
 40 ctctactatg tggaaacctg cctgaatgga actttgggtc aagccgacag gacaaacaaa 960  
 gagcatttca gggagcatct ggacaaactt ttgcgcaaa gaattggaat gttggatata 1020  
 gctctgaatg aggccttcaa cattctgagt gatttcaacc acacgggaca aggaagtatc 1080  
 tgcagtcagg ccatcatgct cataactgat ggggcggtgg acacctatga tacaatcttt 1140  
 gcaaaatata attggccaga tcgaaagggt cgcactctca catacctcat tggacgagag 1200  
 gctgcgtttg cagacaatct aaagtggatg gcctgtgcca acaaaggatt ttttaccagg 1260  
 45 atctccacct tggctgatgt gcaggagaat gtcattggaat accttcaagt gcttagccgg 1320  
 cccaaagtca tcgaccagga gcatgatgtg gtgtggaccg aagcttacat tgacagcact 1380  
 ctgactgatg atcagggccc cgtcctgatg accactgtag ccatgcctgt gtttagtaag 1440  
 cagaacgaaa ccagatcgaa gggcattctt ctgggagtgg ttggcacaga tgtcccagtg 1500  
 aaagaacttc tgaagacat ccccaaatac aagttaggga ttcacggtta tgcctttgca 1560  
 50 atcacaaata atggrratat cctgacgcat ccggaactca ggctgctgta cgaagaagga 1620  
 aaaaagcgaa ggaaacgtaa ctatagtagc gttgacctct ctgaggtgga gtgggaagac 1680  
 cgagatgacg tgttgagaaa tgctatgggt aatcgaaaga cggggaagt ttccatggag 1740  
 gtgaagaaga cagtggacaa agggaaacgg gttttgggtg tgacaaatga ctactattat 1800  
 acagacatca agggtaactc tttcagttta ggtgtggcgc tttccagagg tcatgggaaa 1860  
 55 tatttcttcc gagggaaatg aaccatcgaa gaaggcctgc atgacttaga acatcccgat 1920  
 gtgtccttgg cagatgaatg gtcctactgc aacactgacc tacaccctga gcaccgcat 1980  
 ctgtctcagt tagaagcgat taagctctac ctaaaaggca aagaacctct gctccagtgt 2040  
 gataaagaat tgatccaaga agtccttttt gacgcggtgg tgagtcccc cattgaagcg 2100  
 tattggacca gcctggccct caacaaatct gaaaattctg acaaggcgct ggaggttgcc 2160

```

ttcctcggca ctgcacggg cctctccaga atcaacctgt ttgtcggggc tgagcagctc 2220
accaatcagg acttcttgaa agctggcgac aaggagaaca tttttaacgc agaccatttc 2280
cctctctggt accgaagagc cgctgagcag attccaggga gcttcgtcta ctcgatccca 2340
ttcagcactg gaccagtcaa taaaagcaat gtggtgacag caagtacatc catccagctc 2400
5 ctggatgaac ggaaatctcc tgtggtggca gctgtaggca ttcagatgaa acttgaattt 2460
ttccaaagga agttctggac tgccagcaga cagtgtgctt ccctggatgg caaatgctcc 2520
atcagctgtg atgatgagac tgtgaattgt tacctcatag acaataatgg atttattttg 2580
gtgtctgaag actacacaca gactggagac ttttttggtg agatcgaggg agctgtgatg 2640
aacaattgc taacaatggg ctctttaa aaagaattacc tttatgacta ccaagccatg 2700
10 tgtagagcca acaaggaaag cagcgatggc gcccatggcc tctggatcc ttataatgcc 2760
ttctctctg cagtaaatg gatcatgaca gaactgtct tgttctggt ggaatttaac 2820
ctctgcagtt ggtggcactc cgatatgaca gctaaagccc agaaattgaa acagaccctg 2880
gagccttgatg atactgaata tccagcattc gtctctgagc gcaccatcaa ggagactaca 2940
gggaatattg cttgtgaaga ctgtccaag tctttgtca tccagcaaat cccaagcagc 3000
15 aacctgttca tgggtggtg ggacagcagc tgcctctgtg aatctgtggc ccccatcacc 3060
atggcaccga ttgaaatcag gtataatgaa tcccttaagt gtgaacgtct aaaggcccag 3120
aagatcagaa gggccagaa gatcagaagg cgcccagaat cttgtcatgg cttccatcct 3180
gaggagaatg caaggagtg tgggggtgcg ccg 3213

```

20

<210> 10  
 <211> 1019  
 <212> PRT  
 <213> Homo sapiens

25

<400> 10  
 Met Ala Gly Pro Gly Ser Pro Arg Arg Ala Ser Arg Gly Ala Ser Ala  
 1 5 10 15

30

Leu Leu Ala Ala Ala Leu Leu Tyr Ala Ala Leu Gly Asp Val Val Arg  
 20 25 30

Ser Glu Gln Gln Ile Pro Leu Ser Val Val Lys Leu Trp Ala Ser Ala  
 35 40 45

35

Phe Gly Gly Glu Ile Lys Ser Ile Ala Ala Lys Tyr Ser Gly Ser Gln  
 50 55 60

40

Leu Leu Gln Lys Lys Tyr Lys Glu Tyr Glu Lys Asp Val Ala Ile Glu  
 65 70 75 80

Glu Ile Asp Gly Leu Gln Leu Val Lys Lys Leu Ala Lys Asn Met Glu  
 85 90 95

45

Glu Met Phe His Lys Lys Ser Glu Ala Val Arg Arg Leu Val Glu Ala  
 100 105 110

Ala Glu Glu Ala His Leu Lys His Glu Phe Asp Ala Asp Leu Gln Tyr  
 115 120 125

50

Glu Tyr Phe Asn Ala Val Leu Ile Asn Glu Arg Asp Lys Asp Gly Asn  
 130 135 140

55

Phe Leu Glu Leu Gly Lys Glu Phe Ile Leu Ala Pro Asn Asp His Phe  
 145 150 155 160

Asn Asn Leu Pro Val Asn Ile Ser Leu Ser Asp Val Gln Val Pro Thr  
 165 170 175



	Asn Met Tyr Asn Lys Asp Pro Ala Ile Val Asn Gly Val Tyr Trp Ser	
	180	185 190
5	Glu Ser Leu Asn Lys Val Phe Val Asp Asn Phe Asp Arg Asp Pro Ser	
	195	200 205
	Leu Ile Trp Gln Tyr Phe Gly Ser Ala Lys Gly Phe Phe Arg Gln Tyr	
	210	215 220
10	Pro Gly Ile Lys Trp Glu Pro Asp Glu Asn Gly Val Ile Ala Phe Asp	
	225	230 235 240
	Cys Arg Asn Arg Lys Trp Tyr Ile Gln Ala Ala Thr Ser Pro Lys Asp	
	245	250 255
15	Val Val Ile Leu Val Asp Val Ser Gly Ser Met Lys Gly Leu Arg Leu	
	260	265 270
	Thr Ile Ala Lys Gln Thr Val Ser Ser Ile Leu Asp Thr Leu Gly Asp	
20	275	280 285
	Asp Asp Phe Phe Asn Ile Ile Ala Tyr Asn Glu Glu Leu His Tyr Val	
	290	295 300
25	Glu Pro Cys Leu Asn Gly Thr Leu Val Gln Ala Asp Arg Thr Asn Lys	
	305	310 315 320
	Glu His Phe Arg Glu His Leu Asp Lys Leu Phe Ala Lys Gly Ile Gly	
	325	330 335
30	Met Leu Asp Ile Ala Leu Asn Glu Ala Phe Asn Ile Leu Ser Asp Phe	
	340	345 350
	Asn His Thr Gly Gln Gly Ser Ile Cys Ser Gln Ala Ile Met Leu Ile	
35	355	360 365
	Thr Asp Gly Ala Val Asp Thr Tyr Asp Thr Ile Phe Ala Lys Tyr Asn	
	370	375 380
40	Trp Pro Asp Arg Lys Val Arg Ile Phe Thr Tyr Leu Ile Gly Arg Glu	
	385	390 395 400
	Ala Ala Phe Ala Asp Asn Leu Lys Trp Met Ala Cys Ala Asn Lys Gly	
	405	410 415
45	Phe Phe Thr Gln Ile Ser Thr Leu Ala Asp Val Gln Glu Asn Val Met	
	420	425 430
	Glu Tyr Leu His Val Leu Ser Arg Pro Lys Val Ile Asp Gln Glu His	
50	435	440 445
	Asp Val Val Trp Thr Glu Ala Tyr Ile Asp Ser Thr Leu Thr Asp Asp	
	450	455 460
55	Gln Gly Pro Val Leu Met Thr Thr Val Ala Met Pro Val Phe Ser Lys	
	465	470 475 480
	Gln Asn Glu Thr Arg Ser Lys Gly Ile Leu Leu Gly Val Val Gly Thr	
	485	490 495

	Asp	Val	Pro	Val	Lys	Glu	Leu	Leu	Lys	Thr	Ile	Pro	Lys	Tyr	Lys	Leu
				500					505					510		
5	Gly	Ile	His	Gly	Tyr	Ala	Phe	Ala	Ile	Thr	Asn	Asn	Gly	Tyr	Ile	Leu
			515					520					525			
	Thr	His	Pro	Glu	Leu	Arg	Leu	Leu	Tyr	Glu	Glu	Gly	Lys	Lys	Arg	Arg
		530					535					540				
10	Lys	Pro	Asn	Tyr	Ser	Ser	Val	Asp	Leu	Ser	Glu	Val	Glu	Trp	Glu	Asp
	545					550					555					560
	Arg	Asp	Asp	Val	Leu	Arg	Asn	Ala	Met	Val	Asn	Arg	Lys	Thr	Gly	Lys
15					565					570					575	
	Phe	Ser	Met	Glu	Val	Lys	Lys	Thr	Val	Asp	Lys	Gly	Lys	Arg	Val	Leu
				580					585					590		
20	Val	Met	Thr	Asn	Asp	Tyr	Tyr	Tyr	Thr	Asp	Ile	Lys	Gly	Thr	Pro	Phe
			595					600					605			
	Ser	Leu	Gly	Val	Ala	Leu	Ser	Arg	Gly	His	Gly	Lys	Tyr	Phe	Phe	Arg
		610					615					620				
25	Gly	Asn	Val	Thr	Ile	Glu	Glu	Gly	Leu	His	Asp	Leu	Glu	His	Pro	Asp
	625					630					635					640
	Val	Ser	Leu	Ala	Asp	Glu	Trp	Ser	Tyr	Cys	Asn	Thr	Asp	Leu	His	Pro
30					645					650						655
	Glu	His	Arg	His	Leu	Ser	Gln	Leu	Glu	Ala	Ile	Lys	Leu	Tyr	Leu	Lys
				660					665					670		
35	Gly	Lys	Glu	Pro	Leu	Leu	Gln	Cys	Asp	Lys	Glu	Leu	Ile	Gln	Glu	Val
			675					680					685			
	Leu	Phe	Asp	Ala	Val	Val	Ser	Ala	Pro	Ile	Glu	Ala	Tyr	Trp	Thr	Ser
		690					695					700				
40	Leu	Ala	Leu	Asn	Lys	Ser	Glu	Asn	Ser	Asp	Lys	Gly	Val	Glu	Val	Ala
	705					710					715					720
	Phe	Leu	Gly	Thr	Arg	Thr	Gly	Leu	Ser	Arg	Ile	Asn	Leu	Phe	Val	Gly
45					725					730					735	
	Ala	Glu	Gln	Leu	Thr	Asn	Gln	Asp	Phe	Leu	Lys	Ala	Gly	Asp	Lys	Glu
				740				745						750		
50	Asn	Ile	Phe	Asn	Ala	Asp	His	Phe	Pro	Leu	Trp	Tyr	Arg	Arg	Ala	Ala
			755					760					765			
	Glu	Gln	Ile	Pro	Gly	Ser	Phe	Val	Tyr	Ser	Ile	Pro	Phe	Ser	Thr	Gly
		770					775					780				
55	Pro	Val	Asn	Lys	Ser	Asn	Val	Val	Thr	Ala	Ser	Thr	Ser	Ile	Gln	Leu
	785					790					795					800
	Leu	Asp	Glu	Arg	Lys	Ser	Pro	Val	Val	Ala	Ala	Val	Gly	Ile	Gln	Met

				805					810					815		
	Lys	Leu	Glu	Phe	Phe	Gln	Arg	Lys	Phe	Trp	Thr	Ala	Ser	Arg	Gln	Cys
				820					825					830		
5	Ala	Ser	Leu	Asp	Gly	Lys	Cys	Ser	Ile	Ser	Cys	Asp	Asp	Glu	Thr	Val
			835					840					845			
10	Asn	Cys	Tyr	Leu	Ile	Asp	Asn	Asn	Gly	Phe	Ile	Leu	Val	Ser	Glu	Asp
		850					855					860				
	Tyr	Thr	Gln	Thr	Gly	Asp	Phe	Phe	Gly	Glu	Ile	Glu	Gly	Ala	Val	Met
	865					870					875				880	
15	Asn	Lys	Leu	Leu	Thr	Met	Gly	Ser	Phe	Lys	Arg	Ile	Thr	Leu	Tyr	Asp
				885						890					895	
	Tyr	Gln	Ala	Met	Cys	Arg	Ala	Asn	Lys	Glu	Ser	Ser	Asp	Gly	Ala	His
			900						905					910		
20	Gly	Leu	Leu	Asp	Pro	Tyr	Asn	Ala	Phe	Leu	Ser	Ala	Val	Lys	Trp	Ile
		915						920					925			
	Met	Thr	Glu	Leu	Val	Leu	Phe	Leu	Val	Glu	Phe	Asn	Leu	Cys	Ser	Trp
25		930					935					940				
	Trp	His	Ser	Asp	Met	Thr	Ala	Lys	Ala	Gln	Lys	Leu	Lys	Gln	Thr	Leu
	945					950					955				960	
30	Glu	Pro	Cys	Asp	Thr	Glu	Tyr	Pro	Ala	Phe	Val	Ser	Glu	Arg	Thr	Ile
				965						970					975	
	Lys	Glu	Thr	Thr	Gly	Asn	Ile	Ala	Cys	Glu	Asp	Cys	Ser	Lys	Ser	Phe
			980						985					990		
35	Val	Ile	Gln	Gln	Ile	Pro	Ser	Ser	Asn	Leu	Phe	Met	Val	Val	Val	Asp
		995						1000					1005			
	Ser	Ser	Cys	Leu	Cys	Glu	Ser	Val	Ala	Pro	Ile					
40		1010				1015										
	<210>	11														
	<211>	1038														
45	<212>	PRT														
	<213>	Homo sapiens														
	<400>	11														
50	Met	Ala	Gly	Pro	Gly	Ser	Pro	Arg	Arg	Ala	Ser	Arg	Gly	Ala	Ser	Ala
	1					5				10				15		
	Leu	Leu	Ala	Ala	Ala	Leu	Leu	Tyr	Ala	Ala	Leu	Gly	Asp	Val	Val	Arg
			20					25					30			
55	Ser	Glu	Gln	Gln	Ile	Pro	Leu	Ser	Val	Val	Lys	Leu	Trp	Ala	Ser	Ala
		35						40					45			
	Phe	Gly	Gly	Glu	Ile	Lys	Ser	Ile	Ala	Ala	Lys	Tyr	Ser	Gly	Ser	Gln
	50					55						60				

Leu Leu Gln Lys Lys Tyr Lys Glu Tyr Glu Lys Asp Val Ala Ile Glu  
 65 70 75 80  
 5 Glu Ile Asp Gly Leu Gln Leu Val Lys Lys Leu Ala Lys Asn Met Glu  
 85 90 95  
 Glu Met Phe His Lys Lys Ser Glu Ala Val Arg Arg Leu Val Glu Ala  
 100 105 110  
 10 Ala Glu Glu Ala His Leu Lys His Glu Phe Asp Ala Asp Leu Gln Tyr  
 115 120 125  
 Glu Tyr Phe Asn Ala Val Leu Ile Asn Glu Arg Asp Lys Asp Gly Asn  
 15 130 135 140  
 Phe Leu Glu Leu Gly Lys Glu Phe Ile Leu Ala Pro Asn Asp His Phe  
 145 150 155 160  
 20 Asn Asn Leu Pro Val Asn Ile Ser Leu Ser Asp Val Gln Val Pro Thr  
 165 170 175  
 Asn Met Tyr Asn Lys Asp Pro Ala Ile Val Asn Gly Val Tyr Trp Ser  
 180 185 190  
 25 Glu Ser Leu Asn Lys Val Phe Val Asp Asn Phe Asp Arg Asp Pro Ser  
 195 200 205  
 Leu Ile Trp Gln Tyr Phe Gly Ser Ala Lys Gly Phe Phe Arg Gln Tyr  
 30 210 215 220  
 Pro Gly Ile Lys Trp Glu Pro Asp Glu Asn Gly Val Ile Ala Phe Asp  
 225 230 235 240  
 35 Cys Arg Asn Arg Lys Trp Tyr Ile Gln Ala Ala Thr Ser Pro Lys Asp  
 245 250 255  
 Val Val Ile Leu Val Asp Val Ser Gly Ser Met Lys Gly Leu Arg Leu  
 260 265 270  
 40 Thr Ile Ala Lys Gln Thr Val Ser Ser Ile Leu Asp Thr Leu Gly Asp  
 275 280 285  
 Asp Asp Phe Phe Asn Ile Ile Ala Tyr Asn Glu Glu Leu His Tyr Val  
 45 290 295 300  
 Glu Pro Cys Leu Asn Gly Thr Leu Val Gln Ala Asp Arg Thr Asn Lys  
 305 310 315 320  
 50 Glu His Phe Arg Glu His Leu Asp Lys Leu Phe Ala Lys Gly Ile Gly  
 325 330 335  
 Met Leu Asp Ile Ala Leu Asn Glu Ala Phe Asn Ile Leu Ser Asp Phe  
 340 345 350  
 55 Asn His Thr Gly Gln Gly Ser Ile Cys Ser Gln Ala Ile Met Leu Ile  
 355 360 365  
 Thr Asp Gly Ala Val Asp Thr Tyr Asp Thr Ile Phe Ala Lys Tyr Asn

	370	375	380
	Trp Pro Asp Arg Lys Val Arg Ile Phe Thr Tyr Leu Ile Gly Arg Glu		
	385	390	395 400
5	Ala Ala Phe Ala Asp Asn Leu Lys Trp Met Ala Cys Ala Asn Lys Gly		
		405	410 415
10	Phe Phe Thr Gln Ile Ser Thr Leu Ala Asp Val Gln Glu Asn Val Met		
		420	425 430
	Glu Tyr Leu His Val Leu Ser Arg Pro Lys Val Ile Asp Gln Glu His		
		435	440 445
15	Asp Val Val Trp Thr Glu Ala Tyr Ile Asp Ser Thr Leu Thr Asp Asp		
		450	455 460
	Gln Gly Pro Val Leu Met Thr Thr Val Ala Met Pro Val Phe Ser Lys		
		465	470 475 480
20	Gln Asn Glu Thr Arg Ser Lys Gly Ile Leu Leu Gly Val Val Gly Thr		
		485	490 495
25	Asp Val Pro Val Lys Glu Leu Leu Lys Thr Ile Pro Lys Tyr Lys Leu		
		500	505 510
	Gly Ile His Gly Tyr Ala Phe Ala Ile Thr Asn Asn Gly Tyr Ile Leu		
		515	520 525
30	Thr His Pro Glu Leu Arg Leu Leu Tyr Glu Glu Gly Lys Lys Arg Arg		
		530	535 540
	Lys Pro Asn Tyr Ser Ser Val Asp Leu Ser Glu Val Glu Trp Glu Asp		
		545	550 555 560
35	Arg Asp Asp Val Leu Arg Asn Ala Met Val Asn Arg Lys Thr Gly Lys		
		565	570 575
	Phe Ser Met Glu Val Lys Lys Thr Val Asp Lys Gly Lys Arg Val Leu		
40		580	585 590
	Val Met Thr Asn Asp Tyr Tyr Tyr Thr Asp Ile Lys Gly Thr Pro Phe		
		595	600 605
45	Ser Leu Gly Val Ala Leu Ser Arg Gly His Gly Lys Tyr Phe Phe Arg		
		610	615 620
	Gly Asn Val Thr Ile Glu Glu Gly Leu His Asp Leu Glu His Pro Asp		
		625	630 635 640
50	Val Ser Leu Ala Asp Glu Trp Ser Tyr Cys Asn Thr Asp Leu His Pro		
		645	650 655
	Glu His Arg His Leu Ser Gln Leu Glu Ala Ile Lys Leu Tyr Leu Lys		
55		660	665 670
	Gly Lys Glu Pro Leu Leu Gln Cys Asp Lys Glu Leu Ile Gln Glu Val		
		675	680 685

Leu Phe Asp Ala Val Val Ser Ala Pro Ile Glu Ala Tyr Trp Thr Ser  
 690 695 700

5 Leu Ala Leu Asn Lys Ser Glu Asn Ser Asp Lys Gly Val Glu Val Ala  
 705 710 715 720

Phe Leu Gly Thr Arg Thr Gly Leu Ser Arg Ile Asn Leu Phe Val Gly  
 725 730 735

10 Ala Glu Gln Leu Thr Asn Gln Asp Phe Leu Lys Ala Gly Asp Lys Glu  
 740 745 750

Asn Ile Phe Asn Ala Asp His Phe Pro Leu Trp Tyr Arg Arg Ala Ala  
 755 760 765

15 Glu Gln Ile Pro Gly Ser Phe Val Tyr Ser Ile Pro Phe Ser Thr Gly  
 770 775 780

Pro Val Asn Lys Ser Asn Val Val Thr Ala Ser Thr Ser Ile Gln Leu  
 785 790 795 800

Leu Asp Glu Arg Lys Ser Pro Val Val Ala Ala Val Gly Ile Gln Met  
 805 810 815

25 Lys Leu Glu Phe Phe Gln Arg Lys Phe Trp Thr Ala Ser Arg Gln Cys  
 820 825 830

Ala Ser Leu Asp Gly Lys Cys Ser Ile Ser Cys Asp Asp Glu Thr Val  
 835 840 845

30 Asn Cys Tyr Leu Ile Asp Asn Asn Gly Phe Ile Leu Val Ser Glu Asp  
 850 855 860

Tyr Thr Gln Thr Gly Asp Phe Phe Gly Glu Ile Glu Gly Ala Val Met  
 865 870 875 880

Asn Lys Leu Leu Thr Met Gly Ser Phe Lys Arg Ile Thr Leu Tyr Asp  
 885 890 895

40 Tyr Gln Ala Met Cys Arg Ala Asn Lys Glu Ser Ser Asp Gly Ala His  
 900 905 910

Gly Leu Leu Asp Pro Tyr Asn Ala Phe Leu Ser Ala Val Lys Trp Ile  
 915 920 925

45 Met Thr Glu Leu Val Leu Phe Leu Val Glu Phe Asn Leu Cys Ser Trp  
 930 935 940

Trp His Ser Asp Met Thr Ala Lys Ala Gln Lys Leu Lys Gln Thr Leu  
 945 950 955 960

Glu Pro Cys Asp Thr Glu Tyr Pro Ala Phe Val Ser Glu Arg Thr Ile  
 965 970 975

55 Lys Glu Thr Thr Gly Asn Ile Ala Cys Glu Asp Cys Ser Lys Ser Phe  
 980 985 990

Val Ile Gln Gln Ile Pro Ser Ser Asn Leu Phe Met Val Val Val Asp  
 995 1000 1005

Ser Ser Cys Leu Cys Glu Ser Val Ala Pro Ile Thr Met Ala Pro Ile  
 1010 1015 1020

5 Glu Ile Arg Tyr Asn Glu Ser Leu Lys Cys Glu Arg Leu Lys  
 1025 1030 1035

<210> 12  
 10 <211> 1065  
 <212> PRT  
 <213> Homo sapiens

<400> 12  
 15 Met Ala Gly Pro Gly Ser Pro Arg Arg Ala Ser Arg Gly Ala Ser Ala  
 1 5 10 15

Leu Leu Ala Ala Ala Leu Leu Tyr Ala Ala Leu Gly Asp Val Val Arg  
 20 20 25 30

20 Ser Glu Gln Gln Ile Pro Leu Ser Val Val Lys Leu Trp Ala Ser Ala  
 35 40 45

Phe Gly Gly Glu Ile Lys Ser Ile Ala Ala Lys Tyr Ser Gly Ser Gln  
 25 50 55 60

Leu Leu Gln Lys Lys Tyr Lys Glu Tyr Glu Lys Asp Val Ala Ile Glu  
 65 70 75 80

30 Glu Ile Asp Gly Leu Gln Leu Val Lys Lys Leu Ala Lys Asn Met Glu  
 85 90 95

Glu Met Phe His Lys Lys Ser Glu Ala Val Arg Arg Leu Val Glu Ala  
 100 105 110

35 Ala Glu Glu Ala His Leu Lys His Glu Phe Asp Ala Asp Leu Gln Tyr  
 115 120 125

Glu Tyr Phe Asn Ala Val Leu Ile Asn Glu Arg Asp Lys Asp Gly Asn  
 40 130 135 140

Phe Leu Glu Leu Gly Lys Glu Phe Ile Leu Ala Pro Asn Asp His Phe  
 145 150 155 160

45 Asn Asn Leu Pro Val Asn Ile Ser Leu Ser Asp Val Gln Val Pro Thr  
 165 170 175

Asn Met Tyr Asn Lys Asp Pro Ala Ile Val Asn Gly Val Tyr Trp Ser  
 180 185 190

50 Glu Ser Leu Asn Lys Val Phe Val Asp Asn Phe Asp Arg Asp Pro Ser  
 195 200 205

Leu Ile Trp Gln Tyr Phe Gly Ser Ala Lys Gly Phe Phe Arg Gln Tyr  
 55 210 215 220

Pro Gly Ile Lys Trp Glu Pro Asp Glu Asn Gly Val Ile Ala Phe Asp  
 225 230 235 240

Cys Arg Asn Arg Lys Trp Tyr Ile Gln Ala Ala Thr Ser Pro Lys Asp  
 245 250 255  
 5 Val Val Ile Leu Val Asp Val Ser Gly Ser Met Lys Gly Leu Arg Leu  
 260 265 270  
 Thr Ile Ala Lys Gln Thr Val Ser Ser Ile Leu Asp Thr Leu Gly Asp  
 275 280 285  
 10 Asp Asp Phe Phe Asn Ile Ile Ala Tyr Asn Glu Glu Leu His Tyr Val  
 290 295 300  
 Glu Pro Cys Leu Asn Gly Thr Leu Val Gln Ala Asp Arg Thr Asn Lys  
 305 310 315 320  
 15 Glu His Phe Arg Glu His Leu Asp Lys Leu Phe Ala Lys Gly Ile Gly  
 325 330 335  
 Met Leu Asp Ile Ala Leu Asn Glu Ala Phe Asn Ile Leu Ser Asp Phe  
 340 345 350  
 20 Asn His Thr Gly Gln Gly Ser Ile Cys Ser Gln Ala Ile Met Leu Ile  
 355 360 365  
 25 Thr Asp Gly Ala Val Asp Thr Tyr Asp Thr Ile Phe Ala Lys Tyr Asn  
 370 375 380  
 Trp Pro Asp Arg Lys Val Arg Ile Phe Thr Tyr Leu Ile Gly Arg Glu  
 385 390 395 400  
 30 Ala Ala Phe Ala Asp Asn Leu Lys Trp Met Ala Cys Ala Asn Lys Gly  
 405 410 415  
 Phe Phe Thr Gln Ile Ser Thr Leu Ala Asp Val Gln Glu Asn Val Met  
 420 425 430  
 35 Glu Tyr Leu His Val Leu Ser Arg Pro Lys Val Ile Asp Gln Glu His  
 435 440 445  
 40 Asp Val Val Trp Thr Glu Ala Tyr Ile Asp Ser Thr Leu Thr Asp Asp  
 450 455 460  
 Gln Gly Pro Val Leu Met Thr Thr Val Ala Met Pro Val Phe Ser Lys  
 465 470 475 480  
 45 Gln Asn Glu Thr Arg Ser Lys Gly Ile Leu Leu Gly Val Val Gly Thr  
 485 490 495  
 Asp Val Pro Val Lys Glu Leu Leu Lys Thr Ile Pro Lys Tyr Lys Leu  
 500 505 510  
 50 Gly Ile His Gly Tyr Ala Phe Ala Ile Thr Asn Asn Gly Tyr Ile Leu  
 515 520 525  
 55 Thr His Pro Glu Leu Arg Leu Leu Tyr Glu Glu Gly Lys Lys Arg Arg  
 530 535 540  
 Lys Pro Asn Tyr Ser Ser Val Asp Leu Ser Glu Val Glu Trp Glu Asp  
 545 550 555 560



Arg Asp Asp Val Leu Arg Asn Ala Met Val Asn Arg Lys Thr Gly Lys  
 565 570 575  
 5 Phe Ser Met Glu Val Lys Lys Thr Val Asp Lys Gly Lys Arg Val Leu  
 580 585 590  
 Val Met Thr Asn Asp Tyr Tyr Tyr Thr Asp Ile Lys Gly Thr Pro Phe  
 595 600 605  
 10 Ser Leu Gly Val Ala Leu Ser Arg Gly His Gly Lys Tyr Phe Phe Arg  
 610 615 620  
 Gly Asn Val Thr Ile Glu Glu Gly Leu His Asp Leu Glu His Pro Asp  
 15 625 630 635 640  
 Val Ser Leu Ala Asp Glu Trp Ser Tyr Cys Asn Thr Asp Leu His Pro  
 645 650 655  
 20 Glu His Arg His Leu Ser Gln Leu Glu Ala Ile Lys Leu Tyr Leu Lys  
 660 665 670  
 Gly Lys Glu Pro Leu Leu Gln Cys Asp Lys Glu Leu Ile Gln Glu Val  
 675 680 685  
 25 Leu Phe Asp Ala Val Val Ser Ala Pro Ile Glu Ala Tyr Trp Thr Ser  
 690 695 700  
 Leu Ala Leu Asn Lys Ser Glu Asn Ser Asp Lys Gly Val Glu Val Ala  
 30 705 710 715 720  
 Phe Leu Gly Thr Arg Thr Gly Leu Ser Arg Ile Asn Leu Phe Val Gly  
 725 730 735  
 35 Ala Glu Gln Leu Thr Asn Gln Asp Phe Leu Lys Ala Gly Asp Lys Glu  
 740 745 750  
 Asn Ile Phe Asn Ala Asp His Phe Pro Leu Trp Tyr Arg Arg Ala Ala  
 755 760 765  
 40 Glu Gln Ile Pro Gly Ser Phe Val Tyr Ser Ile Pro Phe Ser Thr Gly  
 770 775 780  
 Pro Val Asn Lys Ser Asn Val Val Thr Ala Ser Thr Ser Ile Gln Leu  
 45 785 790 795 800  
 Leu Asp Glu Arg Lys Ser Pro Val Val Ala Ala Val Gly Ile Gln Met  
 805 810 815  
 50 Lys Leu Glu Phe Phe Gln Arg Lys Phe Trp Thr Ala Ser Arg Gln Cys  
 820 825 830  
 Ala Ser Leu Asp Gly Lys Cys Ser Ile Ser Cys Asp Asp Glu Thr Val  
 835 840 845  
 55 Asn Cys Tyr Leu Ile Asp Asn Asn Gly Phe Ile Leu Val Ser Glu Asp  
 850 855 860  
 Tyr Thr Gln Thr Gly Asp Phe Phe Gly Glu Ile Glu Gly Ala Val Met

865                      870                      875                      880  
 Asn Lys Leu Leu Thr Met Gly Ser Phe Lys Arg Ile Thr Leu Tyr Asp  
                                  885                      890                      895  
 5 Tyr Gln Ala Met Cys Arg Ala Asn Lys Glu Ser Ser Asp Gly Ala His  
                                  900                      905                      910  
 Gly Leu Leu Asp Pro Tyr Asn Ala Phe Leu Ser Ala Val Lys Trp Ile  
 10                      915                      920                      925  
 Met Thr Glu Leu Val Leu Phe Leu Val Glu Phe Asn Leu Cys Ser Trp  
                                  930                      935                      940  
 15 Trp His Ser Asp Met Thr Ala Lys Ala Gln Lys Leu Lys Gln Thr Leu  
                                  945                      950                      955                      960  
 Glu Pro Cys Asp Thr Glu Tyr Pro Ala Phe Val Ser Glu Arg Thr Ile  
                                  965                      970                      975  
 20 Lys Glu Thr Thr Gly Asn Ile Ala Cys Glu Asp Cys Ser Lys Ser Phe  
                                  980                      985                      990  
 Val Ile Gln Gln Ile Pro Ser Ser Asn Leu Phe Met Val Val Val Asp  
 25                      995                      1000                      1005  
 Ser Ser Cys Leu Cys Glu Ser Val Ala Pro Ile Thr Met Ala Pro Ile  
                                  1010                      1015                      1020  
 30 Glu Ile Arg Tyr Asn Glu Ser Leu Lys Cys Glu Arg Leu Lys Ala Gln  
                                  1025                      1030                      1035                      1040  
 Lys Ile Arg Arg Arg Pro Glu Ser Cys His Gly Phe His Pro Glu Glu  
                                  1045                      1050                      1055  
 35 Asn Ala Arg Glu Cys Gly Gly Ala Pro  
                                  1060                      1065  
 40 <210> 13  
     <211> 912  
     <212> DNA  
     <213> Homo sapiens  
 45 <400> 13  
 agtggcctcc tgagaagcag cttgttcgtg ggctccgaga aggtctccga caggaagttc 60  
 ctgacacctg aggacgaggc cagcgtgttc accctggacc gcttcccgtc gtggtaccgc 120  
 caggcctcag agcatcctgc tggcagcttc gtcttcaacc tccgctgggc agaaggacca 180  
 gaaagtgcgg gtgaacccat ggtggtgacg gcaagcacag ctgtggcggt gaccgtggac 240  
 50 aagaggacag ccattgctgc agccgcgggc gtccaaatga agctggaatt cctccagcgc 300  
 aaattctggg cggcaacgcg gcagtgcagc actgtggatg ggccgtgcac acagagctgc 360  
 gaggacagtg atctggactg cttegtcatc gacaacaacg ggttcattct gatctccaag 420  
 aggtcccag agacgggaag atttctgggg gaggtggatg gtgctgtcct gaccagctg 480  
 ctgagcatgg ggggtgttcag ccaagtgact atgtatgact atcaggccat gtgcaaacc 540  
 55 tcgagtcacc accacagtgc agcccagccc ctggtcagcc caatttctgc cttcttgacg 600  
 gcgaccaggt ggctgctgca ggagctggtg ctgttcctgc tggagtggag tgtctggggc 660  
 tcctggtagc acagaggggc cgaggccaaa agtgtcttcc atcactccca caaacacaag 720  
 aagcaggacc cgctgcagcc ctgcgacacg gagtaccctg tggttcgtgta ccagccggcc 780  
 atccgggagg ccaacgggat cgtggagtgc gggccctgcc agaaggtatt tgtggtgcag 840

cagattccca acagtaacct cctcctcctg gtgacagacc ccacctgtga ctgcagcatc 900  
 ttcccaccag tg 912

5 <210> 14  
 <211> 969  
 <212> DNA  
 <213> Homo sapiens

10 <400> 14  
 agtggcctcc tgagaagcag cttgttcctg ggctccgaga aggtctccga caggaagttc 60  
 ctgacacctg aggacgagc cagcgtgttc accctggacc gcttcccgt gtggtaccgc 120  
 caggcctcag agcatcctgc tggcagcttc gtcttcaacc tccgctgggc agaaggacca 180  
 gaaagtgcgg gtgaacctcat ggtggtgacg gcaagcacag ctgtggcggg gaccgtggac 240  
 15 aagaggacag ccattgtctg agccgcgggc gtccaaatga agctggaatt cctccagcgc 300  
 aaattctggg cggcaacgcg gcagtgcagc actgtggatg ggccgtgcac acagagctgc 360  
 gaggacagtg atctggactg cttcgtcatc gacaacaacg ggttcattct gatctccaag 420  
 aggtcccag agacgggaag atttctgggg gaggtggatg gtgtgtcct gaccagctg 480  
 ctgagcatgg ggggtgttcag ccaagtgcact atgtatgact atcaggccat gtgcaaacc 540  
 20 tgcagtcacc accacagtgc agcccagccc ctggtcagcc caatttctgc cttcttgacg 600  
 gcgaccaggt ggctgctgca ggagctggtg ctgttcctgc tggagtggag tgtctggggc 660  
 tcctggtacg acagaggggc cgaggccaaa agtgtcttcc atcactccca caaacacaag 720  
 aagcaggacc cgctgcagcc ctgcgacacg gagtaccccg tgttcgtgta ccagccggcc 780  
 atccgggag ccaacgggat cgtggagtgc gggccctgcc agaaggtatt tgtggtgcag 840  
 25 cagattccca acagtaacct cctcctcctg gtgacagacc ccacctgtga ctgcagcatc 900  
 ttcccaccag tgctgcagga ggcgacagaa gtcaaata atgcctctgt caaatgtgac 960  
 cggatgcgc 969

30 <210> 15  
 <211> 1050  
 <212> DNA  
 <213> Homo sapiens

35 <400> 15  
 agtggcctcc tgagaagcag cttgttcctg ggctccgaga aggtctccga caggaagttc 60  
 ctgacacctg aggacgagc cagcgtgttc accctggacc gcttcccgt gtggtaccgc 120  
 caggcctcag agcatcctgc tggcagcttc gtcttcaacc tccgctgggc agaaggacca 180  
 gaaagtgcgg gtgaacctcat ggtggtgacg gcaagcacag ctgtggcggg gaccgtggac 240  
 40 aagaggacag ccattgtctg agccgcgggc gtccaaatga agctggaatt cctccagcgc 300  
 aaattctggg cggcaacgcg gcagtgcagc actgtggatg ggccgtgcac acagagctgc 360  
 gaggacagtg atctggactg cttcgtcatc gacaacaacg ggttcattct gatctccaag 420  
 aggtcccag agacgggaag atttctgggg gaggtggatg gtgtgtcct gaccagctg 480  
 ctgagcatgg ggggtgttcag ccaagtgcact atgtatgact atcaggccat gtgcaaacc 540  
 45 tgcagtcacc accacagtgc agcccagccc ctggtcagcc caatttctgc cttcttgacg 600  
 gcgaccaggt ggctgctgca ggagctggtg ctgttcctgc tggagtggag tgtctggggc 660  
 tcctggtacg acagaggggc cgaggccaaa agtgtcttcc atcactccca caaacacaag 720  
 aagcaggacc cgctgcagcc ctgcgacacg gagtaccccg tgttcgtgta ccagccggcc 780  
 atccgggag ccaacgggat cgtggagtgc gggccctgcc agaaggtatt tgtggtgcag 840  
 50 cagattccca acagtaacct cctcctcctg gtgacagacc ccacctgtga ctgcagcatc 900  
 ttcccaccag tgctgcagga ggcgacagaa gtcaaata atgcctctgt caaatgtgac 960  
 cggatgcgc cccagaagct ccgcgggcg ccagactcct gccacgcct ccatccagag 1020  
 gagaatgccc aggactgcgg cggcgccctg 1050

55 <210> 16  
 <211> 304  
 <212> PRT  
 <213> Homo sapiens

<400> 16  
 Ser Gly Leu Leu Arg Ser Ser Leu Phe Val Gly Ser Glu Lys Val Ser  
 1 5 10 15  
 5 Asp Arg Lys Phe Leu Thr Pro Glu Asp Glu Ala Ser Val Phe Thr Leu  
 20 25 30  
 Asp Arg Phe Pro Leu Trp Tyr Arg Gln Ala Ser Glu His Pro Ala Gly  
 10 35 40 45  
 Ser Phe Val Phe Asn Leu Arg Trp Ala Glu Gly Pro Glu Ser Ala Gly  
 50 55 60  
 15 Glu Pro Met Val Val Thr Ala Ser Thr Ala Val Ala Val Thr Val Asp  
 65 70 75 80  
 Lys Arg Thr Ala Ile Ala Ala Ala Ala Gly Val Gln Met Lys Leu Glu  
 85 90 95  
 20 Phe Leu Gln Arg Lys Phe Trp Ala Ala Thr Arg Gln Cys Ser Thr Val  
 100 105 110  
 Asp Gly Pro Cys Thr Gln Ser Cys Glu Asp Ser Asp Leu Asp Cys Phe  
 115 120 125  
 25 Val Ile Asp Asn Asn Gly Phe Ile Leu Ile Ser Lys Arg Ser Arg Glu  
 130 135 140  
 30 Thr Gly Arg Phe Leu Gly Glu Val Asp Gly Ala Val Leu Thr Gln Leu  
 145 150 155 160  
 Leu Ser Met Gly Val Phe Ser Gln Val Thr Met Tyr Asp Tyr Gln Ala  
 165 170 175  
 35 Met Cys Lys Pro Ser Ser His His His Ser Ala Ala Gln Pro Leu Val  
 180 185 190  
 Ser Pro Ile Ser Ala Phe Leu Thr Ala Thr Arg Trp Leu Leu Gln Glu  
 195 200 205  
 40 Leu Val Leu Phe Leu Leu Glu Trp Ser Val Trp Gly Ser Trp Tyr Asp  
 210 215 220  
 45 Arg Gly Ala Glu Ala Lys Ser Val Phe His His Ser His Lys His Lys  
 225 230 235 240  
 Lys Gln Asp Pro Leu Gln Pro Cys Asp Thr Glu Tyr Pro Val Phe Val  
 245 250 255  
 50 Tyr Gln Pro Ala Ile Arg Glu Ala Asn Gly Ile Val Glu Cys Gly Pro  
 260 265 270  
 Cys Gln Lys Val Phe Val Val Gln Gln Ile Pro Asn Ser Asn Leu Leu  
 275 280 285  
 55 Leu Leu Val Thr Asp Pro Thr Cys Asp Cys Ser Ile Phe Pro Pro Val  
 290 295 300

5 <210> 17  
 <211> 323  
 <212> PRT  
 <213> Homo sapiens

10 <400> 17  
 Ser Gly Leu Leu Arg Ser Ser Leu Phe Val Gly Ser Glu Lys Val Ser  
 1 5 10 15  
 Asp Arg Lys Phe Leu Thr Pro Glu Asp Glu Ala Ser Val Phe Thr Leu  
 15 20 25 30  
 Asp Arg Phe Pro Leu Trp Tyr Arg Gln Ala Ser Glu His Pro Ala Gly  
 35 40 45  
 20 Ser Phe Val Phe Asn Leu Arg Trp Ala Glu Gly Pro Glu Ser Ala Gly  
 50 55 60  
 Glu Pro Met Val Val Thr Ala Ser Thr Ala Val Ala Val Thr Val Asp  
 65 70 75 80  
 25 Lys Arg Thr Ala Ile Ala Ala Ala Ala Gly Val Gln Met Lys Leu Glu  
 85 90 95  
 Phe Leu Gln Arg Lys Phe Trp Ala Ala Thr Arg Gln Cys Ser Thr Val  
 100 105 110  
 30 Asp Gly Pro Cys Thr Gln Ser Cys Glu Asp Ser Asp Leu Asp Cys Phe  
 115 120 125  
 35 Val Ile Asp Asn Asn Gly Phe Ile Leu Ile Ser Lys Arg Ser Arg Glu  
 130 135 140  
 Thr Gly Arg Phe Leu Gly Glu Val Asp Gly Ala Val Leu Thr Gln Leu  
 145 150 155 160  
 40 Leu Ser Met Gly Val Phe Ser Gln Val Thr Met Tyr Asp Tyr Gln Ala  
 165 170 175  
 Met Cys Lys Pro Ser Ser His His His Ser Ala Ala Gln Pro Leu Val  
 180 185 190  
 45 Ser Pro Ile Ser Ala Phe Leu Thr Ala Thr Arg Trp Leu Leu Gln Glu  
 195 200 205  
 50 Leu Val Leu Phe Leu Leu Glu Trp Ser Val Trp Gly Ser Trp Tyr Asp  
 210 215 220  
 Arg Gly Ala Glu Ala Lys Ser Val Phe His His Ser His Lys His Lys  
 225 230 235 240  
 55 Lys Gln Asp Pro Leu Gln Pro Cys Asp Thr Glu Tyr Pro Val Phe Val  
 245 250 255  
 Tyr Gln Pro Ala Ile Arg Glu Ala Asn Gly Ile Val Glu Cys Gly Pro

	260	265	270
	Cys Gln Lys Val Phe Val Val	Gln Gln Ile Pro Asn Ser Asn Leu Leu	
	275	280	285
5	Leu Leu Val Thr Asp Pro Thr	Cys Asp Cys Ser Ile Phe Pro Pro Val	
	290	295	300
10	Leu Gln Glu Ala Thr Glu Val Lys Tyr Asn Ala Ser Val Lys Cys Asp		
	305	310	315 320
	Arg Met Arg		
15	<210> 18 <211> 350 <212> PRT <213> Homo sapiens		
20	<400> 18 Ser Gly Leu Leu Arg Ser Ser Leu Phe Val Gly Ser Glu Lys Val Ser 1 5 10 15		
25	Asp Arg Lys Phe Leu Thr Pro Glu Asp Glu Ala Ser Val Phe Thr Leu		
	20	25	30
	Asp Arg Phe Pro Leu Trp Tyr Arg Gln Ala Ser Glu His Pro Ala Gly		
	35	40	45
30	Ser Phe Val Phe Asn Leu Arg Trp Ala Glu Gly Pro Glu Ser Ala Gly		
	50	55	60
35	Glu Pro Met Val Val Thr Ala Ser Thr Ala Val Ala Val Thr Val Asp		
	65	70	75 80
	Lys Arg Thr Ala Ile Ala Ala Ala Gly Val Gln Met Lys Leu Glu		
	85	90	95
40	Phe Leu Gln Arg Lys Phe Trp Ala Ala Thr Arg Gln Cys Ser Thr Val		
	100	105	110
	Asp Gly Pro Cys Thr Gln Ser Cys Glu Asp Ser Asp Leu Asp Cys Phe		
	115	120	125
45	Val Ile Asp Asn Asn Gly Phe Ile Leu Ile Ser Lys Arg Ser Arg Glu		
	130	135	140
50	Thr Gly Arg Phe Leu Gly Glu Val Asp Gly Ala Val Leu Thr Gln Leu		
	145	150	155 160
	Leu Ser Met Gly Val Phe Ser Gln Val Thr Met Tyr Asp Tyr Gln Ala		
	165	170	175
55	Met Cys Lys Pro Ser Ser His His His Ser Ala Ala Gln Pro Leu Val		
	180	185	190
	Ser Pro Ile Ser Ala Phe Leu Thr Ala Thr Arg Trp Leu Leu Gln Glu		
	195	200	205

Leu Val Leu Phe Leu Leu Glu Trp Ser Val Trp Gly Ser Trp Tyr Asp  
 210 215 220

5 Arg Gly Ala Glu Ala Lys Ser Val Phe His His Ser His Lys His Lys  
 225 230 235 240

Lys Gln Asp Pro Leu Gln Pro Cys Asp Thr Glu Tyr Pro Val Phe Val  
 245 250 255

10 Tyr Gln Pro Ala Ile Arg Glu Ala Asn Gly Ile Val Glu Cys Gly Pro  
 260 265 270

Cys Gln Lys Val Phe Val Val Gln Gln Ile Pro Asn Ser Asn Leu Leu  
 15 275 280 285

Leu Leu Val Thr Asp Pro Thr Cys Asp Cys Ser Ile Phe Pro Pro Val  
 290 295 300

20 Leu Gln Glu Ala Thr Glu Val Lys Tyr Asn Ala Ser Val Lys Cys Asp  
 305 310 315 320

Arg Met Arg Ser Gln Lys Leu Arg Arg Arg Pro Asp Ser Cys His Ala  
 325 330 335

25 Phe His Pro Glu Glu Asn Ala Gln Asp Cys Gly Gly Ala Ser  
 340 345 350

30 <210> 19  
 <211> 5482  
 <212> DNA  
 <213> Homo sapiens

35 <400> 19  
 cgggcagcgc agcccgagcaga ggcgctgcgc cccgtgcagc cccggaggcc cctcgcggag 60  
 aagcgcgccg cggaggagag gccgagttac cgcccgccgc ccgcgcccc ccaacccccg 120  
 cgcgcgcgcg gccgcgcgca ctgccccccc tccccgcggc gccgcatctt gaatggaaac 180  
 atggcggtgc cggctcggac ctgcggcgcc tctcggcccc gcccagcgcg gactgcgcgc 240  
 40 ccctggcccg gctgcggccc ccaccctggc cccggcaccc ggcgccccgc gtccggggccc 300  
 ccgcgcgcgc tgtggctgct gctgcgcgtt ctaccgctgc tcgcgcgcgc cggcgccctt 360  
 gcctacagct tccccagca gcacacgatg cagcaactgg cccggcgctt ggagcaggag 420  
 gtgcagcgcg tgatgcggat ttttgaggc gtccagcagc tccgtgagat ttacaaggac 480  
 aaccggaacc tgttcgaggt acaggagaat gagcctcaga agttggtgga gaaggtggca 540  
 45 ggggacattg agagccttct ggacaggaag gtgcaggccc tgaagagact ggctgatgct 600  
 gcagagaact tccagaaagc acaccgctgg caggacaaca tcaaggagga agacatcgtg 660  
 tactatgacg ccaaggctga cgctgagctg gacgaccctg agagttagga tgtggaaagg 720  
 ggggtctaagg ccagcaccct aaggctggac ttcacgagg acccaaaact caagaacaag 780  
 gtcaactatt catacgcggc tgtacagatc cctacggaca tctacaaagg ctccactgtc 840  
 50 atcctcaatg agctcaactg gacagaggcc ctggagaatg tgttcatgga aaaccgcaga 900  
 caagacccca cactgctgtg gcaggtcttc ggcagcgcca caggagtcac tcgctactac 960  
 ccggccaccc cgtggcgagc ccccaagaag atcgacctgt acgatgtccg aaggagaccc 1020  
 tggatatatc agggggcctc gtcacccaaa gacatggtca tcatcgtgga tgtgagtggc 1080  
 agtgtgagcg gcctgaccct gaagctgatg aagacatctg tctgcgagat gctggacacg 1140  
 55 ctgtctgatg atgactatgt gaatgtggcc tcgttcaacg agaaggcaca gcctgtgtca 1200  
 tgcttcacac acctggtgca ggccaatgtg cgcaacaaga aggtgttcaa ggaagctgtg 1260  
 cagggcatgg tggccaaggg caccacaggc tacaaggccg gctttgagta tgcccttgac 1320  
 cagctgcaga actccaacat cactcgggce aactgcaaca agatgatcat gatgttcacg 1380  
 gatggtggtg aggaccgcgt gcaggacgtc tttgagaagt acaattggcc aaaccggacg 1440

	gtgcgcgtgt	ttacttttct	cgtggggcag	cataactatg	acgtcacacc	gctgcagtgg	1500
	atggcctgtg	ccaacaaagg	ctactatttt	gagatccctt	ccatcggagc	catccgcate	1560
	aacacacagg	aatatctaga	tgtgttgggc	aggcccatgg	tgctggcagg	caaggaggcc	1620
	aagcagggtt	agtggaccaa	cgtgtatgag	gatgcactgg	gactgggggt	ggtggtaaca	1680
5	gggaccctcc	ctgttttcaa	cctgacacag	gatggccctg	gggaaaagaa	gaaccagctg	1740
	atcctgggcg	tgatgggcat	tgacgtggct	ctgaatgaca	tcaagaggct	gacccccaac	1800
	tacacgcttg	gagccaacgg	ctatgtgttt	gccattgacc	tgaacggcta	cgtgttgctg	1860
	cacccaatc	tcaagcccca	gaccaccaac	ttccgggagc	ctgtgactct	ggacttcctg	1920
	gatgcggagc	tagaggatga	gaacaaggaa	gagatccgtc	ggagcatgat	tgatggcaac	1980
10	aagggtcaca	agcagatcag	aacgttggtc	aagtcctcgg	atgagaggta	catagatgag	2040
	gtgacacgga	actacacctg	gggtcctata	aggagcacta	actacagcct	ggggctgggtg	2100
	ctcccaccct	acagcacctt	ctacctcaa	gccaatctca	gtgaccagat	cctgcaggctc	2160
	aagtattttg	agttcctgct	ccccagcagc	tttgagtctg	aaggacacgt	tttcattgct	2220
	cccagagagt	actgcaagga	cctgaatgcc	tcagacaaca	acaccgagtt	cctgaaaaaac	2280
15	tttattgagc	tcatggagaa	agtactcca	gactccaagc	agtgaacaa	cttccttctg	2340
	cacaacctga	tcttgagcac	gggcatcacg	cagcagctgg	tagagcgtgt	gtggagggag	2400
	caggatctca	agcagatcac	cctactggcc	tggttcgctg	ccacagacgg	tggcatcacc	2460
	cgagtcttcc	ccaacaaggc	agctgaggac	tggacagaga	accctgagcc	cttcaatgcc	2520
	agcttctacc	gcccagcct	ggataaccac	ggttatgtct	tcaagcccc	acaccaggat	2580
20	gcctgttaa	ggcgcgtgga	gctggagaat	gacactgtgg	gcatectcgt	cagcacagct	2640
	gtggagctca	gcctaggcag	gcgcacactg	aggccagcag	tggtgggctg	caagctggac	2700
	ctagaggctt	gggctgagaa	gttcaagggtg	ctagccagca	accgtacceca	ccaagaccag	2760
	cctcagaagt	gcgcccccac	cagccactgt	gagatggact	gcgagggtta	caatgaggac	2820
	ttactctgtg	tcctcattga	tgatggagga	ttcctgggtc	tgtcaaacca	gaaccatcag	2880
25	tgggaccagg	tgggcagggt	cttcagttag	gtggatgcca	acctgatgct	ggcactctac	2940
	aataactcct	tctacaccgg	caaggagtcc	tatgactatc	aggcagcctg	tgccccctcag	3000
	ccccctggca	acctgggtgc	tgcaccccg	gggtgtcttg	tgcccaccgt	tgagatttcc	3060
	cttaacctgg	cctggtggac	ctctgctgcc	gcctgggtccc	tggtccagca	gcttctctac	3120
	ggcctcatct	accacagctg	gttccaagca	gaccccgccg	aggccgaggg	gagccccgag	3180
30	acgcgcgaga	gcagctgcgt	catgaaacag	acccagtact	acttcggctc	ggtaaacgcc	3240
	ttactacaacg	ccatcatcga	ctgcggaaac	ttcctccaggc	tggtccacgc	gcagagactg	3300
	accaacacac	atcttctctt	tgtggtggcc	gagaagccgc	tgtgcagcca	gtgcgaggct	3360
	ggccggctgc	tgcagaagga	gacgcactgc	ccagcggacg	gcccggagca	gtgtgagcta	3420
	gtgcagagac	cgcgataccg	gagaggcccg	cacatctgct	tcgactacaa	cgcgacagaa	3480
35	gatacctcag	actgtggccg	cggggcctcc	ttcccgcctg	cgtggtggct	cctggtctcc	3540
	ctgcaactgc	tgtctctcct	gggctgccc	ccccggccgc	agcctcaagt	cctcgtccac	3600
	gcctctcgcc	gcctctgagc	accctgcccc	accccaccct	cactcccacc	tcacccggcc	3660
	tcttcgctt	tcccaccctc	ctgcccacac	ctcccgcct	tagagcctcg	tccctccctc	3720
	actgaaggac	ctgagctggc	caggccctga	gagtctggct	tgccgcttgg	gatggggagt	3780
40	cccaaagcgg	gacgcgcag	gtgtttggca	cccaaatac	atctcacctc	cgaactgttc	3840
	aagtgtcccc	agacccttct	tgcctgctgg	gtcccccca	gtgggatggg	acagggaggc	3900
	cacacgcact	gggtccaaaa	ccaggcctct	gctgcgcgcc	ttcctggagg	ctgcctatgt	3960
	tgggggggac	cctgcctcag	ctgacccggc	ctctctgccc	cacccaagcc	caaacttggt	4020
	ttctgtgaga	atagtggagg	aaggtgagat	ggccagtgtg	aagcctgtgc	ctcccagctt	4080
45	aaatcctagc	aggagagagg	ctctggggca	gccccatgg	gctcctgccc	ctttcaggcc	4140
	tacagccaca	tcccgaagcc	caccagggtg	caggatagtc	acagtgatac	cagttcagac	4200
	actaccccat	atacacctgg	aacattgagg	atggaaaactg	gactcacatt	cgacataccc	4260
	cactgggcac	acgcacaaac	acacacacta	tggggtgggg	tgggtgtagg	ggcttacaaa	4320
	gccttacaca	gggcgagggg	ttggtgggag	ggttggcacc	tgcacactcc	atctcctgct	4380
50	caccacctgc	ctetaatctg	agctgcagcc	tggctgggtc	tcccatttct	aaagctgaat	4440
	gtcaaacagt	gccaaatgct	ggggcagggg	gtgaagaacc	ctctgtccca	cccctagcca	4500
	ccagtgtcct	ccaagtggcc	cctcacctct	ccaggtgctc	attgtaacca	tttctcacta	4560
	gtgtcaggcc	ccagtgaggg	ccacatgcc	ctgcctgcac	ctttcggcag	aggaaccccc	4620
	accagacatc	accctttgcc	ttagcagggg	tgaacttgtc	tctcctggct	gggccatcct	4680
55	tccgccaatc	tggcccttac	acactcaggc	ctgtgccac	tccctatctc	cttccccacc	4740
	ctacacacac	actccctgct	tgcaggaggc	caaactgtcc	ctcccttgct	gaacacacac	4800
	acacacacac	acacacaggt	ggggactggg	cacagctctt	cacaccattc	attctggtca	4860
	tttcccccaa	aggcatccca	gcctgggggc	cagtggggaa	ctgagggcaa	ggggatatag	4920
	tgatggggct	cagatggact	gggaggaggg	ggaggggtgat	gcattaatta	atggcttcgt	4980



taattaatgt catgttgctt gtcgctttct cagtgtgtgt gtgtgggtcca tgcccactgc 5040  
 tgggtccagg gtgggtgtcc atgtgcaccc ggcctggatg ccagctgtgt ccttcggggg 5100  
 cgtgcgtgta actgtagtgt agtcaggtgc tcaatggaga atataaacat atacagaaaa 5160  
 atatatattt taagtttaaa aaacagaaaa acagacaaaa caatcccat caggtagctg 5220  
 5 tctaaccctt agctgggtct aatccttctc attaccacc cgacctggct gccctcacc 5280  
 ttgggtctgg ggactggggg gccatttcct tttctctgcc ctttttttgt tgttctattt 5340  
 tgtacagaca agttggaaaa acaacagcga caaaaaagtc aagaaacttt gtaaaatattc 5400  
 gtgtgtgtga ttccttgtaa aatattttca aatggtttat tacagaagat cagttattaa 5460  
 ataattgtca tattttcact tc 5482

10

&lt;210&gt; 20

&lt;211&gt; 1145

&lt;212&gt; PRT

15 &lt;213&gt; Homo sapiens

&lt;400&gt; 20

Met Ala Val Pro Ala Arg Thr Cys Gly Ala Ser Arg Pro Gly Pro Ala  
 1 5 10 15

20

Arg Thr Ala Arg Pro Trp Pro Gly Cys Gly Pro His Pro Gly Pro Gly  
 20 25 30

25

Thr Arg Arg Pro Thr Ser Gly Pro Pro Arg Pro Leu Trp Leu Leu Leu  
 35 40 45

Pro Leu Leu Pro Leu Leu Ala Ala Pro Gly Ala Ser Ala Tyr Ser Phe  
 50 55 60

30

Pro Gln Gln His Thr Met Gln His Trp Ala Arg Arg Leu Glu Gln Glu  
 65 70 75 80

Val Asp Gly Val Met Arg Ile Phe Gly Gly Val Gln Gln Leu Arg Glu  
 85 90 95

35

Ile Tyr Lys Asp Asn Arg Asn Leu Phe Glu Val Gln Glu Asn Glu Pro  
 100 105 110

40

Gln Lys Leu Val Glu Lys Val Ala Gly Asp Ile Glu Ser Leu Leu Asp  
 115 120 125

Arg Lys Val Gln Ala Leu Lys Arg Leu Ala Asp Ala Ala Glu Asn Phe  
 130 135 140

45

Gln Lys Ala His Arg Trp Gln Asp Asn Ile Lys Glu Glu Asp Ile Val  
 145 150 155 160

Tyr Tyr Asp Ala Lys Ala Asp Ala Glu Leu Asp Asp Pro Glu Ser Glu  
 165 170 175

50

Asp Val Glu Arg Gly Ser Lys Ala Ser Thr Leu Arg Leu Asp Phe Ile  
 180 185 190

55

Glu Asp Pro Asn Phe Lys Asn Lys Val Asn Tyr Ser Tyr Ala Ala Val  
 195 200 205

Gln Ile Pro Thr Asp Ile Tyr Lys Gly Ser Thr Val Ile Leu Asn Glu  
 210 215 220

Leu Asn Trp Thr Glu Ala Leu **Glu** Asn Val Phe Met Glu Asn Arg Arg  
 225 230 235 240  
 5 Gln Asp Pro Thr Leu Leu Trp **Gln** Val Phe Gly Ser Ala Thr Gly Val  
 245 250 255  
 Thr Arg Tyr Tyr Pro Ala Thr **Pro** Trp Arg Ala Pro Lys Lys Ile Asp  
 260 265 270  
 10 Leu Tyr Asp Val Arg Arg Arg **Pro** Trp Tyr Ile Gln Gly Ala Ser Ser  
 275 280 285  
 Pro Lys Asp Met Val Ile Ile **Val** Asp Val Ser Gly Ser Val Ser Gly  
 290 295 300  
 15 Leu Thr Leu Lys Leu Met Lys **Thr** Ser Val Cys Glu Met Leu Asp Thr  
 305 310 315 320  
 Leu Ser Asp Asp Asp Tyr Val **Asn** Val Ala Ser Phe Asn Glu Lys Ala  
 325 330 335  
 20 Gln Pro Val Ser Cys Phe Thr **His** Leu Val Gln Ala Asn Val Arg Asn  
 340 345 350  
 25 Lys Lys Val Phe Lys Glu Ala **Val** Gln Gly Met Val Ala Lys Gly Thr  
 355 360 365  
 Thr Gly Tyr Lys Ala Gly Phe **Glu** Tyr Ala Phe Asp Gln Leu Gln Asn  
 370 375 380  
 30 Ser Asn Ile Thr Arg Ala **Asn** Cys Asn Lys Met Ile Met Met Phe Thr  
 385 390 395 400  
 Asp Gly Gly Glu Asp Arg Val **Gln** Asp Val Phe Glu Lys Tyr Asn Trp  
 405 410 415  
 35 Pro Asn Arg Thr Val Arg Val **Phe** Thr Phe Ser Val Gly Gln His Asn  
 420 425 430  
 40 Tyr Asp Val Thr Pro Leu Gln **Trp** Met Ala Cys Ala Asn Lys Gly Tyr  
 435 440 445  
 Tyr Phe Glu Ile Pro Ser Ile **Gly** Ala Ile Arg Ile Asn Thr Gln Glu  
 450 455 460  
 45 Tyr Leu Asp Val Leu Gly Arg **Pro** Met Val Leu Ala Gly Lys Glu Ala  
 465 470 475 480  
 Lys Gln Val Gln Trp Thr Asn **Val** Tyr Glu Asp Ala Leu Gly Leu Gly  
 485 490 495  
 50 Leu Val Val Thr Gly Thr Leu **Pro** Val Phe Asn Leu Thr Gln Asp Gly  
 500 505 510  
 55 Pro Gly Glu Lys Lys Asn Gln Leu Ile Leu Gly Val **Met** Gly Ile Asp  
 515 520 525  
 Val Ala Leu Asn Asp Ile Lys Arg Leu Thr Pro **Asn** Tyr Thr Leu Gly  
 530 535 540

Ala Asn Gly Tyr Val Phe Ala Ile Asp Leu Asn Gly Tyr Val Leu Leu  
 545 550 555 560  
 5 His Pro Asn Leu Lys Pro Gln Thr Thr Asn Phe Arg Glu Pro Val Thr  
 565 570 575  
 Leu Asp Phe Leu Asp Ala Glu Leu Glu Asp Glu Asn Lys Glu Glu Ile  
 580 585 590  
 10 Arg Arg Ser Met Ile Asp Gly Asn Lys Gly His Lys Gln Ile Arg Thr  
 595 600 605  
 Leu Val Lys Ser Leu Asp Glu Arg Tyr Ile Asp Glu Val Thr Arg Asn  
 15 610 615 620  
 Tyr Thr Trp Val Pro Ile Arg Ser Thr Asn Tyr Ser Leu Gly Leu Val  
 625 630 635 640  
 20 Leu Pro Pro Tyr Ser Thr Phe Tyr Leu Gln Ala Asn Leu Ser Asp Gln  
 645 650 655  
 Ile Leu Gln Val Lys Tyr Phe Glu Phe Leu Leu Pro Ser Ser Phe Glu  
 660 665 670  
 25 Ser Glu Gly His Val Phe Ile Ala Pro Arg Glu Tyr Cys Lys Asp Leu  
 675 680 685  
 Asn Ala Ser Asp Asn Asn Thr Glu Phe Leu Lys Asn Phe Ile Glu Leu  
 30 690 695 700  
 Met Glu Lys Val Thr Pro Asp Ser Lys Gln Cys Asn Asn Phe Leu Leu  
 705 710 715 720  
 35 His Asn Leu Ile Leu Asp Thr Gly Ile Thr Gln Gln Leu Val Glu Arg  
 725 730 735  
 Val Trp Arg Asp Gln Asp Leu Asn Thr Tyr Ser Leu Leu Ala Val Phe  
 740 745 750  
 40 Ala Ala Thr Asp Gly Gly Ile Thr Arg Val Phe Pro Asn Lys Ala Ala  
 755 760 765  
 Glu Asp Trp Thr Glu Asn Pro Glu Pro Phe Asn Ala Ser Phe Tyr Arg  
 45 770 775 780  
 Arg Ser Leu Asp Asn His Gly Tyr Val Phe Lys Pro Pro His Gln Asp  
 785 790 795 800  
 50 Ala Leu Leu Arg Pro Leu Glu Leu Glu Asn Asp Thr Val Gly Ile Leu  
 805 810 815  
 Val Ser Thr Ala Val Glu Leu Ser Leu Gly Arg Arg Thr Leu Arg Pro  
 820 825 830  
 55 Ala Val Val Gly Val Lys Leu Asp Leu Glu Ala Trp Ala Glu Lys Phe  
 835 840 845  
 Lys Val Leu Ala Ser Asn Arg Thr His Gln Asp Gln Pro Gln Lys Cys

	850		855		860	
	Gly Pro Asn Ser His Cys Glu Met Asp Cys Glu Val Asn Asn Glu Asp					
	865		870		875	880
5	Leu Leu Cys Val Leu Ile Asp Asp Gly Gly Phe Leu Val Leu Ser Asn					
		885		890		895
10	Gln Asn His Gln Trp Asp Gln Val Gly Arg Phe Phe Ser Glu Val Asp					
		900		905		910
	Ala Asn Leu Met Leu Ala Leu Tyr Asn Asn Ser Phe Tyr Thr Arg Lys					
		915		920		925
15	Glu Ser Tyr Asp Tyr Gln Ala Ala Cys Ala Pro Gln Pro Pro Gly Asn					
		930		935		940
	Leu Gly Ala Ala Pro Arg Gly Val Phe Val Pro Thr Val Ala Asp Phe					
		945		950		955
20	Leu Asn Leu Ala Trp Trp Thr Ser Ala Ala Ala Trp Ser Leu Phe Gln					
		965		970		975
	Gln Leu Leu Tyr Gly Leu Ile Tyr His Ser Trp Phe Gln Ala Asp Pro					
25		980		985		990
	Ala Glu Ala Glu Gly Ser Pro Glu Thr Arg Glu Ser Ser Cys Val Met					
		995		1000		1005
30	Lys Gln Thr Gln Tyr Tyr Phe Gly Ser Val Asn Ala Ser Tyr Asn Ala					
		1010		1015		1020
	Ile Ile Asp Cys Gly Asn Cys Ser Arg Leu Phe His Ala Gln Arg Leu					
		1025		1030		1035
35	Thr Asn Thr Asn Leu Leu Phe Val Val Ala Glu Lys Pro Leu Cys Ser					
		1045		1050		1055
	Gln Cys Glu Ala Gly Arg Leu Leu Gln Lys Glu Thr His Cys Pro Ala					
40		1060		1065		1070
	Asp Gly Pro Glu Gln Cys Glu Leu Val Gln Arg Pro Arg Tyr Arg Arg					
		1075		1080		1085
45	Gly Pro His Ile Cys Phe Asp Tyr Asn Ala Thr Glu Asp Thr Ser Asp					
		1090		1095		1100
	Cys Gly Arg Gly Ala Ser Phe Pro Pro Ser Leu Gly Val Leu Val Ser					
		1105		1110		1115
50	Leu Gln Leu Leu Leu Leu Leu Gly Leu Pro Pro Arg Pro Gln Pro Gln					
		1125		1130		1135
	Val Leu Val His Ala Ser Arg Arg Leu					
55		1140		1145		

&lt;210&gt; 21

&lt;211&gt; 3770

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 21

5	tactataggg	cgccgcgcaa	ttcggcacga	ggcggcgcg	agcggagcag	gcagccccgc	60
	gcgctcgccc	accgcccgct	ccgcgcagct	ccccgcggcc	gctctcgctc	ccgcgcgagc	120
	gggcgcgctc	gagggagccc	agcatggcgc	ggccgggctc	gccgcgcgc	gcgtcccggg	180
	gggcctcggc	gcttctcgct	gccgcgcttc	tctacgccgc	gctgggggac	gtggtgcgct	240
	cggagcagca	gataccgctc	tccgtggtga	agctctgggc	ctcggctttt	ggtggggaga	300
10	taaaatccat	tgctgtaag	tactccggtt	cccagcttct	gcaaaagaaa	tacaaagagt	360
	atgagaaaga	cggtgccata	gaagaaattg	atggcctcca	actggtaaag	aagctggcaa	420
	agaacatgga	agagatgttt	cacaagaagt	ctgaggccgt	caggcgtctg	gtggaggctg	480
	cagaagaagc	acacctgaaa	catgaatttg	atgcagactt	acagtatgaa	tacttcaatg	540
	ctgtgctgat	aaatgaaagg	gacaaagacg	ggaatttttt	ggagctggga	aaggaattca	600
15	tcttagcccc	aaatgaccat	tttaataatt	tgctgtgtaa	catcagtcta	agtgcagtcc	660
	aagtaccaac	gaacatgtac	aacaaagacc	ctgcaattgt	caatgggggt	tattggtctg	720
	aatctctaaa	caaagttttt	gtagataact	ttgaccgtga	cccatctctc	atatggcagt	780
	actttggaag	tgcaaagggc	tttttttagc	agtatccggg	gattaaatgg	gaaccagatg	840
	agaatggagt	cattgccttc	gactgcagga	accgaaaatg	gtacatccag	gcagcaactt	900
20	ctccgaaaga	cgtggtcatt	ttagttgacg	tcagtggcag	catgaaagga	ctccgtctga	960
	ctatcgcgaa	gcaaacagtc	tcatccattt	tggatacact	tggggatgat	gacttcttca	1020
	acataattgc	ttataatgag	gagcttcact	atgtggaacc	ttgcttgaat	ggaacttttg	1080
	tgcaagccga	caggacaaac	aaagagcact	tcaggggagca	tctggacaaa	cttttcgcca	1140
	aaggaattgg	aatgtttgat	atagctctga	atgaggcctt	caacattctg	agtgatttca	1200
25	accacacggg	acaaggaaat	atctgcagtc	aggccatcat	gctcataact	gatggggcgg	1260
	tggacaccta	tgatacaatc	tttgcaaaat	acaattggcc	agatcgaaag	gttcgcatct	1320
	tcacatacct	cattggacga	gaggctgcgt	ttgcagacaa	tctaaagtgg	atggcctgtg	1380
	ccaacaaagg	atTTTTTacc	cagatctcca	ccttggctga	tgtgcaggag	aatgtcatgg	1440
	aataccttca	cgtgcttagc	cgccccaaag	tcacagacca	ggagcatgat	gtggtgtgga	1500
30	ccgaagctta	cattgacagc	actctgactg	atgatcaggg	ccccgtectg	atgaccactg	1560
	tagccatgcc	tgtgtttagt	aagcataacg	aaaccagatc	gaagggcatt	cttctgggag	1620
	tggttggcac	agatgtccca	gtgaaagaac	ttctgaagac	catccccaaa	tacaagttag	1680
	ggattcacgg	ttatgccttt	gcaatcacia	ataatggrta	tatcctgacg	catccggaac	1740
	tcaggctgct	gtacgaagaa	ggaaaaaagc	gaaggaaacc	taactatagt	agcgttgacc	1800
35	tctctgaggt	ggagtgggaa	gaccgagatg	acgtgttgag	aaatgctatg	gtgaatcgaa	1860
	agacggggaa	gttttccatg	gaggtgaaga	agacagtgga	caaagggaaa	cgggtttttg	1920
	tgatgacaaa	tgactactat	tatacagaca	tcaagggtac	tcctttcagt	ttaggtgtgg	1980
	cgttttcag	aggtcatggg	aaatatttct	tccgagggaa	tgtaacctac	gaagaaggcc	2040
	tgcatgactt	agaacatccc	gatgtgtcct	tggcagatga	atggctctac	tgcaacactg	2100
40	acctacaccc	tgagcaccgc	catctgtctc	agttagaagc	gattaagctc	tacctaaaag	2160
	gcaaagaacc	tctgtctccg	tgtgataaag	aattgatcca	agaagtcctt	tttgacgcgg	2220
	tggtagtgct	ccccattgaa	gcgtattgga	ccagcctggc	cctcaacaaa	tctgaaaatt	2280
	ctgacaaggg	cgtggagggt	gccttctctg	gcactcgcac	gggcctctcc	agaatcaacc	2340
	tgtttgtcgg	ggctgagcag	ctcaccaatc	aggacttctt	gaaagctggc	gacaaggaga	2400
45	acatttttaa	cgcagaccat	ttccctctct	ggtaccgaag	agccgctgag	cagattccag	2460
	ggagcttcgt	ctactcgatc	ccattcagca	ctggaccagt	caataaaaagc	aatgtggtga	2520
	cagcaagtac	atccatccag	ctcctggatg	aacggaaatc	tcctgtgggtg	gcagctgtag	2580
	gcattcagat	gaaacttgaa	tttttccaaa	ggaagttctg	gactgccagc	agacagtgtg	2640
	cttccctgga	tggcaaatgc	tccatcagct	gtgatgatga	gactgtgaat	tgttacctca	2700
50	tagacaataa	tggatttatt	ttggtgtctg	aagactacac	acagactgga	gacttttttg	2760
	gtgagatcga	gggagctgtg	atgaacaaat	tgctaacaat	gggctccttt	aaaagaatta	2820
	ccctttatga	ctaccaagcc	atgtgtagag	ccaacaagga	aagcagcgat	ggcgcccatg	2880
	gcctectgga	tccttataat	gccttctctc	ctgcagtaaa	atggatcatg	acagaacttg	2940
	tcttgttctc	ggtggaattt	aacctctgca	gttgggtggca	ctccgatatg	acagctaaag	3000
55	cccagaaatt	gaaacagacc	ctggagcctt	gtgatactga	atatccagca	ttcgtctctg	3060
	agcgcaccat	caaggagact	acagggaata	ttgcttgtga	agactgctcc	aagtcccttg	3120
	tcatccagca	aatcccaagc	agcaacctgt	tcatgggtgt	ggtggacagc	agctgcctct	3180
	gtgaatctgt	ggcccccatc	accatggcac	ccattgaaat	caggtataat	gaatccctta	3240
	agtgtgaacg	tctaaaggcc	cagaagatca	gaaggcgccc	agaatcttgt	catggcttcc	3300

atcctgagga gaatgcaagg gagggtgggg gtgcgccgag tctccaagcc cagacagtcc 3360  
 tccttctgct ccctctgctt ttgatgctct tctcaagggtg acactgactg agatgttctc 3420  
 ttactgactg agatgttctc ttggcatgct aaatcatgga taaactgtga accaaaatat 3480  
 ggtgcaacat acgagacatg aatatagtcc aaccatcagc atctcatcat gatttttaac 3540  
 5 tgtgcgtgat ataaactctt aaagatatgt tgacaaaaag ttatctatca tctttttact 3600  
 ttgccagtca tgcaaatgtg agtttgccac atgataatca cccttcatca gaaatgggac 3660  
 cgcaagtggg aggcagtgtc ccttctgctt gaaacctatt gaaaccaatt taaaactgtg 3720  
 tactttttta ataaagtata ttaaaatcat aaaaaaaaaa aaaaaaaaaa 3770

10 <210> 22  
 <211> 1085  
 <212> PRT  
 <213> Homo sapiens

15 <400> 22  
 Met Ala Gly Pro Gly Ser Pro Arg Arg Ala Ser Arg Gly Ala Ser Ala  
 1 5 10 15

20 Leu Leu Ala Ala Ala Leu Leu Tyr Ala Ala Leu Gly Asp Val Val Arg  
 20 25 30

Ser Glu Gln Gln Ile Pro Leu Ser Val Val Lys Leu Trp Ala Ser Ala  
 35 40 45

25 Phe Gly Gly Glu Ile Lys Ser Ile Ala Ala Lys Tyr Ser Gly Ser Gln  
 50 55 60

30 Leu Leu Gln Lys Lys Tyr Lys Glu Tyr Glu Lys Asp Val Ala Ile Glu  
 65 70 75 80

Glu Ile Asp Gly Leu Gln Leu Val Lys Lys Leu Ala Lys Asn Met Glu  
 85 90 95

35 Glu Met Phe His Lys Lys Ser Glu Ala Val Arg Arg Leu Val Glu Ala  
 100 105 110

Ala Glu Glu Ala His Leu Lys His Glu Phe Asp Ala Asp Leu Gln Tyr  
 115 120 125

40 Glu Tyr Phe Asn Ala Val Leu Ile Asn Glu Arg Asp Lys Asp Gly Asn  
 130 135 140

Phe Leu Glu Leu Gly Lys Glu Phe Ile Leu Ala Pro Asn Asp His Phe  
 45 145 150 155 160

Asn Asn Leu Pro Val Asn Ile Ser Leu Ser Asp Val Gln Val Pro Thr  
 165 170 175

50 Asn Met Tyr Asn Lys Asp Pro Ala Ile Val Asn Gly Val Tyr Trp Ser  
 180 185 190

Glu Ser Leu Asn Lys Val Phe Val Asp Asn Phe Asp Arg Asp Pro Ser  
 195 200 205

55 Leu Ile Trp Gln Tyr Phe Gly Ser Ala Lys Gly Phe Phe Arg Gln Tyr  
 210 215 220

Pro Gly Ile Lys Trp Glu Pro Asp Glu Asn Gly Val Ile Ala Phe Asp

	225		230		235		240
	Cys	Arg	Asn	Arg	Lys	Trp	Tyr
					245		
						250	
							255
5	Val	Val	Ile	Leu	Val	Asp	Val
				260			
						265	
							270
	Thr	Ile	Ala	Lys	Gln	Thr	Val
			275				
10						280	
							285
	Asp	Asp	Phe	Phe	Asn	Ile	Ile
		290				295	
							300
15	Glu	Pro	Cys	Leu	Asn	Gly	Thr
	305				310		
						315	
							320
	Glu	His	Phe	Arg	Glu	His	Leu
					325		
						330	
							335
20	Met	Leu	Asp	Ile	Ala	Leu	Asn
				340			
					345		
							350
	Asn	His	Thr	Gly	Gln	Gly	Ser
			355				
25						360	
							365
	Thr	Asp	Gly	Ala	Val	Asp	Thr
		370				375	
							380
30	Trp	Pro	Asp	Arg	Lys	Val	Arg
	385					390	
							395
							400
	Ala	Ala	Phe	Ala	Asp	Asn	Leu
				405			
						410	
							415
35	Phe	Phe	Thr	Gln	Ile	Ser	Thr
				420			
						425	
							430
	Glu	Tyr	Leu	His	Val	Leu	Ser
		435				440	
40							445
	Asp	Val	Val	Trp	Thr	Glu	Ala
		450				455	
							460
45	Gln	Gly	Pro	Val	Leu	Met	Thr
	465				470		
						475	
							480
	Gln	Asn	Glu	Thr	Arg	Ser	Lys
				485			
						490	
							495
50	Asp	Val	Pro	Val	Lys	Glu	Leu
				500			
						505	
							510
	Gly	Ile	His	Gly	Tyr	Ala	Phe
			515				
						520	
55							525
	Thr	His	Pro	Glu	Leu	Arg	Leu
		530				535	
							540

Lys Pro Asn Tyr Ser Ser Val Asp Leu Ser Glu Val Glu Trp Glu Asp  
 545 550 555 560  
 5 Arg Asp Asp Val Leu Arg Asn Ala Met Val Asn Arg Lys Thr Gly Lys  
 565 570 575  
 Phe Ser Met Glu Val Lys Lys Thr Val Asp Lys Gly Lys Arg Val Leu  
 580 585 590  
 10 Val Met Thr Asn Asp Tyr Tyr Tyr Thr Asp Ile Lys Gly Thr Pro Phe  
 595 600 605  
 Ser Leu Gly Val Ala Leu Ser Arg Gly His Gly Lys Tyr Phe Phe Arg  
 610 615 620  
 15 Gly Asn Val Thr Ile Glu Glu Gly Leu His Asp Leu Glu His Pro Asp  
 625 630 635 640  
 Val Ser Leu Ala Asp Glu Trp Ser Tyr Cys Asn Thr Asp Leu His Pro  
 645 650 655  
 20 Glu His Arg His Leu Ser Gln Leu Glu Ala Ile Lys Leu Tyr Leu Lys  
 660 665 670  
 25 Gly Lys Glu Pro Leu Leu Gln Cys Asp Lys Glu Leu Ile Gln Glu Val  
 675 680 685  
 Leu Phe Asp Ala Val Val Ser Ala Pro Ile Glu Ala Tyr Trp Thr Ser  
 690 695 700  
 30 Leu Ala Leu Asn Lys Ser Glu Asn Ser Asp Lys Gly Val Glu Val Ala  
 705 710 715 720  
 Phe Leu Gly Thr Arg Thr Gly Leu Ser Arg Ile Asn Leu Phe Val Gly  
 725 730 735  
 35 Ala Glu Gln Leu Thr Asn Gln Asp Phe Leu Lys Ala Gly Asp Lys Glu  
 740 745 750  
 40 Asn Ile Phe Asn Ala Asp His Phe Pro Leu Trp Tyr Arg Arg Ala Ala  
 755 760 765  
 Glu Gln Ile Pro Gly Ser Phe Val Tyr Ser Ile Pro Phe Ser Thr Gly  
 770 775 780  
 45 Pro Val Asn Lys Ser Asn Val Val Thr Ala Ser Thr Ser Ile Gln Leu  
 785 790 795 800  
 Leu Asp Glu Arg Lys Ser Pro Val Val Ala Ala Val Gly Ile Gln Met  
 805 810 815  
 50 Lys Leu Glu Phe Phe Gln Arg Lys Phe Trp Thr Ala Ser Arg Gln Cys  
 820 825 830  
 Ala Ser Leu Asp Gly Lys Cys Ser Ile Ser Cys Asp Asp Glu Thr Val  
 835 840 845  
 Asn Cys Tyr Leu Ile Asp Asn Asn Gly Phe Ile Leu Val Ser Glu Asp  
 850 855 860



Tyr Thr Gln Thr Gly Asp Phe Phe Gly Glu Ile Glu Gly Ala Val Met  
 865 870 875 880  
 5 Asn Lys Leu Leu Thr Met Gly Ser Phe Lys Arg Ile Thr Leu Tyr Asp  
 885 890 895  
 Tyr Gln Ala Met Cys Arg Ala Asn Lys Glu Ser Ser Asp Gly Ala His  
 900 905 910  
 10 Gly Leu Leu Asp Pro Tyr Asn Ala Phe Leu Ser Ala Val Lys Trp Ile  
 915 920 925  
 Met Thr Glu Leu Val Leu Phe Leu Val Glu Phe Asn Leu Cys Ser Trp  
 15 930 935 940  
 Trp His Ser Asp Met Thr Ala Lys Ala Gln Lys Leu Lys Gln Thr Leu  
 945 950 955 960  
 20 Glu Pro Cys Asp Thr Glu Tyr Pro Ala Phe Val Ser Glu Arg Thr Ile  
 965 970 975  
 Lys Glu Thr Thr Gly Asn Ile Ala Cys Glu Asp Cys Ser Lys Ser Phe  
 980 985 990  
 25 Val Ile Gln Gln Ile Pro Ser Ser Asn Leu Phe Met Val Val Val Asp  
 995 1000 1005  
 Ser Ser Cys Leu Cys Glu Ser Val Ala Pro Ile Thr Met Ala Pro Ile  
 30 1010 1015 1020  
 Glu Ile Arg Tyr Asn Glu Ser Leu Lys Cys Glu Arg Leu Lys Ala Gln  
 1025 1030 1035 1040  
 35 Lys Ile Arg Arg Arg Pro Glu Ser Cys His Gly Phe His Pro Glu Glu  
 1045 1050 1055  
 Asn Ala Arg Glu Cys Gly Gly Ala Pro Ser Leu Gln Ala Gln Thr Val  
 1060 1065 1070  
 40 Leu Leu Leu Leu Pro Leu Leu Leu Met Leu Phe Ser Arg  
 1075 1080 1085  
 45 <210> 23  
 <211> 1115  
 <212> PRT  
 <213> Homo sapiens  
 50 <400> 23  
 Met Ala Val Pro Ala Arg Thr Cys Gly Ala Ser Arg Pro Gly Pro Ala  
 1 5 10 15  
 Arg Thr Ala Arg Pro Trp Pro Gly Cys Gly Pro His Pro Gly Pro Gly  
 55 20 25 30  
 Thr Arg Arg Pro Thr Ser Gly Pro Pro Arg Pro Leu Trp Leu Leu Leu  
 35 40 45

Pro Leu Leu Pro Leu Leu Ala Ala Pro Gly Ala Ser Ala Tyr Ser Phe  
 50 55 60  
 Pro Gln Gln His Thr Met Gln His Trp Ala Arg Arg Leu Glu Gln Glu  
 5 65 70 75 80  
 Val Asp Gly Val Met Arg Ile Phe Gly Gly Val Gln Gln Leu Arg Glu  
 85 90 95  
 10 Ile Tyr Lys Asp Asn Arg Asn Leu Phe Glu Val Gln Glu Asn Glu Pro  
 100 105 110  
 Gln Lys Leu Val Glu Lys Val Ala Gly Asp Ile Glu Ser Leu Leu Asp  
 115 120 125  
 15 Arg Lys Val Gln Ala Leu Lys Arg Leu Ala Asp Ala Ala Glu Asn Phe  
 130 135 140  
 Gln Lys Ala His Arg Trp Gln Asp Asn Ile Lys Glu Glu Asp Ile Val  
 20 145 150 155 160  
 Tyr Tyr Asp Ala Lys Ala Asp Ala Glu Leu Asp Asp Pro Glu Ser Glu  
 165 170 175  
 25 Asp Val Glu Arg Gly Ser Lys Ala Ser Thr Leu Arg Leu Asp Phe Ile  
 180 185 190  
 Glu Asp Pro Asn Phe Lys Asn Lys Val Asn Tyr Ser Tyr Ala Ala Val  
 195 200 205  
 30 Gln Ile Pro Thr Asp Ile Tyr Lys Gly Ser Thr Val Ile Leu Asn Glu  
 210 215 220  
 Leu Asn Trp Thr Glu Ala Leu Glu Asn Val Phe Met Glu Asn Arg Arg  
 35 225 230 235 240  
 Gln Asp Pro Thr Leu Leu Trp Gln Val Phe Gly Ser Ala Thr Gly Val  
 245 250 255  
 40 Thr Arg Tyr Tyr Pro Ala Thr Pro Trp Arg Ala Pro Lys Lys Ile Asp  
 260 265 270  
 Leu Tyr Asp Val Arg Arg Arg Pro Trp Tyr Ile Gln Gly Ala Ser Ser  
 275 280 285  
 45 Pro Lys Asp Met Val Ile Ile Val Asp Val Ser Gly Ser Val Ser Gly  
 290 295 300  
 Leu Thr Leu Lys Leu Met Lys Thr Ser Val Cys Glu Met Leu Asp Thr  
 50 305 310 315 320  
 Leu Ser Asp Asp Asp Tyr Val Asn Val Ala Ser Phe Asn Glu Lys Ala  
 325 330 335  
 55 Gln Pro Val Ser Cys Phe Thr His Leu Val Gln Ala Asn Val Arg Asn  
 340 345 350  
 Lys Lys Val Phe Lys Glu Ala Val Gln Gly Met Val Ala Lys Gly Thr  
 355 360 365

Thr Gly Tyr Lys Ala Gly Phe Glu Tyr Ala Phe Asp Gln Leu Gln Asn  
 370 375 380  
 5 Ser Asn Ile Thr Arg Ala Asn Cys Asn Lys Met Ile Met Met Phe Thr  
 385 390 395 400  
 Asp Gly Gly Glu Asp Arg Val Gln Asp Val Phe Glu Lys Tyr Asn Trp  
 405 410 415  
 10 Pro Asn Arg Thr Val Arg Val Phe Thr Phe Ser Val Gly Gln His Asn  
 420 425 430  
 Tyr Asp Val Thr Pro Leu Gln Trp Met Ala Cys Ala Asn Lys Gly Tyr  
 435 440 445  
 15 Tyr Phe Glu Ile Pro Ser Ile Gly Ala Ile Arg Ile Asn Thr Gln Glu  
 450 455 460  
 20 Tyr Leu Asp Val Leu Gly Arg Pro Met Val Leu Ala Gly Lys Glu Ala  
 465 470 475 480  
 Lys Gln Val Gln Trp Thr Asn Val Tyr Glu Asp Ala Leu Gly Leu Gly  
 485 490 495  
 25 Leu Val Val Thr Gly Thr Leu Pro Val Phe Asn Leu Thr Gln Asp Gly  
 500 505 510  
 Pro Gly Glu Lys Lys Asn Gln Leu Ile Leu Gly Val Met Gly Ile Asp  
 515 520 525  
 30 Val Ala Leu Asn Asp Ile Lys Arg Leu Thr Pro Asn Tyr Thr Leu Gly  
 530 535 540  
 35 Ala Asn Gly Tyr Val Phe Ala Ile Asp Leu Asn Gly Tyr Val Leu Leu  
 545 550 555 560  
 His Pro Asn Leu Lys Pro Gln Thr Thr Asn Phe Arg Glu Pro Val Thr  
 565 570 575  
 40 Leu Asp Phe Leu Asp Ala Glu Leu Glu Asp Glu Asn Lys Glu Glu Ile  
 580 585 590  
 Arg Arg Ser Met Ile Asp Gly Asn Lys Gly His Lys Gln Ile Arg Thr  
 595 600 605  
 45 Leu Val Lys Ser Leu Asp Glu Arg Tyr Ile Asp Glu Val Thr Arg Asn  
 610 615 620  
 50 Tyr Thr Trp Val Pro Ile Arg Ser Thr Asn Tyr Ser Leu Gly Leu Val  
 625 630 635 640  
 Leu Pro Pro Tyr Ser Thr Phe Tyr Leu Gln Ala Asn Leu Ser Asp Gln  
 645 650 655  
 55 Ile Leu Gln Val Lys Tyr Phe Glu Phe Leu Leu Pro Ser Ser Phe Glu  
 660 665 670  
 Ser Glu Gly His Val Phe Ile Ala Pro Arg Glu Tyr Cys Lys Asp Leu

	675	680	685
	Asn Ala Ser Asp Asn Asn Thr Glu Phe Leu Lys Asn Phe Ile Glu Leu		
	690	695	700
5	Met Glu Lys Val Thr Pro Asp Ser Lys Gln Cys Asn Asn Phe Leu Leu		
	705	710	715 720
	His Asn Leu Ile Leu Asp Thr Gly Ile Thr Gln Gln Leu Val Glu Arg		
10		725	730 735
	Val Trp Arg Asp Gln Asp Leu Asn Thr Tyr Ser Leu Leu Ala Val Phe		
		740	745 750
15	Ala Ala Thr Asp Gly Gly Ile Thr Arg Val Phe Pro Asn Lys Ala Ala		
		755	760 765
	Glu Asp Trp Thr Glu Asn Pro Glu Pro Phe Asn Ala Ser Phe Tyr Arg		
		770	775 780
20	Arg Ser Leu Asp Asn His Gly Tyr Val Phe Lys Pro Pro His Gln Asp		
		785	790 795 800
	Ala Leu Leu Arg Pro Leu Glu Leu Glu Asn Asp Thr Val Gly Ile Leu		
25		805	810 815
	Val Ser Thr Ala Val Glu Leu Ser Leu Gly Arg Arg Thr Leu Arg Pro		
		820	825 830
30	Ala Val Val Gly Val Lys Leu Asp Leu Glu Ala Trp Ala Glu Lys Phe		
		835	840 845
	Lys Val Leu Ala Ser Asn Arg Thr His Gln Asp Gln Pro Gln Lys Cys		
		850	855 860
35	Gly Pro Asn Ser His Cys Glu Met Asp Cys Glu Val Asn Asn Glu Asp		
		865	870 875 880
	Leu Leu Cys Val Leu Ile Asp Asp Gly Gly Phe Leu Val Leu Ser Asn		
40		885	890 895
	Gln Asn His Gln Trp Asp Gln Val Gly Arg Phe Phe Ser Glu Val Asp		
		900	905 910
45	Ala Asn Leu Met Leu Ala Leu Tyr Asn Asn Ser Phe Tyr Thr Arg Lys		
		915	920 925
	Glu Ser Tyr Asp Tyr Gln Ala Ala Cys Ala Pro Gln Pro Pro Gly Asn		
		930	935 940
50	Leu Gly Ala Ala Pro Arg Gly Val Phe Val Pro Thr Val Ala Asp Phe		
		945	950 955 960
	Leu Asn Leu Ala Trp Trp Thr Ser Ala Ala Ala Trp Ser Leu Phe Gln		
55		965	970 975
	Gln Leu Leu Tyr Gly Leu Ile Tyr His Ser Trp Phe Gln Ala Asp Pro		
		980	985 990

Ala Glu Ala Glu Gly Ser Pro Glu Thr Arg Glu Ser Ser Cys Val Met  
 995 1000 1005  
 5 Lys Gln Thr Gln Tyr Tyr Phe Gly Ser Val Asn Ala Ser Tyr Asn Ala  
 1010 1015 1020  
 Ile Ile Asp Cys Gly Asn Cys Ser Arg Leu Phe His Ala Gln Arg Leu  
 1025 1030 1035 1040  
 10 Thr Asn Thr Asn Leu Leu Phe Val Val Ala Glu Lys Pro Leu Cys Ser  
 1045 1050 1055  
 Gln Cys Glu Ala Gly Arg Leu Leu Gln Lys Glu Thr His Cys Pro Ala  
 1060 1065 1070  
 15 Asp Gly Pro Glu Gln Cys Glu Leu Val Gln Arg Pro Arg Tyr Arg Arg  
 1075 1080 1085  
 Gly Pro His Ile Cys Phe Asp Tyr Asn Ala Thr Glu Asp Thr Ser Asp  
 20 1090 1095 1100  
 Cys Gly Arg Gly Ala His His His His His His  
 1105 1110 1115  
 25 <210> 24  
 <211> 1077  
 <212> PRT  
 <213> Mus musculus  
 30 <400> 24  
 Met Ala Gly Pro Gly Ser Leu Cys Cys Ala Ser Arg Gly Ala Ser Ala  
 1 5 10 15  
 35 Leu Leu Ala Thr Ala Leu Leu Tyr Ala Ala Leu Gly Asp Val Val Arg  
 20 25 30  
 Ser Glu Gln Gln Ile Pro Leu Ser Val Val Lys Leu Trp Ala Ser Ala  
 35 40 45  
 40 Phe Gly Gly Glu Ile Lys Ser Ile Ala Ala Lys Tyr Ser Gly Ser Gln  
 50 55 60  
 Leu Leu Gln Lys Lys Tyr Lys Glu Tyr Glu Lys Asp Val Ala Ile Glu  
 45 65 70 75 80  
 Glu Ile Asp Gly Leu Gln Leu Val Lys Lys Leu Ala Lys Ile Met Glu  
 85 90 95  
 50 Glu Met Phe His Lys Lys Ser Glu Ala Val Arg Arg Leu Val Glu Ala  
 100 105 110  
 Ala Glu Glu Ala His Leu Lys His Glu Phe Asp Ala Asp Leu Gln Tyr  
 115 120 125  
 55 Glu Tyr Phe Asn Ala Val Leu Ile Asn Glu Arg Asp Lys Asp Gly Asn  
 130 135 140  
 Phe Leu Glu Leu Gly Lys Glu Phe Ile Leu Ala Pro Asn Asp His Phe

	145		150		155		160
	Asn Asn Leu Pro Val Asn Ile Ser Leu Ser Asp Val Gln Val Pro Thr						
		165			170		175
5	Asn Met Tyr Asn Lys Asp Pro Ala Ile Val Asn Gly Val Tyr Trp Ser						
		180		185			190
10	Glu Ser Leu Asn Lys Val Phe Val Asp Asn Phe Asp Arg Asp Pro Ser						
		195		200			205
	Leu Ile Trp Gln Tyr Phe Gly Ser Ala Lys Gly Phe Phe Arg Gln Tyr						
		210		215			220
15	Pro Gly Ile Lys Trp Glu Pro Asp Glu Asn Gly Val Ile Ala Phe Asp						
		225		230		235	240
	Cys Arg Asn Arg Lys Trp Tyr Ile Gln Ala Ala Thr Ser Pro Lys Asp						
		245		250			255
20	Val Val Ile Leu Val Asp Val Ser Gly Ser Met Lys Gly Leu Arg Leu						
		260		265			270
	Thr Ile Ala Lys Gln Thr Val Ser Ser Ile Leu Asp Thr Leu Gly Asp						
25		275		280			285
	Asp Asp Phe Phe Asn Ile Ile Thr Tyr Asn Glu Glu Leu His Tyr Val						
		290		295			300
30	Glu Pro Cys Leu Asn Gly Thr Leu Val Gln Ala Asp Arg Thr Asn Lys						
		305		310		315	320
	Glu His Phe Arg Glu His Leu Asp Lys Leu Phe Ala Lys Gly Ile Gly						
		325		330			335
35	Met Leu Asp Ile Ala Leu Asn Glu Ala Phe Asn Ile Leu Ser Asp Phe						
		340		345			350
	Asn His Thr Gly Gln Gly Ser Ile Cys Ser Gln Ala Ile Met Leu Ile						
40		355		360			365
	Thr Asp Gly Ala Val Asp Thr Tyr Asp Thr Ile Phe Ala Lys Tyr Asn						
		370		375			380
45	Trp Pro Asp Arg Lys Val Arg Ile Phe Thr Tyr Leu Ile Gly Arg Glu						
		385		390		395	400
	Ala Ala Phe Ala Asp Asn Leu Lys Trp Met Ala Cys Ala Asn Lys Gly						
		405		410			415
50	Phe Phe Thr Gln Ile Ser Thr Leu Ala Asp Val Gln Glu Asn Val Met						
		420		425			430
	Glu Tyr Leu His Val Leu Ser Arg Pro Lys Val Ile Asp Gln Glu His						
55		435		440			445
	Asp Val Val Trp Thr Glu Ala Tyr Ile Asp Ser Thr Leu Pro Gln Ala						
		450		455			460

Gln Lys Leu Ala Asp Asp Gln Gly Leu Val Leu Met Thr Thr Val Ala  
 465 470 475 480  
 5 Met Pro Val Phe Ser Lys Gln Asn Glu Thr Arg Ser Lys Gly Ile Leu  
 485 490 495  
 Leu Gly Val Val Gly Thr Asp Val Pro Val Lys Glu Leu Leu Lys Thr  
 500 505 510  
 10 Ile Pro Lys Tyr Lys Leu Gly Ile His Gly Tyr Ala Phe Ala Ile Thr  
 515 520 525  
 Asn Asn Gly Tyr Ile Leu Thr His Pro Glu Leu Arg Pro Leu Tyr Glu  
 530 535 540  
 15 Glu Gly Lys Lys Arg Arg Lys Pro Asn Tyr Ser Ser Val Asp Leu Ser  
 545 550 555 560  
 Glu Val Glu Trp Glu Asp Arg Asp Asp Val Leu Arg Asn Ala Met Val  
 565 570 575  
 20 Asn Arg Lys Thr Gly Lys Phe Ser Met Glu Val Lys Lys Thr Val Asp  
 580 585 590  
 25 Lys Gly Lys Arg Val Leu Val Met Thr Asn Asp Tyr Tyr Tyr Thr Asp  
 595 600 605  
 Ile Lys Gly Thr Pro Phe Ser Leu Gly Val Ala Leu Ser Arg Gly His  
 610 615 620  
 30 Gly Lys Tyr Phe Phe Arg Gly Asn Val Thr Ile Glu Glu Gly Leu His  
 625 630 635 640  
 Asp Leu Glu His Pro Asp Val Ser Leu Ala Asp Glu Trp Ser Tyr Cys  
 645 650 655  
 35 Asn Thr Asp Leu His Pro Glu His Arg His Leu Ser Gln Leu Glu Ala  
 660 665 670  
 40 Ile Lys Leu Tyr Leu Lys Gly Lys Glu Pro Leu Leu Gln Cys Asp Lys  
 675 680 685  
 Glu Leu Ile Gln Glu Val Leu Phe Asp Ala Val Val Ser Ala Pro Ile  
 690 695 700  
 45 Glu Ala Tyr Trp Thr Ser Leu Ala Leu Asn Lys Ser Glu Asn Ser Asp  
 705 710 715 720  
 Lys Gly Val Glu Val Ala Phe Leu Gly Thr Arg Thr Gly Leu Ser Arg  
 725 730 735  
 50 Ile Asn Leu Phe Val Gly Ala Glu Gln Leu Thr Asn Gln Asp Phe Leu  
 740 745 750  
 55 Lys Ala Gly Asp Lys Glu Asn Ile Phe Asn Ala Asp His Phe Pro Leu  
 755 760 765  
 Trp Tyr Arg Arg Ala Ala Glu Gln Ile Ala Gly Ser Phe Val Tyr Ser  
 770 775 780

Ile Pro Phe Ser Thr Gly Thr Val Asn Lys Ser Asn Val Val Thr Ala  
 785 790 795 800  
 5 Ser Thr Ser Ile Gln Leu Leu Asp Glu Arg Lys Ser Pro Val Val Ala  
 805 810 815  
 Ala Val Gly Ile Gln Met Lys Leu Glu Phe Phe Gln Arg Lys Phe Trp  
 820 825 830  
 10 Thr Ala Ser Arg Gln Cys Ala Ser Leu Asp Gly Lys Cys Ser Ile Ser  
 835 840 845  
 Cys Asp Asp Glu Thr Val Asn Cys Tyr Leu Ile Asp Asn Asn Gly Phe  
 15 850 855 860  
 Ile Leu Val Ser Glu Asp Tyr Thr Gln Thr Gly Asp Phe Phe Gly Glu  
 865 870 875 880  
 20 Val Glu Gly Ala Val Met Asn Lys Leu Leu Thr Met Gly Ser Phe Lys  
 885 890 895  
 Arg Ile Thr Leu Tyr Asp Tyr Gln Ala Met Cys Arg Ala Asn Lys Glu  
 900 905 910  
 25 Ser Ser Asp Ser Ala His Gly Leu Leu Asp Pro Tyr Lys Ala Phe Leu  
 915 920 925  
 Ser Ala Ala Lys Trp Ile Met Thr Glu Leu Val Leu Phe Leu Val Glu  
 30 930 935 940  
 Phe Asn Leu Cys Ser Trp Trp His Ser Asp Met Thr Ala Lys Ala Gln  
 945 950 955 960  
 35 Lys Leu Lys Gln Thr Leu Glu Pro Cys Asp Thr Glu Tyr Pro Ala Phe  
 965 970 975  
 Val Ser Glu Arg Thr Ile Lys Glu Thr Thr Gly Asn Ile Ala Cys Glu  
 980 985 990  
 40 Asp Cys Ser Lys Ser Phe Val Ile Gln Gln Ile Pro Ser Ser Asn Leu  
 995 1000 1005  
 Phe Met Val Val Val Asp Ser Ser Cys Leu Cys Glu Ser Val Ala Pro  
 45 1010 1015 1020  
 Ile Thr Met Ala Pro Ile Glu Ile Arg Tyr Asn Glu Ser Leu Lys Cys  
 1025 1030 1035 1040  
 50 Glu Arg Leu Lys Ala Gln Lys Ile Arg Arg Arg Pro Glu Ser Cys His  
 1045 1050 1055  
 Gly Phe His Pro Glu Glu Asn Ala Arg Glu Cys Gly Gly Ala Ser His  
 1060 1065 1070  
 55 His His His His His  
 1075



<210> 25  
 <211> 24  
 <212> DNA  
 <213> Artificial Sequence  
 5 <220>  
 <223> Description of Artificial Sequence: primer  
 <400> 25  
 10 tcgccaccat ggcggtgccg gctc 24  
 <210> 26  
 <211> 49  
 15 <212> DNA  
 <213> Artificial Sequence  
 <220>  
 <223> Description of Artificial Sequence: primer  
 20 <400> 26  
 tcggaattcc tcagtgatgg tgatggtgat gggccccgcg gccacagtc 49  
 <210> 27  
 <211> 23  
 <212> DNA  
 <213> Artificial Sequence  
 25 <220>  
 <223> Description of Artificial Sequence: primer  
 <400> 27  
 30 tcgccaccat ggccggggccg ggc 23  
 35 <210> 28  
 <211> 43  
 <212> DNA  
 40 <213> Artificial Sequence  
 <220>  
 <223> Description of Artificial Sequence: primer  
 45 <400> 28  
 tctcagtgat ggtgatggtg atgcgatgca cccccacact ctc 43  
 <210> 29  
 50 <211> 3842  
 <212> DNA  
 <213> Sus scrofa  
 <400> 29  
 55 ggggattgat cttcgatcgc gaagatgget gctgggtgcc tgetggcett gactctgaca 60  
 cttttccaat ctttctgat cggtcctca tcgcaggagc cgttcccgtc ggccgtcact 120  
 atcaagtcac ggttgataa aatgcaagaa gaccttgtca ccctggcaaa aacagcaagt 180  
 ggagtcaatc agcttgcga tatttatgaa aaataccaag atttgtatac tgtggaacca 240  
 aataatgcac gccagctggt ggaaattgca gccagggata ttgagaaact tctgagcaac 300

	agatctaaag	ccctgggtg	cctagctttg	gaagcagaga	aggttcaagc	agcccaccag	360
	tggagagagg	atlttgcaag	caatgaagtt	gtctactaca	atgcaaagga	tgatctcgat	420
	cctgaaaaaa	atgacagtga	gccaggcagc	cagaggataa	aacctgtttt	tattgatgat	480
	gctaattttg	ggcgacagat	atcttatcag	catgcagcag	tccatattcc	caccgacatc	540
5	tatgagggct	caacaattgt	gttaaatgaa	ctgaactgga	caagtgcctt	agatgaagtt	600
	ttcaagaaaa	atcgagagga	agatccctca	ttattgtggc	agggtgtttg	cagtgccaca	660
	ggcctggccc	ggtattatcc	agcttctcca	tgggttgata	acagtagaac	tccaaacaag	720
	attgaccttt	atgatgtacg	aaggagacca	tggtagatcc	aaggagctgc	atctcctaaa	780
	gatatgctta	ttctggctga	cgtgagtggg	agtgttagtg	gtttgacgct	taaactgatc	840
10	cgaacatctg	tctctgaaat	gttggaacc	ctctcagatg	acgattttgt	gaatgtagct	900
	tcatttaaca	gcaatgcccc	ggatgtaagc	tgttttcaac	accttgtcca	agcaaatgta	960
	agaaataaga	aagtgtcgaa	agatgcagtt	aataatatca	cagcaaaagg	aatcacagat	1020
	tacaagaagg	gctttagttt	tgcttttgaa	caactgctta	attataacgt	ttctagagcc	1080
	aactgcaata	agattatcat	gttggtcacc	gatggaggag	aagagagagc	tcaggagata	1140
15	tttgccaaat	acaacaaaga	caaaaaagta	cgtgtattca	cattttcagt	tggtcaacat	1200
	aattatgaca	gaggacctat	tcagtggatg	gcctgtgaaa	ataaagggtta	ttattatgaa	1260
	attccttcca	ttggagcaat	cagaatcaat	cttcaggaaat	atttggatgt	tctgggaaga	1320
	ccaatggttt	tagcaggaga	caaagctaag	caagtccagt	ggacaaacgt	gtacctggat	1380
	gcactggaac	tgggacttgt	cattactgga	actcttcagg	tcttcaacat	aaccggccaa	1440
20	aatgaaaata	agacgaactt	aaagaaccag	ctgattcttg	gtgtgatggg	agttgatgta	1500
	tctttggaag	atattaaaag	actgacacca	cgttttacac	tggtgccccaa	tggtctattac	1560
	tttgcaattg	atcctaattg	ctatgtttta	ttacatccaa	atcttcagcc	aaagaacccc	1620
	aaatctcagg	agccagtaac	cttggatttc	cttgatgcag	aattagagaa	tgatattaaa	1680
	gtggagatcc	gaaataaaat	gatagattgga	gaaagtggag	aaaaaacatt	cagaactctg	1740
25	gttaaatctc	aagatgagag	atatattgac	aaaggaaaca	ggacatatac	atggactcct	1800
	gtcaatggca	cagattacag	tttggccttg	gtattaccaa	cctacagttt	ttactatata	1860
	aaagccaaaa	tagaagagac	aataactcag	gccagatcaa	aaaagggcaa	aatgaaggat	1920
	tcagaaacac	tgaagcctga	taattttgaa	gaatctggct	atacatcat	agcaccaaga	1980
	gactactgca	atgaccttaa	aatatcagat	aataataaccg	aatttctttt	aaactttaat	2040
30	gagtttattg	atagaaaaac	tccaaacaac	ccgtcatgca	acacagattt	gattaataga	2100
	gtcttgctgg	atgcgggctt	tacaaataaa	cttgtccaaa	attactggag	taagcagaaa	2160
	aacatcaagg	gagtgaaggc	acggtttgtt	gtaactgatg	gagggattac	cagagtttat	2220
	cccaaagagg	ctggagaaaa	ttggcaagaa	aaccagagaa	catatgagga	cagcttctat	2280
	aaaagaagtc	tagataacga	taactatggt	ttcactgctc	cctactttta	caaaagtggg	2340
35	cctgggtgctt	atgaatcagg	catcatggta	agcaaagctg	tagaaatata	catccaagga	2400
	aaacttctta	aacctgcagt	tggttggaatt	aaaattgatg	taaattcctg	gatagagaat	2460
	ttcaccaaaa	catcaatcag	ggatccgtgt	gctgggtccag	tttgtgattg	taaaagaaac	2520
	agtgtatgta	tggattgtgt	gattctagat	gatgggtggg	ttcttttgat	ggcaaatcat	2580
	gatgattata	ctaaccagat	tgggaagttt	tttggagaga	ttgacccaag	tttgatgaga	2640
40	cacctgggta	atatatcagt	ttatgctttt	aacaaatctt	acgattatca	gtcagtgtgt	2700
	gagcctgggtg	ctgcacccaa	acaaggagca	ggacatcgct	cagcatatgt	gccatcaata	2760
	gcagacatct	tacacattgg	ctgggtggcc	actgcagctg	catgggtctat	tctacagcag	2820
	tttctcttga	gtttgacctt	tccacgactt	cttgaagcag	ttgagatgga	agatgatgac	2880
	tttaccgcct	ctctgtcaaa	gcagagttgc	attactgaac	aaacccagta	tttctttgat	2940
45	aatgatagca	aatccttcag	tggggtcctg	gactgtggtg	actgttccag	aatctttcac	3000
	gttgaaaaac	ttatgaacac	caacttaata	ttcataatgg	ttgagagcaa	agggacttgt	3060
	ccttgtgaca	cacgattgct	catacaagct	gagcagactt	ctgacgggtc	agatccttgt	3120
	gatatgggta	agcaaccag	ataccgaaaa	gggcctgatg	tctgttttga	taacaatgcc	3180
	ttggaggatt	ataccgactg	tggtgggtgt	tctggattaa	atccctccct	gtgggtccatc	3240
50	ttcggaatcc	agtgtgtttt	actttggcct	ttatctggca	gcagacacta	ccagttatga	3300
	cccttctaaa	accaaactctg	catattaaac	ttcagaccct	gccagaatag	gagccctcaa	3360
	ttgcattaaa	atagggtaaa	ctgcagaactc	agcgaactc	tagctggggc	catccatggg	3420
	catcaatctc	agactcataa	ggcaccact	ggctgcatgt	caggggtgtca	gatcctgaaa	3480
	cttgtgtgaa	tgtgtcatca	tctatgtata	acatcagagc	aaaattctat	acctattcta	3540
55	ttggaaaatt	tgagaatttg	ttgttgcat	gttgggtgatt	acatgtaaaa	gggctcccca	3600
	cacagttgtg	tatgaatcac	gcaaatgtgc	ttgattttga	cttgctgcaa	tccttgtcct	3660
	tttaccaaga	aaatctctag	agggaaaaaa	aaagtctttt	ttttccttca	ctaattctgc	3720
	tacaaattat	ttcctgcttg	gagtagttat	tattaaaaaa	tatatatata	gagagagaga	3780
	gagagaatta	acattgggtg	aatctgtcaa	aatagaaata	atggcttatt	ttctacaaaa	3840

aa

3842

&lt;210&gt; 30

5 &lt;211&gt; 3057

&lt;212&gt; DNA

&lt;213&gt; Sus scrofa

&lt;400&gt; 30

10	atggctgctg	gctgcctgct	ggccttgact	ctgacacttt	tccaatcttt	gctgatcggt	60
	ccctcatcgc	aggagccgtt	cccgctcgcc	gtcactatca	agtcattggg	ggataaaatg	120
	caagaagacc	ttgtcaccct	ggcaaaaaca	gcaagtggag	tcaatcagct	tgctgatatt	180
	tatgaaaaat	accaagattt	gtatactgtg	gaaccaaata	atgcacgcca	gctggtggaa	240
	attgcagcca	gggatattga	gaaacttctg	agcaacagat	ctaaagccct	ggtgcgccta	300
15	gctttggaag	cagagaaggt	tcaagcagcc	caccagtggg	gagaggattt	tgcaagcaat	360
	gaagttgtct	actacaatgc	aaaggatgat	ctcgatcctg	aaaaaaatga	cagtgcgcca	420
	ggcagccaga	ggataaaaac	tggtttttatt	gatgatgcta	atgttgggag	acagatatct	480
	tatcagcatg	cagcagtcga	tattcccacc	gacatctatg	aggggtcaac	aattgtgtta	540
	aatgaactga	actggacaag	tgctttagat	gaagttttca	agaaaaatcg	agagggaagat	600
20	ccctcattat	tggtggcaggt	gtttggcagt	gccacaggcc	tggtcccggt	ttatccagct	660
	tctccatggg	ttgataacag	tagaactcca	aacaagattg	acctttatga	tgtagcgaag	720
	agaccatggt	acatccaag	agctgcatct	cctaaagata	tgcttattct	ggtcgacgtg	780
	agtgggaagt	ttagtgggtt	gacgcttaaa	ctgatccgaa	catctgtctc	tgaaatgttg	840
	gaaacctctc	cagatgacga	ttttgtgaat	gtagcttcat	ttaacagcaa	tgccaggagt	900
25	gtaagctggt	ttcaacacct	tgctcaagca	aattgtaaga	ataagaaagt	gctgaaagat	960
	gcagttaata	atatcacagc	aaaaggaatc	acagattaca	agaagggctt	tagttttgct	1020
	tttgaacaac	tgcttaatta	taacgtttct	agagccaact	gcaataagat	tatcatgttg	1080
	ttcaccgatg	gaggagaaga	gagagctcag	gagatatttg	ccaaatacaa	caaagacaaa	1140
	aaagtacgtg	tattcacatt	ttcagttggt	caacataatt	atgacagagg	acctattcag	1200
30	tggtatggct	gtgaaaataa	agggttattt	tatgaaattc	cttccattgg	agcaatcaga	1260
	atcaatactc	aggaatattt	ggatgttctg	ggaagaccaa	tggttttagc	aggagacaaa	1320
	gctaagcaag	tccagtggac	aaacgtgtac	ctggatgcac	tggaactggg	acttgtcatt	1380
	actggaactc	ttccggtctt	caacataacc	ggccaaaatg	aaaataagac	gaacttaag	1440
	aaccagctga	ttcttggtgt	gatgggagtt	gatgtatctt	tggaagatat	taaaagactg	1500
35	acaccacgtt	ttacactgtg	ccccaatggc	tattactttg	caattgatcc	taatggctat	1560
	gtttttattac	atccaaatct	tcagccaaag	aaccccaaat	ctcaggagcc	agtaaccttg	1620
	gattttccttg	atgcagaatt	agagaatgat	attaaagtgg	agatccgaaa	taaaatgata	1680
	gatggagaaa	gtggagaaaa	aacattcaga	actctgggtt	aattctcaaga	tgagagatat	1740
	attgacaaa	gaaacaggac	atatacatgg	actcctgtca	atggcacaga	ttacagtttg	1800
40	gccttggtat	taccaaccta	cagttttttac	tatataaaa	ccaaaataga	agagacaata	1860
	actcaggcca	gatcaaaaaa	gggcaaaatg	aaggattcag	aaacactgaa	gcctgataat	1920
	tttgaagaat	ctggctatac	attcatagca	ccaagagact	actgcaatga	ccttaaaaata	1980
	tcagataata	ataccgaatt	tcttttaaac	tttaatgagt	ttattgatag	aaaaactcca	2040
	aacaacccgt	catgcaacac	agatttgatt	aataagagtc	tgctggatgc	gggctttaca	2100
45	aatgaacttg	tccaaaatta	ctggagtaag	cagaaaaaca	tcaagggagt	gaaagcacgg	2160
	tttggtgttaa	ctgatggagg	gattaccaga	gtttatccca	aagaggctgg	agaaaaattgg	2220
	caagaaaacc	cagaaacata	tgaggacagc	ttctataaaa	gaagtctaga	taacgataac	2280
	tatgttttca	ctgctcccta	ctttaacaaa	agtggacctg	gtgcttatga	atcaggcatc	2340
	atggtaagca	aagctgtaga	aatatacatc	caaggaaaac	ttcttaaaac	tgtagttggt	2400
50	ggaattaaaa	ttgatgtaaa	ttcctggata	gagaattttca	ccaaaacatc	aatcagggat	2460
	ccgtgtgctg	gtccagtttg	tgattgtaaa	agaaacagtg	atgtaattga	ttgtgtgatt	2520
	ctagatgatg	gtgggtttct	tttgatggca	attatcatga	attataactaa	ccagattgga	2580
	agggtttttg	gagagattga	cccaagtttg	atgagacacc	tggttaatat	atcagtttat	2640
	gcttttaaca	aatcttacga	ttatcagtcg	gtgtgtgagc	ctgggtgctg	acccaaaaca	2700
55	ggagcaggac	atcgctcagc	atatgtgccg	tcaatagcag	acatcttaca	cattggctgg	2760
	tggtccactg	cagctgcatg	gtctattcta	cagcagtttc	tcttgagttt	gacctttcca	2820
	cgacttcttg	aagcagttga	gatggaagat	gatgacttta	ccgcctctct	gtcaaagcag	2880
	agttgcatta	ctgaacaaac	ccagtatttc	tttgataatg	atagcaaatc	cttcagtggg	2940
	gtcttggtg	gtggtaactg	ttccagaatc	tttcacgttg	aaaaacttat	gaacaccaac	3000

ttaatatcca taatggttga gagcaaaggg acttgtcctt gtgacacacg atttgtga 3057

<210> 31

5 <211> 3111

<212> DNA

<213> Sus scrofa

<400> 31

10	atggctgctg	gctgctgct	ggccttgact	ctgacacttt	tccaatcttt	gctgatcggt	60
	ccctcatcgc	aggagccgtt	cccgctcgcc	gtcactatca	agtcaggggt	ggataaaatg	120
	caagaagacc	ttgtcaccct	ggcaaaaaa	gcaagtggag	tcaatcagct	tgctgatatt	180
	tatgaaaaat	accaagattt	gtatactgtg	gaaccaaata	atgcacgcca	gctgggtggaa	240
	attgcagcca	gggatattga	gaaacttctg	agcaacagat	ctaaagccct	ggtgctgcta	300
15	gcttttgaag	cagagaaggt	tcaagcagcc	caccagtggg	gagaggattt	tgcaagcaat	360
	gaagtgtgct	actacaatgc	aaaggatgat	ctcgatcctg	aaaaaatga	cagtgaagcca	420
	ggcagccaga	ggataaaaac	tggtttttatt	gatgatgcta	atgttgggag	acagatatct	480
	tatcagcatg	cagcagtcga	tattcccacc	gacatctatg	agggctcaac	aatttgtgta	540
	aatgaactga	actggacaag	tgcttagat	gaagttttca	agaaaaatcg	agaggaagat	600
20	ccctcattat	tgtggcaggt	gtttggcagt	gccacaggcc	tggtcccggt	ttatccagct	660
	tctccatggg	ttgataacag	tagaactcca	aacaagattg	acctttatga	tgtacgaagg	720
	agaccatggg	acatccaagg	agctgcatct	cctaaagata	tgettattct	ggtcgacgtg	780
	agtgaagtg	ttagtgggtt	gacgcttaaa	ctgatccgaa	catctgtctc	tgaaatgttg	840
	gaaaccctct	cagatgacga	ttttgtgaat	gtagcttcat	ttaacagcaa	tgcccaggat	900
25	gtaagctgtt	ttcaacacct	tgtccaagca	aatgtaagaa	ataagaaagt	gctgaaagat	960
	gcagttaata	atatcacagc	aaaaggaatc	acagattaca	agaagggctt	tagttttgct	1020
	tttgaacaac	tgcttaatta	taacgtttct	agagccaact	gcaataagat	tatcatgttg	1080
	ttcacccatg	gaggagaaga	gagagctcag	gagatatttg	ccaaatacaa	caaagacaaa	1140
	aaagtacgtg	tattcacatt	ttcagttggt	caacataatt	atgacagagg	acctattcag	1200
30	tggaatggct	gtgaaaataa	aggttattat	tatgaaattc	cttccatttg	agcaatcaga	1260
	gaaaccctct	aggaatattt	ggatgttctt	ggaagaccaa	tggttttagc	aggagacaaa	1320
	gctaagcaag	tccagtggac	aaacgtgtac	ctggatgcac	tggaactggg	acttgtcatt	1380
	actggaactc	ttccggctct	caacataacc	ggccaaaatg	aaaataagac	gaacttaag	1440
	aaccagctga	ttcttggtgt	gatgggagtt	gatgtatctt	tggaagatat	taaaagactg	1500
35	acaccacgtt	ttacactgtg	ccccaatggc	tattactttg	caattgatcc	taattggctat	1560
	gtttttattac	atccaaatct	tcagccaaag	aaccccaaat	ctcaggagcc	agtaaccttg	1620
	gatttccttg	atgcagaatt	agagaatgat	attaaagtgg	agatccgaaa	taaaatgata	1680
	gatgtgagaa	gtggagaaaa	aacattcaga	actctgggta	aatctcaaga	tgagagatat	1740
	attgacaaag	gaaacaggac	atatacatgg	actcctgtca	atggcacaga	ttacagtttg	1800
40	gccttggtat	taccaacctt	cagttttttt	tataataaa	ccaaaataga	agagacaata	1860
	actcaggcca	gatcaaaaaa	gggcaaaatg	aaggattcag	aaacactgaa	gcctgataat	1920
	tttgaagaat	ctggctatag	attcatagca	ccaagagact	actgcaatga	ccttaaaaata	1980
	tcagataata	ataccgaatt	tcttttaaac	tttaatgagt	ttattgatag	aaaaactcca	2040
	aacaacccgt	catgcaacac	agatttgatt	aatagagtct	tgctggatgc	gggctttaca	2100
45	aatgaacttg	tccaaaatta	ctggagtaag	cagaaaaaca	tcaagggagt	gaaagcacgg	2160
	tttggtgtaa	ctgatggagg	gattaccaga	gtttatccca	aagaggctgg	agaaaattgg	2220
	caagaaaacc	cagaaacata	tgaggacagc	ttctataaaa	gaagtctaga	taacgataac	2280
	tatgttttca	ctgctcccta	ctttaacaaa	agtggacctg	gtgcttatga	atcaggcatc	2340
	atggtaagca	aagctgtaga	aatataacac	caaggaaaac	ttcttaaaac	tgcaagttgt	2400
50	ggaattaaaa	ttgatgtaaa	ttcctggata	gagaatttca	ccaaaacatc	aatcagggat	2460
	ccgtgtgctg	gtccagtttg	tgattgtaaa	agaaacagtg	atgtaattga	ttgtgtgatt	2520
	cagatgatg	gtgggtttct	tttgatggca	attactatga	attatactaa	ccagattgga	2580
	agggtttttg	gagagattga	cccaagtttg	atgagacacc	tggttaatat	atcagtttat	2640
	gcttttaaca	aatcttacga	ttatcagtcg	gtgtgtgagc	ctggtgctgc	accaaataca	2700
55	ggagcaggac	atcgctcagc	atatgtgcca	tcaatagcag	acatcttaca	cattggctgg	2760
	tggtccactg	cagctgcatg	gtctattcta	cagcagtttc	tcttgagttt	gacctttcca	2820
	cgacttcttg	aagcagttga	gatggaagat	gatgacttta	ccgcctctct	gtcaagcag	2880
	agttgcatta	ctgaacaaac	ccagtatttc	tttgataatg	atagcaaatc	cttcagtggt	2940
	gtcttggact	gtggtaactg	ttccagaatc	tttcacgttg	aaaaacttat	gaacaccaac	3000

ttaatatcca taatggttga gagcaaaggg acttgctcctt gtgacacacg attgctcata 3060  
 caagctgagc agacttctga cgggtccagat ccttggtgata tgggttaagtg a 3111

5 <210> 32  
 <211> 3192  
 <212> DNA  
 <213> Sus scrofa

10 <400> 32  
 atggctgctg gctgctgctt ggccttgact ctgacacttt tccaatcttt gctgatcggt 60  
 ccctcatcgc aggagccgtt cccgtcggcc gtcactatca agtcatgggt ggataaaatg 120  
 caagaagacc ttgtcaccct ggcaaaaaca gcaagtggag tcaatcagct tgtcgatatt 180  
 tatgaaaaat accaagattt gtatactgtg gaaccaaata atgcacgcca gctgggtggaa 240  
 15 attgcagcca gggatattga gaaacttctg agcaacagat ctaaagccct ggtgctgcta 300  
 gctttggaag cagagaaggt tcaagcagcc caccagtggg gagaggattt tgcaagcaat 360  
 gaagtgtct actacaatgc aaaggatgat ctgctcctg aaaaaaatga cagtgaagcca 420  
 ggcagccaga ggataaaacc tgtttttatt gatgatgcta attttggcg acagatatct 480  
 tatcagcatg cagcagtcga tattcccacc gacatctatg agggctcaac aattgtgtta 540  
 20 aatgaactga actggacaag tgccttagat gaagttttca agaaaaatcg agaggaagat 600  
 ccctcattat tgtggcaggt gtttggcagt gccacaggcc tggcccggtt ttatccagct 660  
 tctccatggg ttgataacag tagaactcca aacaagattg acctttatga tgtacgaagg 720  
 agaccatggg acatccaagg agctgcattc cctaaagata tgettattct ggtcgacgtg 780  
 agtggaggtg ttagtggttt gacgcttaaa ctgatccgaa catctgtctc tgaaatgttg 840  
 25 gaaacctct cagatgacga ttttgtgaat gtacttcat ttaacagcaa tgcccaggat 900  
 gtaagctgtt ttcaacacct tgtccaagca aatgtaagaa ataagaaagt gctgaaagat 960  
 gcagttaata atatcacagc aaaaggaatc acagattaca agaagggtt tagttttgct 1020  
 tttgaacaac tgcttaatta taacgtttct agagccaact gcaataagat tatcatgttg 1080  
 ttcaccgatg gaggagaaga gagagctcag gagatatttg ccaaatataa caaagacaaa 1140  
 30 aaagtacgtg tattcacatt ttcagttggt caacataatt atgacagagg acctattcag 1200  
 tggtaggctg gtgaaaaata aggttattat tatgaaattc ctccatttg agcaatcaga 1260  
 atcaatactc aggaatattt ggatgttctg ggaagaccaa tgggttttagc aggagacaaa 1320  
 gctaagcaag tccagtggac aaacgtgtac ctggatgcac tggaaactggg acttgtcatt 1380  
 actggaactc ttccggtctt caacataacc ggccaaaatg aaaataagac gaacttaag 1440  
 35 aaccagctga ttcttggtgt gatgggagtt gatgtatctt tgggaagatat taaaagactg 1500  
 acaccacgtt ttacactgtg cccaatggc tattactttg caattgatcc taatggctat 1560  
 gttttattac atccaaatct tcagccaaag aaccccaaat ctgaggagcc agtaaccttg 1620  
 gatttccttg atgcagaatt agagaatgat attaaagtgg agatccgaaa taaaatgata 1680  
 gatggagaaa gtggagaaaa aacattcaga actctggtta aatctcaaga tgagagatat 1740  
 40 attgacaaag gaaacaggac atatacatgg actcctgtca atggcacaga ttacagtttg 1800  
 gccttggtat taccaacctc cagtttttac tatataaaag ccaaaataga agagacata 1860  
 actcaggcca gatcaaaaaa gggcaaaatg aaggattcag aaacactgaa gcctgataat 1920  
 tttgaagaat ctggctatac attcatagca ccaagagact actgcaatga ccttaaaaata 1980  
 tcagataata ataccgaatt tcttttaaac tttaatgagt ttattgatag aaaaactcca 2040  
 45 aacaacctgt catgcaacac agatttgatt aatagagtct tgcctggatgc gggctttaca 2100  
 aatgaacttg tccaaaatta ctggagtaag cagaaaaaca tcaagggagt gaaagcacgg 2160  
 tttgttgtaa ctgatggagg gattaccaga gtttatccca aagaggctgg agaaaattgg 2220  
 caagaaaacc cagaaacata tgaggacagc ttctataaaa gaagtctaga taacgataac 2280  
 tatgttttca ctgctcccta ctttaacaaa agtggacctg gtgcttatga atcaggcatc 2340  
 50 atggtaagca aagctgtaga aatatacatc caagggaaaac ttcttaaacc tgcagttgtt 2400  
 ggaattaaaa ttgatgtaaa ttccctggata gagaatttca ccaaaacatc aatcagggtt 2460  
 ccgtgtcctg gtcagtttg tgattgtaaa agaaaacagt atgtaattga ttgtgtgatt 2520  
 ctagatgatg tggggtttct tttgatggca aatcatgatg attataacta ccagatttga 2580  
 aggttttttg gagagattga cccaagtttg atgagacacc tgggttaatat atcagtttat 2640  
 55 gcttttaaca aatcttacga ttatcagtc gtgtgtgagc ctggtgctgc accaaaacaa 2700  
 ggagcaggac atcgctcagc atatgtgcca tcaatagcag acatcttaca cattggctgg 2760  
 tgggccactg cagctgcagc gtctattcta cagcagtttc tcttgagttt gacctttcca 2820  
 cgacttcttg aagcagttga gatggaagat gatgacttta ccgctctctc gtcaaagcag 2880  
 agttgcatta ctgaacaaac ccagtatctt tttgataatg atagcaaatc cttcagtggtg 2940

gtcttggact gtggttaactg ttccagaatc tttcacgttg aaaaacttat gaacaccaac 3000  
 ttaatatcca taatggttga gagcaaaggg acttgtcctt gtgacacacg attgctcata 3060  
 caagctgagc agacttctga cgggccagat ccttgtgata tgggtaagca acccagatac 3120  
 cgaaaagggc ctgatgtctg ttttgataac aatgccttgg aggattatac cgactgtggg 3180  
 5 ggtgtttctt ga 3192

<210> 33  
 <211> 1091  
 10 <212> PRT  
 <213> Sus scrofa

<400> 33  
 Met Ala Ala Gly Cys Leu Leu Ala Leu Thr Leu Thr Leu Phe Gln Ser  
 15 1 5 10 15  
 Leu Leu Ile Gly Pro Ser Ser Gln Glu Pro Phe Pro Ser Ala Val Thr  
 20 20 25 30  
 Ile Lys Ser Trp Val Asp Lys Met Gln Glu Asp Leu Val Thr Leu Ala  
 25 35 40 45  
 Lys Thr Ala Ser Gly Val Asn Gln Leu Val Asp Ile Tyr Glu Lys Tyr  
 50 55 60  
 25 Gln Asp Leu Tyr Thr Val Glu Pro Asn Asn Ala Arg Gln Leu Val Glu  
 65 70 75 80  
 Ile Ala Ala Arg Asp Ile Glu Lys Leu Leu Ser Asn Arg Ser Lys Ala  
 30 85 90 95  
 Leu Val Arg Leu Ala Leu Glu Ala Glu Lys Val Gln Ala Ala His Gln  
 100 105 110  
 35 Trp Arg Glu Asp Phe Ala Ser Asn Glu Val Val Tyr Tyr Asn Ala Lys  
 115 120 125  
 Asp Asp Leu Asp Pro Glu Lys Asn Asp Ser Glu Pro Gly Ser Gln Arg  
 130 135 140  
 40 Ile Lys Pro Val Phe Ile Asp Asp Ala Asn Phe Gly Arg Gln Ile Ser  
 145 150 155 160  
 Tyr Gln His Ala Ala Val His Ile Pro Thr Asp Ile Tyr Glu Gly Ser  
 45 165 170 175  
 Thr Ile Val Leu Asn Glu Leu Asn Trp Thr Ser Ala Leu Asp Glu Val  
 180 185 190  
 50 Phe Lys Lys Asn Arg Glu Glu Asp Pro Ser Leu Leu Trp Gln Val Phe  
 195 200 205  
 Gly Ser Ala Thr Gly Leu Ala Arg Tyr Tyr Pro Ala Ser Pro Trp Val  
 210 215 220  
 55 Asp Asn Ser Arg Thr Pro Asn Lys Ile Asp Leu Tyr Asp Val Arg Arg  
 225 230 235 240  
 Arg Pro Trp Tyr Ile Gln Gly Ala Ala Ser Pro Lys Asp Met Leu Ile

				245					250					255
	Leu	Val	Asp	Val	Ser	Gly	Ser	Val	Ser	Gly	Leu	Thr	Leu	Lys
				260					265					270
5	Arg	Thr	Ser	Val	Ser	Glu	Met	Leu	Glu	Thr	Leu	Ser	Asp	Asp
			275					280					285	
	Val	Asn	Val	Ala	Ser	Phe	Asn	Ser	Asn	Ala	Gln	Asp	Val	Ser
10			290				295					300		
	Gln	His	Leu	Val	Gln	Ala	Asn	Val	Arg	Asn	Lys	Lys	Val	Leu
	305					310					315			320
15	Ala	Val	Asn	Asn	Ile	Thr	Ala	Lys	Gly	Ile	Thr	Asp	Tyr	Lys
					325					330				335
	Phe	Ser	Phe	Ala	Phe	Glu	Gln	Leu	Leu	Asn	Tyr	Asn	Val	Ser
				340					345				350	
20	Asn	Cys	Asn	Lys	Ile	Ile	Met	Leu	Phe	Thr	Asp	Gly	Gly	Glu
			355					360					365	
	Ala	Gln	Glu	Ile	Phe	Ala	Lys	Tyr	Asn	Lys	Asp	Lys	Lys	Val
25			370				375					380		
	Phe	Thr	Phe	Ser	Val	Gly	Gln	His	Asn	Tyr	Asp	Arg	Gly	Pro
	385					390					395			400
30	Trp	Met	Ala	Cys	Glu	Asn	Lys	Gly	Tyr	Tyr	Tyr	Glu	Ile	Pro
					405					410				415
	Gly	Ala	Ile	Arg	Ile	Asn	Thr	Gln	Glu	Tyr	Leu	Asp	Val	Leu
				420					425					430
35	Pro	Met	Val	Leu	Ala	Gly	Asp	Lys	Ala	Lys	Gln	Val	Gln	Trp
			435					440					445	
	Val	Tyr	Leu	Asp	Ala	Leu	Glu	Leu	Gly	Leu	Val	Ile	Thr	Gly
40			450				455					460		
	Pro	Val	Phe	Asn	Ile	Thr	Gly	Gln	Asn	Glu	Asn	Lys	Thr	Asn
	465					470				475				480
45	Asn	Gln	Leu	Ile	Leu	Gly	Val	Met	Gly	Val	Asp	Val	Ser	Leu
				485						490				495
	Ile	Lys	Arg	Leu	Thr	Pro	Arg	Phe	Thr	Leu	Cys	Pro	Asn	Gly
				500					505					510
50	Phe	Ala	Ile	Asp	Pro	Asn	Gly	Tyr	Val	Leu	Leu	His	Pro	Asn
			515					520					525	
	Pro	Lys	Asn	Pro	Lys	Ser	Gln	Glu	Pro	Val	Thr	Leu	Asp	Phe
55			530				535					540		
	Ala	Glu	Leu	Glu	Asn	Asp	Ile	Lys	Val	Glu	Ile	Arg	Asn	Lys
	545					550				555				560

Asp Gly Glu Ser Gly Glu Lys Thr Phe Arg Thr Leu Val Lys Ser Gln  
 565 570 575  
 5 Asp Glu Arg Tyr Ile Asp Lys Gly Asn Arg Thr Tyr Thr Trp Thr Pro  
 580 585 590  
 Val Asn Gly Thr Asp Tyr Ser Leu Ala Leu Val Leu Pro Thr Tyr Ser  
 595 600 605  
 10 Phe Tyr Tyr Ile Lys Ala Lys Ile Glu Glu Thr Ile Thr Gln Ala Arg  
 610 615 620  
 Ser Lys Lys Gly Lys Met Lys Asp Ser Glu Thr Leu Lys Pro Asp Asn  
 625 630 635 640  
 15 Phe Glu Glu Ser Gly Tyr Thr Phe Ile Ala Pro Arg Asp Tyr Cys Asn  
 645 650 655  
 Asp Leu Lys Ile Ser Asp Asn Asn Thr Glu Phe Leu Leu Asn Phe Asn  
 660 665 670  
 20 Glu Phe Ile Asp Arg Lys Thr Pro Asn Asn Pro Ser Cys Asn Thr Asp  
 675 680 685  
 25 Leu Ile Asn Arg Val Leu Leu Asp Ala Gly Phe Thr Asn Glu Leu Val  
 690 695 700  
 Gln Asn Tyr Trp Ser Lys Gln Lys Asn Ile Lys Gly Val Lys Ala Arg  
 705 710 715 720  
 30 Phe Val Val Thr Asp Gly Gly Ile Thr Arg Val Tyr Pro Lys Glu Ala  
 725 730 735  
 Gly Glu Asn Trp Gln Glu Asn Pro Glu Thr Tyr Glu Asp Ser Phe Tyr  
 740 745 750  
 35 Lys Arg Ser Leu Asp Asn Asp Asn Tyr Val Phe Thr Ala Pro Tyr Phe  
 755 760 765  
 40 Asn Lys Ser Gly Pro Gly Ala Tyr Glu Ser Gly Ile Met Val Ser Lys  
 770 775 780  
 Ala Val Glu Ile Tyr Ile Gln Gly Lys Leu Leu Lys Pro Ala Val Val  
 785 790 795 800  
 45 Gly Ile Lys Ile Asp Val Asn Ser Trp Ile Glu Asn Phe Thr Lys Thr  
 805 810 815  
 Ser Ile Arg Asp Pro Cys Ala Gly Pro Val Cys Asp Cys Lys Arg Asn  
 820 825 830  
 50 Ser Asp Val Met Asp Cys Val Ile Leu Asp Asp Gly Gly Phe Leu Leu  
 835 840 845  
 55 Met Ala Asn His Asp Asp Tyr Thr Asn Gln Ile Gly Arg Phe Phe Gly  
 850 855 860  
 Glu Ile Asp Pro Ser Leu Met Arg His Leu Val Asn Ile Ser Val Tyr  
 865 870 875 880



Ala Phe Asn Lys Ser Tyr Asp Tyr Gln Ser Val Cys Glu Pro Gly Ala  
885 890 895

5 Ala Pro Lys Gln Gly Ala Gly His Arg Ser Ala Tyr Val Pro Ser Ile  
900 905 910

Ala Asp Ile Leu His Ile Gly Trp Trp Ala Thr Ala Ala Ala Trp Ser  
915 920 925

10 Ile Leu Gln Gln Phe Leu Leu Ser Leu Thr Phe Pro Arg Leu Leu Glu  
930 935 940

Ala Val Glu Met Glu Asp Asp Asp Phe Thr Ala Ser Leu Ser Lys Gln  
15 945 950 955 960

Ser Cys Ile Thr Glu Gln Thr Gln Tyr Phe Phe Asp Asn Asp Ser Lys  
965 970 975

20 Ser Phe Ser Gly Val Leu Asp Cys Gly Asn Cys Ser Arg Ile Phe His  
980 985 990

Val Glu Lys Leu Met Asn Thr Asn Leu Ile Phe Ile Met Val Glu Ser  
995 1000 1005

25 Lys Gly Thr Cys Pro Cys Asp Thr Arg Leu Leu Ile Gln Ala Glu Gln  
1010 1015 1020

Thr Ser Asp Gly Pro Asp Pro Cys Asp Met Val Lys Gln Pro Arg Tyr  
30 1025 1030 1035 1040

Arg Lys Gly Pro Asp Val Cys Phe Asp Asn Asn Ala Leu Glu Asp Tyr  
1045 1050 1055

35 Thr Asp Cys Gly Gly Val Ser Gly Leu Asn Pro Ser Leu Trp Ser Ile  
1060 1065 1070

Phe Gly Ile Gln Cys Val Leu Leu Trp Leu Leu Ser Gly Ser Arg His  
1075 1080 1085

40 Tyr Gln Leu  
1090

45 <210> 34  
<211> 1018  
<212> PRT  
<213> Sus scrofa

50 <400> 34  
Met Ala Ala Gly Cys Leu Leu Ala Leu Thr Leu Thr Leu Phe Gln Ser  
1 5 10 15

Leu Leu Ile Gly Pro Ser Ser Gln Glu Pro Phe Pro Ser Ala Val Thr  
55 20 25 30

Ile Lys Ser Trp Val Asp Lys Met Gln Glu Asp Leu Val Thr Leu Ala  
35 40 45

Lys Thr Ala Ser Gly Val Asn Gln Leu Val Asp Ile Tyr Glu Lys Tyr  
 50 55 60  
 Gln Asp Leu Tyr Thr Val Glu Pro Asn Asn Ala Arg Gln Leu Val Glu  
 5 65 70 75 80  
 Ile Ala Ala Arg Asp Ile Glu Lys Leu Leu Ser Asn Arg Ser Lys Ala  
 85 90 95  
 10 Leu Val Arg Leu Ala Leu Glu Ala Glu Lys Val Gln Ala Ala His Gln  
 100 105 110  
 Trp Arg Glu Asp Phe Ala Ser Asn Glu Val Val Tyr Tyr Asn Ala Lys  
 115 120 125  
 15 Asp Asp Leu Asp Pro Glu Lys Asn Asp Ser Glu Pro Gly Ser Gln Arg  
 130 135 140  
 Ile Lys Pro Val Phe Ile Asp Asp Ala Asn Phe Gly Arg Gln Ile Ser  
 20 145 150 155 160  
 Tyr Gln His Ala Ala Val His Ile Pro Thr Asp Ile Tyr Glu Gly Ser  
 165 170 175  
 25 Thr Ile Val Leu Asn Glu Leu Asn Trp Thr Ser Ala Leu Asp Glu Val  
 180 185 190  
 Phe Lys Lys Asn Arg Glu Glu Asp Pro Ser Leu Leu Trp Gln Val Phe  
 195 200 205  
 30 Gly Ser Ala Thr Gly Leu Ala Arg Tyr Tyr Pro Ala Ser Pro Trp Val  
 210 215 220  
 Asp Asn Ser Arg Thr Pro Asn Lys Ile Asp Leu Tyr Asp Val Arg Arg  
 35 225 230 235 240  
 Arg Pro Trp Tyr Ile Gln Gly Ala Ala Ser Pro Lys Asp Met Leu Ile  
 245 250 255  
 40 Leu Val Asp Val Ser Gly Ser Val Ser Gly Leu Thr Leu Lys Leu Ile  
 260 265 270  
 Arg Thr Ser Val Ser Glu Met Leu Glu Thr Leu Ser Asp Asp Asp Phe  
 275 280 285  
 45 Val Asn Val Ala Ser Phe Asn Ser Asn Ala Gln Asp Val Ser Cys Phe  
 290 295 300  
 Gln His Leu Val Gln Ala Asn Val Arg Asn Lys Lys Val Leu Lys Asp  
 50 305 310 315 320  
 Ala Val Asn Asn Ile Thr Ala Lys Gly Ile Thr Asp Tyr Lys Lys Gly  
 325 330 335  
 55 Phe Ser Phe Ala Phe Glu Gln Leu Leu Asn Tyr Asn Val Ser Arg Ala  
 340 345 350  
 Asn Cys Asn Lys Ile Ile Met Leu Phe Thr Asp Gly Gly Glu Glu Arg  
 355 360 365

Ala Gln Glu Ile Phe Ala Lys Tyr Asn Lys Asp Lys Lys Val Arg Val  
 370 375 380

5 Phe Thr Phe Ser Val Gly Gln His Asn Tyr Asp Arg Gly Pro Ile Gln  
 385 390 395 400

Trp Met Ala Cys Glu Asn Lys Gly Tyr Tyr Tyr Glu Ile Pro Ser Ile  
 405 410 415

10 Gly Ala Ile Arg Ile Asn Thr Gln Glu Tyr Leu Asp Val Leu Gly Arg  
 420 425 430

Pro Met Val Leu Ala Gly Asp Lys Ala Lys Gln Val Gln Trp Thr Asn  
 435 440 445

15 Val Tyr Leu Asp Ala Leu Glu Leu Gly Leu Val Ile Thr Gly Thr Leu  
 450 455 460

20 Pro Val Phe Asn Ile Thr Gly Gln Asn Glu Asn Lys Thr Asn Leu Lys  
 465 470 475 480

Asn Gln Leu Ile Leu Gly Val Met Gly Val Asp Val Ser Leu Glu Asp  
 485 490 495

25 Ile Lys Arg Leu Thr Pro Arg Phe Thr Leu Cys Pro Asn Gly Tyr Tyr  
 500 505 510

Phe Ala Ile Asp Pro Asn Gly Tyr Val Leu Leu His Pro Asn Leu Gln  
 515 520 525

30 Pro Lys Asn Pro Lys Ser Gln Glu Pro Val Thr Leu Asp Phe Leu Asp  
 530 535 540

35 Ala Glu Leu Glu Asn Asp Ile Lys Val Glu Ile Arg Asn Lys Met Ile  
 545 550 555 560

Asp Gly Glu Ser Gly Glu Lys Thr Phe Arg Thr Leu Val Lys Ser Gln  
 565 570 575

40 Asp Glu Arg Tyr Ile Asp Lys Gly Asn Arg Thr Tyr Thr Trp Thr Pro  
 580 585 590

Val Asn Gly Thr Asp Tyr Ser Leu Ala Leu Val Leu Pro Thr Tyr Ser  
 595 600 605

45 Phe Tyr Tyr Ile Lys Ala Lys Ile Glu Glu Thr Ile Thr Gln Ala Arg  
 610 615 620

50 Ser Lys Lys Gly Lys Met Lys Asp Ser Glu Thr Leu Lys Pro Asp Asn  
 625 630 635 640

Phe Glu Glu Ser Gly Tyr Thr Phe Ile Ala Pro Arg Asp Tyr Cys Asn  
 645 650 655

55 Asp Leu Lys Ile Ser Asp Asn Asn Thr Glu Phe Leu Leu Asn Phe Asn  
 660 665 670

Glu Phe Ile Asp Arg Lys Thr Pro Asn Asn Pro Ser Cys Asn Thr Asp

		675				680						685			
		Leu Ile Asn Arg Val Leu Leu Asp Ala Gly Phe Thr Asn Glu Leu Val													
		690				695						700			
5		Gln Asn Tyr Trp Ser Lys Gln Lys Asn Ile Lys Gly Val Lys Ala Arg													
		705				710				715					720
		Phe Val Val Thr Asp Gly Gly Ile Thr Arg Val Tyr Pro Lys Glu Ala													
10					725				730						735
		Gly Glu Asn Trp Gln Glu Asn Pro Glu Thr Tyr Glu Asp Ser Phe Tyr													
					740				745					750	
15		Lys Arg Ser Leu Asp Asn Asp Asn Tyr Val Phe Thr Ala Pro Tyr Phe													
					755				760					765	
		Asn Lys Ser Gly Pro Gly Ala Tyr Glu Ser Gly Ile Met Val Ser Lys													
					770				775					780	
20		Ala Val Glu Ile Tyr Ile Gln Gly Lys Leu Leu Lys Pro Ala Val Val													
					785				790						800
		Gly Ile Lys Ile Asp Val Asn Ser Trp Ile Glu Asn Phe Thr Lys Thr													
25					805				810						815
		Ser Ile Arg Asp Pro Cys Ala Gly Pro Val Cys Asp Cys Lys Arg Asn													
					820				825						830
30		Ser Asp Val Met Asp Cys Val Ile Leu Asp Asp Gly Gly Phe Leu Leu													
					835				840						845
		Met Ala Asn His Asp Asp Tyr Thr Asn Gln Ile Gly Arg Phe Phe Gly													
					850				855						860
35		Glu Ile Asp Pro Ser Leu Met Arg His Leu Val Asn Ile Ser Val Tyr													
					865				870						880
		Ala Phe Asn Lys Ser Tyr Asp Tyr Gln Ser Val Cys Glu Pro Gly Ala													
40					885				890						895
		Ala Pro Lys Gln Gly Ala Gly His Arg Ser Ala Tyr Val Pro Ser Ile													
					900				905						910
45		Ala Asp Ile Leu His Ile Gly Trp Trp Ala Thr Ala Ala Ala Trp Ser													
					915				920						925
		Ile Leu Gln Gln Phe Leu Leu Ser Leu Thr Phe Pro Arg Leu Leu Glu													
					930				935						940
50		Ala Val Glu Met Glu Asp Asp Asp Phe Thr Ala Ser Leu Ser Lys Gln													
					945				950						955
		Ser Cys Ile Thr Glu Gln Thr Gln Tyr Phe Phe Asp Asn Asp Ser Lys													
55					965				970						975
		Ser Phe Ser Gly Val Leu Asp Cys Gly Asn Cys Ser Arg Ile Phe His													
					980				985						990

Val Glu Lys Leu Met Asn Thr Asn Leu Ile Phe Ile Met Val Glu Ser  
 995 1000 1005  
 Lys Gly Thr Cys Pro Cys Asp Thr Arg Leu  
 5 1010 1015  
 <210> 35  
 <211> 1036  
 10 <212> PRT  
 <213> Sus scrofa  
 <400> 35  
 Met Ala Ala Gly Cys Leu Leu Ala Leu Thr Leu Thr Leu Phe Gln Ser  
 15 1 5 10 15  
 Leu Leu Ile Gly Pro Ser Ser Gln Glu Pro Phe Pro Ser Ala Val Thr  
 20 20 25 30  
 Ile Lys Ser Trp Val Asp Lys Met Gln Glu Asp Leu Val Thr Leu Ala  
 35 40 45  
 Lys Thr Ala Ser Gly Val Asn Gln Leu Val Asp Ile Tyr Glu Lys Tyr  
 50 55 60  
 25 Gln Asp Leu Tyr Thr Val Glu Pro Asn Asn Ala Arg Gln Leu Val Glu  
 65 70 75 80  
 Ile Ala Ala Arg Asp Ile Glu Lys Leu Leu Ser Asn Arg Ser Lys Ala  
 30 85 90 95  
 Leu Val Arg Leu Ala Leu Glu Ala Glu Lys Val Gln Ala Ala His Gln  
 100 105 110  
 35 Trp Arg Glu Asp Phe Ala Ser Asn Glu Val Val Tyr Tyr Asn Ala Lys  
 115 120 125  
 Asp Asp Leu Asp Pro Glu Lys Asn Asp Ser Glu Pro Gly Ser Gln Arg  
 130 135 140  
 40 Ile Lys Pro Val Phe Ile Asp Asp Ala Asn Phe Gly Arg Gln Ile Ser  
 145 150 155 160  
 Tyr Gln His Ala Ala Val His Ile Pro Thr Asp Ile Tyr Glu Gly Ser  
 45 165 170 175  
 Thr Ile Val Leu Asn Glu Leu Asn Trp Thr Ser Ala Leu Asp Glu Val  
 180 185 190  
 50 Phe Lys Lys Asn Arg Glu Glu Asp Pro Ser Leu Leu Trp Gln Val Phe  
 195 200 205  
 Gly Ser Ala Thr Gly Leu Ala Arg Tyr Tyr Pro Ala Ser Pro Trp Val  
 210 215 220  
 55 Asp Asn Ser Arg Thr Pro Asn Lys Ile Asp Leu Tyr Asp Val Arg Arg  
 225 230 235 240  
 Arg Pro Trp Tyr Ile Gln Gly Ala Ala Ser Pro Lys Asp Met Leu Ile

	245	250	255
	Leu Val Asp Val Ser Gly Ser Val Ser Gly Leu Thr Leu Lys Leu Ile		
	260	265	270
5	Arg Thr Ser Val Ser Glu Met Leu Glu Thr Leu Ser Asp Asp Asp Phe		
	275	280	285
	Val Asn Val Ala Ser Phe Asn Ser Asn Ala Gln Asp Val Ser Cys Phe		
10	290	295	300
	Gln His Leu Val Gln Ala Asn Val Arg Asn Lys Lys Val Leu Lys Asp		
	305	310	315
15	Ala Val Asn Asn Ile Thr Ala Lys Gly Ile Thr Asp Tyr Lys Lys Gly		
	325	330	335
	Phe Ser Phe Ala Phe Glu Gln Leu Leu Asn Tyr Asn Val Ser Arg Ala		
	340	345	350
20	Asn Cys Asn Lys Ile Ile Met Leu Phe Thr Asp Gly Gly Glu Glu Arg		
	355	360	365
	Ala Gln Glu Ile Phe Ala Lys Tyr Asn Lys Asp Lys Lys Val Arg Val		
25	370	375	380
	Phe Thr Phe Ser Val Gly Gln His Asn Tyr Asp Arg Gly Pro Ile Gln		
	385	390	395
30	Trp Met Ala Cys Glu Asn Lys Gly Tyr Tyr Tyr Glu Ile Pro Ser Ile		
	405	410	415
	Gly Ala Ile Arg Ile Asn Thr Gln Glu Tyr Leu Asp Val Leu Gly Arg		
	420	425	430
35	Pro Met Val Leu Ala Gly Asp Lys Ala Lys Gln Val Gln Trp Thr Asn		
	435	440	445
	Val Tyr Leu Asp Ala Leu Glu Leu Gly Leu Val Ile Thr Gly Thr Leu		
40	450	455	460
	Pro Val Phe Asn Ile Thr Gly Gln Asn Glu Asn Lys Thr Asn Leu Lys		
	465	470	475
45	Asn Gln Leu Ile Leu Gly Val Met Gly Val Asp Val Ser Leu Glu Asp		
	485	490	495
	Ile Lys Arg Leu Thr Pro Arg Phe Thr Leu Cys Pro Asn Gly Tyr Tyr		
	500	505	510
50	Phe Ala Ile Asp Pro Asn Gly Tyr Val Leu Leu His Pro Asn Leu Gln		
	515	520	525
	Pro Lys Asn Pro Lys Ser Gln Glu Pro Val Thr Leu Asp Phe Leu Asp		
55	530	535	540
	Ala Glu Leu Glu Asn Asp Ile Lys Val Glu Ile Arg Asn Lys Met Ile		
	545	550	555
			560

Asp Gly Glu Ser Gly Glu Lys Thr Phe Arg Thr Leu Val Lys Ser Gln  
 565 570 575  
 5 Asp Glu Arg Tyr Ile Asp Lys Gly Asn Arg Thr Tyr Thr Trp Thr Pro  
 580 585 590  
 Val Asn Gly Thr Asp Tyr Ser Leu Ala Leu Val Leu Pro Thr Tyr Ser  
 595 600 605  
 10 Phe Tyr Tyr Ile Lys Ala Lys Ile Glu Glu Thr Ile Thr Gln Ala Arg  
 610 615 620  
 Ser Lys Lys Gly Lys Met Lys Asp Ser Glu Thr Leu Lys Pro Asp Asn  
 625 630 635 640  
 15 Phe Glu Glu Ser Gly Tyr Thr Phe Ile Ala Pro Arg Asp Tyr Cys Asn  
 645 650 655  
 Asp Leu Lys Ile Ser Asp Asn Asn Thr Glu Phe Leu Leu Asn Phe Asn  
 660 665 670  
 20 Glu Phe Ile Asp Arg Lys Thr Pro Asn Asn Pro Ser Cys Asn Thr Asp  
 675 680 685  
 25 Leu Ile Asn Arg Val Leu Leu Asp Ala Gly Phe Thr Asn Glu Leu Val  
 690 695 700  
 Gln Asn Tyr Trp Ser Lys Gln Lys Asn Ile Lys Gly Val Lys Ala Arg  
 705 710 715 720  
 30 Phe Val Val Thr Asp Gly Gly Ile Thr Arg Val Tyr Pro Lys Glu Ala  
 725 730 735  
 Gly Glu Asn Trp Gln Glu Asn Pro Glu Thr Tyr Glu Asp Ser Phe Tyr  
 740 745 750  
 35 Lys Arg Ser Leu Asp Asn Asp Asn Tyr Val Phe Thr Ala Pro Tyr Phe  
 755 760 765  
 40 Asn Lys Ser Gly Pro Gly Ala Tyr Glu Ser Gly Ile Met Val Ser Lys  
 770 775 780  
 Ala Val Glu Ile Tyr Ile Gln Gly Lys Leu Leu Lys Pro Ala Val Val  
 785 790 795 800  
 45 Gly Ile Lys Ile Asp Val Asn Ser Trp Ile Glu Asn Phe Thr Lys Thr  
 805 810 815  
 Ser Ile Arg Asp Pro Cys Ala Gly Pro Val Cys Asp Cys Lys Arg Asn  
 820 825 830  
 50 Ser Asp Val Met Asp Cys Val Ile Leu Asp Asp Gly Gly Phe Leu Leu  
 835 840 845  
 55 Met Ala Asn His Asp Asp Tyr Thr Asn Gln Ile Gly Arg Phe Phe Gly  
 850 855 860  
 Glu Ile Asp Pro Ser Leu Met Arg His Leu Val Asn Ile Ser Val Tyr  
 865 870 875 880

Ala Phe Asn Lys Ser Tyr Asp Tyr Gln Ser Val Cys Glu Pro Gly Ala  
885 890 895

5 Ala Pro Lys Gln Gly Ala Gly His Arg Ser Ala Tyr Val Pro Ser Ile  
900 905 910

Ala Asp Ile Leu His Ile Gly Trp Trp Ala Thr Ala Ala Ala Trp Ser  
915 920 925

10 Ile Leu Gln Gln Phe Leu Leu Ser Leu Thr Phe Pro Arg Leu Leu Glu  
930 935 940

Ala Val Glu Met Glu Asp Asp Asp Phe Thr Ala Ser Leu Ser Lys Gln  
15 945 950 955 960

Ser Cys Ile Thr Glu Gln Thr Gln Tyr Phe Phe Asp Asn Asp Ser Lys  
965 970 975

20 Ser Phe Ser Gly Val Leu Asp Cys Gly Asn Cys Ser Arg Ile Phe His  
980 985 990

Val Glu Lys Leu Met Asn Thr Asn Leu Ile Phe Ile Met Val Glu Ser  
995 1000 1005

25 Lys Gly Thr Cys Pro Cys Asp Thr Arg Leu Leu Ile Gln Ala Glu Gln  
1010 1015 1020

Thr Ser Asp Gly Pro Asp Pro Cys Asp Met Val Lys  
30 1025 1030 1035

<210> 36  
<211> 1063  
35 <212> PRT  
<213> Sus scrofa

<400> 36  
Met Ala Ala Gly Cys Leu Leu Ala Leu Thr Leu Thr Leu Phe Gln Ser  
40 1 5 10 15

Leu Leu Ile Gly Pro Ser Ser Gln Glu Pro Phe Pro Ser Ala Val Thr  
20 25 30

45 Ile Lys Ser Trp Val Asp Lys Met Gln Glu Asp Leu Val Thr Leu Ala  
35 40 45

Lys Thr Ala Ser Gly Val Asn Gln Leu Val Asp Ile Tyr Glu Lys Tyr  
50 55 60

Gln Asp Leu Tyr Thr Val Glu Pro Asn Asn Ala Arg Gln Leu Val Glu  
50 65 70 75 80

Ile Ala Ala Arg Asp Ile Glu Lys Leu Leu Ser Asn Arg Ser Lys Ala  
55 85 90 95

Leu Val Arg Leu Ala Leu Glu Ala Glu Lys Val Gln Ala Ala His Gln  
100 105 110



Trp Arg Glu Asp Phe Ala Ser Asn Glu Val Val Tyr Tyr Asn Ala Lys  
 115 120 125  
 5 Asp Asp Leu Asp Pro Glu Lys Asn Asp Ser Glu Pro Gly Ser Gln Arg  
 130 135 140  
 Ile Lys Pro Val Phe Ile Asp Asp Ala Asn Phe Gly Arg Gln Ile Ser  
 145 150 155 160  
 10 Tyr Gln His Ala Ala Val His Ile Pro Thr Asp Ile Tyr Glu Gly Ser  
 165 170 175  
 Thr Ile Val Leu Asn Glu Leu Asn Trp Thr Ser Ala Leu Asp Glu Val  
 180 185 190  
 15 Phe Lys Lys Asn Arg Glu Glu Asp Pro Ser Leu Leu Trp Gln Val Phe  
 195 200 205  
 Gly Ser Ala Thr Gly Leu Ala Arg Tyr Tyr Pro Ala Ser Pro Trp Val  
 20 210 215 220  
 Asp Asn Ser Arg Thr Pro Asn Lys Ile Asp Leu Tyr Asp Val Arg Arg  
 225 230 235 240  
 25 Arg Pro Trp Tyr Ile Gln Gly Ala Ala Ser Pro Lys Asp Met Leu Ile  
 245 250 255  
 Leu Val Asp Val Ser Gly Ser Val Ser Gly Leu Thr Leu Lys Leu Ile  
 260 265 270  
 30 Arg Thr Ser Val Ser Glu Met Leu Glu Thr Leu Ser Asp Asp Asp Phe  
 275 280 285  
 Val Asn Val Ala Ser Phe Asn Ser Asn Ala Gln Asp Val Ser Cys Phe  
 35 290 295 300  
 Gln His Leu Val Gln Ala Asn Val Arg Asn Lys Lys Val Leu Lys Asp  
 305 310 315 320  
 40 Ala Val Asn Asn Ile Thr Ala Lys Gly Ile Thr Asp Tyr Lys Lys Gly  
 325 330 335  
 Phe Ser Phe Ala Phe Glu Gln Leu Leu Asn Tyr Asn Val Ser Arg Ala  
 340 345 350  
 45 Asn Cys Asn Lys Ile Ile Met Leu Phe Thr Asp Gly Gly Glu Glu Arg  
 355 360 365  
 Ala Gln Glu Ile Phe Ala Lys Tyr Asn Lys Asp Lys Lys Val Arg Val  
 50 370 375 380  
 Phe Thr Phe Ser Val Gly Gln His Asn Tyr Asp Arg Gly Pro Ile Gln  
 385 390 395 400  
 55 Trp Met Ala Cys Glu Asn Lys Gly Tyr Tyr Tyr Glu Ile Pro Ser Ile  
 405 410 415  
 Gly Ala Ile Arg Ile Asn Thr Gln Glu Tyr Leu Asp Val Leu Gly Arg  
 420 425 430

Pro Met Val Leu Ala Gly Asp Lys Ala Lys Gln Val Gln Trp Thr Asn  
 435 440 445  
 5 Val Tyr Leu Asp Ala Leu Glu Leu Gly Leu Val Ile Thr Gly Thr Leu  
 450 455 460  
 Pro Val Phe Asn Ile Thr Gly Gln Asn Glu Asn Lys Thr Asn Leu Lys  
 465 470 475 480  
 10 Asn Gln Leu Ile Leu Gly Val Met Gly Val Asp Val Ser Leu Glu Asp  
 485 490 495  
 Ile Lys Arg Leu Thr Pro Arg Phe Thr Leu Cys Pro Asn Gly Tyr Tyr  
 15 500 505 510  
 Phe Ala Ile Asp Pro Asn Gly Tyr Val Leu Leu His Pro Asn Leu Gln  
 515 520 525  
 20 Pro Lys Asn Pro Lys Ser Gln Glu Pro Val Thr Leu Asp Phe Leu Asp  
 530 535 540  
 Ala Glu Leu Glu Asn Asp Ile Lys Val Glu Ile Arg Asn Lys Met Ile  
 545 550 555 560  
 25 Asp Gly Glu Ser Gly Glu Lys Thr Phe Arg Thr Leu Val Lys Ser Gln  
 565 570 575  
 Asp Glu Arg Tyr Ile Asp Lys Gly Asn Arg Thr Tyr Thr Trp Thr Pro  
 30 580 585 590  
 Val Asn Gly Thr Asp Tyr Ser Leu Ala Leu Val Leu Pro Thr Tyr Ser  
 595 600 605  
 35 Phe Tyr Tyr Ile Lys Ala Lys Ile Glu Glu Thr Ile Thr Gln Ala Arg  
 610 615 620  
 Ser Lys Lys Gly Lys Met Lys Asp Ser Glu Thr Leu Lys Pro Asp Asn  
 625 630 635 640  
 40 Phe Glu Glu Ser Gly Tyr Thr Phe Ile Ala Pro Arg Asp Tyr Cys Asn  
 645 650 655  
 Asp Leu Lys Ile Ser Asp Asn Asn Thr Glu Phe Leu Leu Asn Phe Asn  
 45 660 665 670  
 Glu Phe Ile Asp Arg Lys Thr Pro Asn Asn Pro Ser Cys Asn Thr Asp  
 675 680 685  
 50 Leu Ile Asn Arg Val Leu Leu Asp Ala Gly Phe Thr Asn Glu Leu Val  
 690 695 700  
 Gln Asn Tyr Trp Ser Lys Gln Lys Asn Ile Lys Gly Val Lys Ala Arg  
 705 710 715 720  
 55 Phe Val Val Thr Asp Gly Gly Ile Thr Arg Val Tyr Pro Lys Glu Ala  
 725 730 735  
 Gly Glu Asn Trp Gln Glu Asn Pro Glu Thr Tyr Glu Asp Ser Phe Tyr

			740					745						750			
	Lys	Arg	Ser	Leu	Asp	Asn	Asp	Asn	Tyr	Val	Phe	Thr	Ala	Pro	Tyr	Phe	
			755					760						765			
5	Asn	Lys	Ser	Gly	Pro	Gly	Ala	Tyr	Glu	Ser	Gly	Ile	Met	Val	Ser	Lys	
		770					775					780					
	Ala	Val	Glu	Ile	Tyr	Ile	Gln	Gly	Lys	Leu	Leu	Lys	Pro	Ala	Val	Val	
10		785				790					795					800	
	Gly	Ile	Lys	Ile	Asp	Val	Asn	Ser	Trp	Ile	Glu	Asn	Phe	Thr	Lys	Thr	
				805						810					815		
15	Ser	Ile	Arg	Asp	Pro	Cys	Ala	Gly	Pro	Val	Cys	Asp	Cys	Lys	Arg	Asn	
			820						825					830			
	Ser	Asp	Val	Met	Asp	Cys	Val	Ile	Leu	Asp	Asp	Gly	Gly	Phe	Leu	Leu	
		835						840					845				
20	Met	Ala	Asn	His	Asp	Asp	Tyr	Thr	Asn	Gln	Ile	Gly	Arg	Phe	Phe	Gly	
		850					855					860					
	Glu	Ile	Asp	Pro	Ser	Leu	Met	Arg	His	Leu	Val	Asn	Ile	Ser	Val	Tyr	
25		865				870					875					880	
	Ala	Phe	Asn	Lys	Ser	Tyr	Asp	Tyr	Gln	Ser	Val	Cys	Glu	Pro	Gly	Ala	
				885					890						895		
30	Ala	Pro	Lys	Gln	Gly	Ala	Gly	His	Arg	Ser	Ala	Tyr	Val	Pro	Ser	Ile	
			900						905					910			
	Ala	Asp	Ile	Leu	His	Ile	Gly	Trp	Trp	Ala	Thr	Ala	Ala	Ala	Trp	Ser	
		915						920					925				
35	Ile	Leu	Gln	Gln	Phe	Leu	Leu	Ser	Leu	Thr	Phe	Pro	Arg	Leu	Leu	Glu	
		930					935					940					
	Ala	Val	Glu	Met	Glu	Asp	Asp	Asp	Phe	Thr	Ala	Ser	Leu	Ser	Lys	Gln	
40		945				950					955					960	
	Ser	Cys	Ile	Thr	Glu	Gln	Thr	Gln	Tyr	Phe	Phe	Asp	Asn	Asp	Ser	Lys	
				965						970					975		
45	Ser	Phe	Ser	Gly	Val	Leu	Asp	Cys	Gly	Asn	Cys	Ser	Arg	Ile	Phe	His	
			980						985					990			
	Val	Glu	Lys	Leu	Met	Asn	Thr	Asn	Leu	Ile	Phe	Ile	Met	Val	Glu	Ser	
		995					1000					1005					
50	Lys	Gly	Thr	Cys	Pro	Cys	Asp	Thr	Arg	Leu	Leu	Ile	Gln	Ala	Glu	Gln	
		1010					1015					1020					
	Thr	Ser	Asp	Gly	Pro	Asp	Pro	Cys	Asp	Met	Val	Lys	Gln	Pro	Arg	Tyr	
55		1025				1030				1035						1040	
	Arg	Lys	Gly	Pro	Asp	Val	Cys	Phe	Asp	Asn	Asn	Ala	Leu	Glu	Asp	Tyr	
				1045						1050					1055		

Thr Asp Cys Gly Gly Val Ser  
1060

5 <210> 37  
<211> 1069  
<212> PRT  
<213> Sus scrofa

10 <400> 37  
Met Ala Ala Gly Cys Leu Leu Ala Leu Thr Leu Thr Leu Phe Gln Ser  
1 5 10 15

Leu Leu Ile Gly Pro Ser Ser Gln Glu Pro Phe Pro Ser Ala Val Thr  
15 20 25 30

Ile Lys Ser Trp Val Asp Lys Met Gln Glu Asp Leu Val Thr Leu Ala  
35 40 45

20 Lys Thr Ala Ser Gly Val Asn Gln Leu Val Asp Ile Tyr Glu Lys Tyr  
50 55 60

Gln Asp Leu Tyr Thr Val Glu Pro Asn Asn Ala Arg Gln Leu Val Glu  
65 70 75 80

25 Ile Ala Ala Arg Asp Ile Glu Lys Leu Leu Ser Asn Arg Ser Lys Ala  
85 90 95

Leu Val Arg Leu Ala Leu Glu Ala Glu Lys Val Gln Ala Ala His Gln  
30 100 105 110

Trp Arg Glu Asp Phe Ala Ser Asn Glu Val Val Tyr Tyr Asn Ala Lys  
115 120 125

35 Asp Asp Leu Asp Pro Glu Lys Asn Asp Ser Glu Pro Gly Ser Gln Arg  
130 135 140

Ile Lys Pro Val Phe Ile Asp Asp Ala Asn Phe Gly Arg Gln Ile Ser  
145 150 155 160

40 Tyr Gln His Ala Ala Val His Ile Pro Thr Asp Ile Tyr Glu Gly Ser  
165 170 175

Thr Ile Val Leu Asn Glu Leu Asn Trp Thr Ser Ala Leu Asp Glu Val  
45 180 185 190

Phe Lys Lys Asn Arg Glu Glu Asp Pro Ser Leu Leu Trp Gln Val Phe  
195 200 205

50 Gly Ser Ala Thr Gly Leu Ala Arg Tyr Tyr Pro Ala Ser Pro Trp Val  
210 215 220

Asp Asn Ser Arg Thr Pro Asn Lys Ile Asp Leu Tyr Asp Val Arg Arg  
225 230 235 240

55 Arg Pro Trp Tyr Ile Gln Gly Ala Ala Ser Pro Lys Asp Met Leu Ile  
245 250 255

Leu Val Asp Val Ser Gly Ser Val Ser Gly Leu Thr Leu Lys Leu Ile

	260							265					270				
	Arg	Thr	Ser	Val	Ser	Glu	Met	Leu	Glu	Thr	Leu	Ser	Asp	Asp	Asp	Phe	
	275							280					285				
5	Val	Asn	Val	Ala	Ser	Phe	Asn	Ser	Asn	Ala	Gln	Asp	Val	Ser	Cys	Phe	
	290						295					300					
10	Gln	His	Leu	Val	Gln	Ala	Asn	Val	Arg	Asn	Lys	Lys	Val	Leu	Lys	Asp	
	305					310					315					320	
	Ala	Val	Asn	Asn	Ile	Thr	Ala	Lys	Gly	Ile	Thr	Asp	Tyr	Lys	Lys	Gly	
					325					330					335		
15	Phe	Ser	Phe	Ala	Phe	Glu	Gln	Leu	Leu	Asn	Tyr	Asn	Val	Ser	Arg	Ala	
				340					345					350			
	Asn	Cys	Asn	Lys	Ile	Ile	Met	Leu	Phe	Thr	Asp	Gly	Gly	Glu	Glu	Arg	
	355							360					365				
20	Ala	Gln	Glu	Ile	Phe	Ala	Lys	Tyr	Asn	Lys	Asp	Lys	Lys	Val	Arg	Val	
	370						375					380					
25	Phe	Thr	Phe	Ser	Val	Gly	Gln	His	Asn	Tyr	Asp	Arg	Gly	Pro	Ile	Gln	
	385					390					395					400	
	Trp	Met	Ala	Cys	Glu	Asn	Lys	Gly	Tyr	Tyr	Tyr	Glu	Ile	Pro	Ser	Ile	
					405					410					415		
30	Gly	Ala	Ile	Arg	Ile	Asn	Thr	Gln	Glu	Tyr	Leu	Asp	Val	Leu	Gly	Arg	
				420					425					430			
	Pro	Met	Val	Leu	Ala	Gly	Asp	Lys	Ala	Lys	Gln	Val	Gln	Trp	Thr	Asn	
	435							440					445				
35	Val	Tyr	Leu	Asp	Ala	Leu	Glu	Leu	Gly	Leu	Val	Ile	Thr	Gly	Thr	Leu	
	450						455					460					
40	Pro	Val	Phe	Asn	Ile	Thr	Gly	Gln	Asn	Glu	Asn	Lys	Thr	Asn	Leu	Lys	
	465					470					475					480	
	Asn	Gln	Leu	Ile	Leu	Gly	Val	Met	Gly	Val	Asp	Val	Ser	Leu	Glu	Asp	
					485					490					495		
45	Ile	Lys	Arg	Leu	Thr	Pro	Arg	Phe	Thr	Leu	Cys	Pro	Asn	Gly	Tyr	Tyr	
				500					505					510			
	Phe	Ala	Ile	Asp	Pro	Asn	Gly	Tyr	Val	Leu	Leu	His	Pro	Asn	Leu	Gln	
	515							520					525				
50	Pro	Lys	Asn	Pro	Lys	Ser	Gln	Glu	Pro	Val	Thr	Leu	Asp	Phe	Leu	Asp	
	530						535					540					
55	Ala	Glu	Leu	Glu	Asn	Asp	Ile	Lys	Val	Glu	Ile	Arg	Asn	Lys	Met	Ile	
	545					550					555					560	
	Asp	Gly	Glu	Ser	Gly	Glu	Lys	Thr	Phe	Arg	Thr	Leu	Val	Lys	Ser	Gln	
					565					570					575		

	Asp	Glu	Arg	Tyr	Ile	Asp	Lys	Gly	Asn	Arg	Thr	Tyr	Thr	Trp	Thr	Pro	
				580					585					590			
5	Val	Asn	Gly	Thr	Asp	Tyr	Ser	Leu	Ala	Leu	Val	Leu	Pro	Thr	Tyr	Ser	
			595					600					605				
	Phe	Tyr	Tyr	Ile	Lys	Ala	Lys	Ile	Glu	Glu	Thr	Ile	Thr	Gln	Ala	Arg	
		610					615					620					
10	Ser	Lys	Lys	Gly	Lys	Met	Lys	Asp	Ser	Glu	Thr	Leu	Lys	Pro	Asp	Asn	
		625				630					635					640	
	Phe	Glu	Glu	Ser	Gly	Tyr	Thr	Phe	Ile	Ala	Pro	Arg	Asp	Tyr	Cys	Asn	
					645					650					655		
15	Asp	Leu	Lys	Ile	Ser	Asp	Asn	Asn	Thr	Glu	Phe	Leu	Leu	Asn	Phe	Asn	
				660					665					670			
	Glu	Phe	Ile	Asp	Arg	Lys	Thr	Pro	Asn	Asn	Pro	Ser	Cys	Asn	Thr	Asp	
20			675					680					685				
	Leu	Ile	Asn	Arg	Val	Leu	Leu	Asp	Ala	Gly	Phe	Thr	Asn	Glu	Leu	Val	
		690					695					700					
25	Gln	Asn	Tyr	Trp	Ser	Lys	Gln	Lys	Asn	Ile	Lys	Gly	Val	Lys	Ala	Arg	
		705				710					715					720	
	Phe	Val	Val	Thr	Asp	Gly	Gly	Ile	Thr	Arg	Val	Tyr	Pro	Lys	Glu	Ala	
				725					730						735		
30	Gly	Glu	Asn	Trp	Gln	Glu	Asn	Pro	Glu	Thr	Tyr	Glu	Asp	Ser	Phe	Tyr	
				740					745					750			
	Lys	Arg	Ser	Leu	Asp	Asn	Asp	Asn	Tyr	Val	Phe	Thr	Ala	Pro	Tyr	Phe	
35			755					760					765				
	Asn	Lys	Ser	Gly	Pro	Gly	Ala	Tyr	Glu	Ser	Gly	Ile	Met	Val	Ser	Lys	
		770					775					780					
40	Ala	Val	Glu	Ile	Tyr	Ile	Gln	Gly	Lys	Leu	Leu	Lys	Pro	Ala	Val	Val	
		785				790					795					800	
	Gly	Ile	Lys	Ile	Asp	Val	Asn	Ser	Trp	Ile	Glu	Asn	Phe	Thr	Lys	Thr	
				805					810						815		
45	Ser	Ile	Arg	Asp	Pro	Cys	Ala	Gly	Pro	Val	Cys	Asp	Cys	Lys	Arg	Asn	
				820					825					830			
	Ser	Asp	Val	Met	Asp	Cys	Val	Ile	Leu	Asp	Asp	Gly	Gly	Phe	Leu	Leu	
50			835					840					845				
	Met	Ala	Asn	His	Asp	Asp	Tyr	Thr	Asn	Gln	Ile	Gly	Arg	Phe	Phe	Gly	
		850					855					860					
55	Glu	Ile	Asp	Pro	Ser	Leu	Met	Arg	His	Leu	Val	Asn	Ile	Ser	Val	Tyr	
		865				870					875					880	
	Ala	Phe	Asn	Lys	Ser	Tyr	Asp	Tyr	Gln	Ser	Val	Cys	Glu	Pro	Gly	Ala	
				885					890						895		

Ala Pro Lys Gln Gly Ala Gly His Arg Ser Ala Tyr Val Pro Ser Ile  
900 905 910

5 Ala Asp Ile Leu His Ile Gly Trp Trp Ala Thr Ala Ala Ala Trp Ser  
915 920 925

Ile Leu Gln Gln Phe Leu Leu Ser Leu Thr Phe Pro Arg Leu Leu Glu  
930 935 940

10 Ala Val Glu Met Glu Asp Asp Asp Phe Thr Ala Ser Leu Ser Lys Gln  
945 950 955 960

15 Ser Cys Ile Thr Glu Gln Thr Gln Tyr Phe Phe Asp Asn Asp Ser Lys  
965 970 975

Ser Phe Ser Gly Val Leu Asp Cys Gly Asn Cys Ser Arg Ile Phe His  
980 985 990

20 Val Glu Lys Leu Met Asn Thr Asn Leu Ile Phe Ile Met Val Glu Ser  
995 1000 1005

Lys Gly Thr Cys Pro Cys Asp Thr Arg Leu Leu Ile Gln Ala Glu Gln  
1010 1015 1020

25 Thr Ser Asp Gly Pro Asp Pro Cys Asp Met Val Lys Gln Pro Arg Tyr  
1025 1030 1035 1040

30 Arg Lys Gly Pro Asp Val Cys Phe Asp Asn Asn Ala Leu Glu Asp Tyr  
1045 1050 1055

Thr Asp Cys Gly Gly Val Ser His His His His His His  
1060 1065

35 <210> 38  
<211> 3055  
<212> DNA  
<213> Homo sapiens

40 <400> 38  
atggctgctg gctgcctgct ggccttgact ctgacacttt tccaatcttt gctcatcggc 60  
ccctcgtcgg aggagccgtt cccttcggcc gtcactatca aatcatgggt ggataagatg 120  
caagaagacc ttgtcacact ggcaaaaaca gcaagtggag tcaatcagct tgttgatatt 180  
45 tatgagaaat atcaagattt gtatactgtg gaaccaaata atgcacgcca gctggtagaa 240  
attgcagcca gggatattga gaaacttctg agcaacagat cttaaagccct ggtgagcctg 300  
gcattggaag cggagaaaagt tcaagcagct caccagtgga gagaagattt tgcaagcaat 360  
gaagttgtct actacaatgc aaaggatgat ctcgatcctg agaaaaatga cagtgaagcca 420  
ggcagccaga ggataaaacc tgttttcatt gaagatgcta attttggacg acaaatatct 480  
50 tatcagcagc cagcagtccta tattcctact gacatctatg agggctcaac aattgtgtta 540  
aatgaactca actggacaag tgccttagat gaagttttca aaaagaatcg cgaggaagac 600  
ccttcattat tgtggcaggt ttttggcagt gccactggcc tagctcgata ttatccagct 660  
tcaccatggg ttgataatag tagaactcca aataagattg acctttatga tgtacgcaga 720  
agaccatggg acatccaagg agctgcactc cctaaagaca tgcttattct ggtggatgtg 780  
55 agtggaagtg ttagtggatt gacacttaaa ctgatccgaa catctgtctc cgaaatgtta 840  
gaaacctctc cagatgatga tttcgtgaat gtagcttcat ttaacagcaa tgctcaggat 900  
gtaagctggt ttcagcacct tgtccaagca aatgtaagaa ataaaaaagt gttgaaagac 960  
gcggtgaata atatcacagc caaaggaatt acagattata agaagggctt tagttttgct 1020  
tttgaacagc tgcttaatta taatgtttcc agagcaaact gcaataagat tattatgcta 1080

	ttcacggatg	gaggagaaga	gagagcccag	gagatattta	acaaatacaa	taaagataaa	1140
	aaagtacgtg	tattcaggtt	ttcagttggt	caacacaatt	atgagagagg	acctattcag	1200
	tggtatggct	gtgaaaacaa	aggttattat	tatgaaattc	cttccattgg	tgcaataaga	1260
	atcaatactc	aggaatattt	ggatgttttg	ggaagaccaa	tggttttagc	aggagacaaa	1320
5	gctaagcaag	tccaatggac	aaatgtgtac	ctggatgcat	tggaactggg	acttgtcatt	1380
	actggaactc	ttccggtcct	caacataacc	ggccaatttg	aaaataagac	aaacttaaa	1440
	aaccagctga	ttcttggtgt	gatgggagta	gatgtgtcct	tggaagatat	taaaagactg	1500
	acaccacgtt	ttacactgtg	ccccaatggg	tattactttg	caatcgatcc	taatggttat	1560
	gttttattac	atccaaatct	tcagccaaag	aaccccaa	ctcaggagcc	agtaacattg	1620
10	gatttccttg	atgcagagtt	agagaatgat	attaaagtgg	agattcgaaa	taagatgatt	1680
	gatggggaaa	gtggagaaaa	aacattcaga	actctggtta	aatctcaaga	tgagagatat	1740
	attgacaaag	gaaacaggac	atacacatgg	acacctgtca	atggcacaga	ttacagtttg	1800
	gccttggtat	taccaaccta	cagtttttac	tatataaaag	ccaaactaga	agagacaata	1860
	actcaggcca	gatcaaaaaa	gggcaaaatg	aaggattcgg	aaaccctgaa	gccagataat	1920
15	tttgaagaat	ctggctatac	attcatagca	ccaagagatt	actgcaatga	cctgaaaaata	1980
	tcggataata	acactgaatt	tcttttaaat	ttcaacgagt	ttattgatag	aaaaactcca	2040
	aacaacccat	catgtaacgc	ggatttgatt	aatagagtct	tgcttgatgc	aggctttaca	2100
	aatgaacttg	tccaaaatta	ctggagtaag	cagaaaaata	tcaagggagt	gaaagcacga	2160
	tttggtgtga	ctgatggtgg	gattaccaga	gtttatccca	aagaggctgg	agaaaaattgg	2220
20	caagaaaacc	cagagacata	tgaggacagc	ttctataaaa	ggagcctaga	taatgataac	2280
	tatgttttca	ctgctcccta	ctttaacaaa	agtggacctg	gtgcctatga	atcgggcatt	2340
	atggtaagca	aagctgtaga	aatatatatt	caagggaaac	ttcttaaacc	tgcaagtgtt	2400
	ggaattaaaa	ttgatgtaaa	ttcctggata	gagaatttca	ccaaaacctc	aatcagagat	2460
	ccgtgctctg	gtccagtttg	tgactgcaaa	agaaacagtg	acgtaatgga	ttgtgtgatt	2520
25	ctgggatgatg	gtgggtttct	tctgatggca	aatcatgatg	attataactaa	tcagattgga	2580
	agattttttg	gagagattga	tcccagcttg	atgagacacc	tggttaatat	atcagtttat	2640
	gcttttaaca	aatcttatga	ttatcagtc	gtatgtgagc	ccggtgctgc	accaaaca	2700
	ggagcaggac	atcgctcagc	atatgtgcc	tcagtagcag	acatattaca	aattggctgg	2760
	tgggccactg	ctgctgctg	gtctattcta	cagcagtttc	tcttgagttt	gacctttcca	2820
30	cgactccttg	aggcagttga	gatggaggat	gatgacttca	cggcctccct	gtccaagcag	2880
	agctgcatta	ctgaacaaac	ccagtatttc	ttcgataacg	acagtaaatc	attcagtggt	2940
	gtattagact	gtggaaactg	ttccagaatc	tttcatggag	aaaagcttat	gaacaccaac	3000
	ttaatattca	taatggttga	gagcaaaggg	acatgtccat	gtgacacacg	actgc	3055
35	<210> 39						
	<211> 3109						
	<212> DNA						
	<213> Homo sapiens						
40	<400> 39						
	atggetgctg	gctgectget	ggccttgact	ctgacacttt	tccaatcttt	gctcatcggc	60
	ccctcgctcg	aggagccgtt	cccttcggcc	gtcactatca	aatcatgggt	ggataagatg	120
	caagaagacc	ttgtcacact	ggcaaaaaca	gcaagtggag	tcaatcagct	tggtgatatt	180
45	tatgagaaat	atcaagattt	gtatactgtg	gaaccaaata	atgcacgcca	gctggtagaa	240
	attgcagcca	gggatattga	gaaacttctg	agcaacagat	ctaaagccct	ggtgagcctg	300
	gcattggaag	cggagaaaag	tcaagcagct	caccagtggg	gagaagattt	tgcaagcaat	360
	gaagttgtct	actacaatgc	aaaggatgat	ctcgatcctg	agaaaaatga	cagtgaagcca	420
	ggcagccaga	ggataaaaacc	tgttttcatt	gaagatgcta	attttggacg	acaaatatct	480
50	tatcagcacg	cagcagtc	tattcctact	gacatctatg	agggtcaac	aattgtgtta	540
	aatgaactca	actggacaag	tgcttagatg	gaagttttca	aaaagaatcg	cgaggaagac	600
	ccttcattat	tgtggcaggt	ttttggcagt	gccactggcc	tagctcgata	ttatccagct	660
	tcaccatggg	ttgataatag	tagaactcca	aataagattg	acctttatga	tgtacgcaga	720
	agaccatggg	acatccaagg	agctgcactc	cctaagaca	tgcttattct	ggtggatgtg	780
55	agtggaaagt	ttagtggatt	gacacttaaa	ctgatccgaa	catctgtctc	cgaaatgtta	840
	gaaaccctct	cagatgatga	tttcgtgaat	gtagcttcat	ttaacagcaa	tgctcaggat	900
	gtaagctggt	ttcagcacct	tgtccaagca	aatgtaagaa	ataaaaaagt	ggtgaaagac	960
	gcggtgaata	atatcacagc	caaaggaatt	acagattata	agaagggctt	tagttttgct	1020
	tttgaacagc	tgcttaatta	taatgtttcc	agagcaaaact	gcaataagat	tattatgcta	1080



5 ttcacggatg gaggagaaga gagagcccag gagatattta acaaatacaa taaagataaa 1140  
 aaagtacgtg tattcagggtt ttcagttgggt caacacaatt atgagagagg acctattcag 1200  
 tggatggcct gtgaaaacaa aggttattat tatgaaattc cttccattgg tgcaataaga 1260  
 atcaatactc aggaatattt ggatgttttg ggaagaccaa tggtttttagc aggagacaaa 1320  
 gctaagcaag tccaatggac aaatgtgtac ctggatgcat tggaactggg acttgtcatt 1380  
 actggaactc ttccggtctt caacataacc ggccaatttg aaaataagac aaacttaaaag 1440  
 aaccagctga ttcttgggtgt gatgggagta gatgtgtctt tggaagatat taaaagactg 1500  
 acaccacgtt ttacactgtg ccccaatggg tattactttg caatcgatcc taatggttat 1560  
 gttttattac atccaaatct tcagccaaag aaccccaaatt ctgaggagcc agtaacattg 1620  
 10 gatttccttg atgcagagtt agagaatgat attaaagtgg agattcgaaa taagatgatt 1680  
 gatggggaaa gtggagaaaa aacattcaga actctgggta aatctcaaga tgagagatat 1740  
 attgacaaag gaaacaggac atacacatgg acacctgtca atggcacaga ttacagtttg 1800  
 gccttgggtat taccaacctc cagttttttac tatataaaag ccaaactaga agagacaata 1860  
 actcaggcca gatcaaaaaa gggcaaaatg aaggattcgg aaaccctgaa gccagataat 1920  
 15 tttgaagaat ctggctatac attcatagca ccaagagatt actgcaatga cctgaaaata 1980  
 tcggataata acactgaatt tcttttaaat ttcaacgagt ttattgatag aaaaactcca 2040  
 aacaacccat atgtgaacgc ggatttgatt aatagagtct tgcttgatgc aggcctttaca 2100  
 aatgaacttg tccaaaatta ctggagtaag cagaaaaata tcaagggagt gaaagcacga 2160  
 tttgttgtga ctgatgggtg gattaccaga gtttatccca aagaggctgg agaaaattgg 2220  
 20 caagaaaacc cagagacata tgaggacagc ttctataaaa ggagcctaga taatgataac 2280  
 tatgttttca ctgctcccta ctttaacaaa agtggacctg gtgcctatga atcgggcatt 2340  
 atggtaagca aagctgtaga aatataatatt caagggaaac ttcttaaac tgcagttggt 2400  
 ggaattaaaa ttgatgtaaa ttcttgata gagaatttca ccaaaacctc aatcagagat 2460  
 ccgtgtgctg gtccagtttg tgactgcaaa agaaacagtg acgtaatgga ttgtgtgatt 2520  
 25 ctggatgatg gtgggtttct tctgatggca aatcatgatg attatactaa tcagattgga 2580  
 agattttttg gagagattga tcccagcttg atgagacacc tgggtaatat atcagtttat 2640  
 gcttttaaca aatcttatga ttatcagtc gtagtgtagc ccggtgctgc accaaaacaa 2700  
 ggagcaggac atcgctcagc atatgtgcca tcagtagcag acatattaca aattggctgg 2760  
 tgggccactg ctgctgctg gtctattcta cagcagtttc tcttgagttt gacctttcca 2820  
 30 cgactccttg aggagttga gatggaggat gatgacttca cggcctccct gtccaagcag 2880  
 acgtgcattt ctgaacaaac ccagttttc ttcgataacg acagtaaatc attcagtggt 2940  
 gtatttagact gtggaaactg ttccagaatc tttcatggag aaaagcttat gaacaccaac 3000  
 ttaatatcca taatgggtga gagcaaaggg acatgtccat gtgacacacg actgctcata 3060  
 caagcggagc agacttctga cggtcctaaat ccttgtgaca tgggttaagc 3109

35

&lt;210&gt; 40

&lt;211&gt; 3190

&lt;212&gt; DNA

40 &lt;213&gt; Homo sapiens

&lt;400&gt; 40

45 atggctgctg gctgacctgt ggccttgact ctgacacttt tccaatcttt gctcatcggc 60  
 cectcgctcg aggagccgtt cecttcggcc gtcactatca aatcatgggt ggataagatg 120  
 caagaagacc ttgtcacact ggcaaaaaca gcaagtggag tcaatcagct tgttgatatt 180  
 tatgagaaat atcaagattt gtatactgtg gaaccaaata atgcacgcca gctggtagaa 240  
 attgcagcca gggatattga gaaacttctg agcaacagat ctaaagccct ggtgagcctg 300  
 gcattggaag cggagaaaag tcaagcagct caccagtggg gagaagattt tgcaagcaat 360  
 gaagttgtct actacaatgc aaaggatgat ctcgatcctg agaaaaatga cagtgaagcca 420  
 50 ggcagccaga ggataaaacc tgttttcatt gaagatgcta attttggacg acaaatatct 480  
 tatcagcagc cagcagtcct tattcctact gacatctatg agggctcaac aattgtgtta 540  
 aatgaactca actggacaag tgccttagat gaagtgttca aaaaagaatcg cgagggaagac 600  
 ccttcattat tgtggcaggt ttttggcagt gccactggcc tagctcgata ttatccagct 660  
 tcaccatggg ttgataatag tagaactcca aataagattg acctttatga tgtacgcaga 720  
 55 agaccatggt acatccaagg agctgcatct cctaaagaca tgcttattct ggtggatgtg 780  
 agtggaagtg ttagtggatt gacacttaaa ctgatccgaa catctgtctc cgaaatgtta 840  
 gaaacctctc cagatgatga tttcgtgaat gtagcttcat ttaacagcaa tgcctcaggat 900  
 gtaagctgtt ttcagcacct tgtccaagca aatgtaagaa ataaaaaagt gttgaaagac 960  
 gcgggtgaata atatcacagc caaaggaatt acagattata agaagggtct tagttttgct 1020

tttgaacagc tgcttaatta taatgtttcc agagcaaact gcaataagat tattatgcta 1080  
 ttcacggatg gaggagaaga gagagcccag gagatatatta acaaatataa taaagataaa 1140  
 aaagtacgtg tattcagggtt ttcagttggg caacacaatt atgagagagg acctattcag 1200  
 tggatggcct gtgaaaacaa aggttattat tatgaaattc cttccattgg tgcaataaga 1260  
 5 atcaatactc aggaatattt ggatgttttg ggaagaccaa tgggttttagc aggagacaaa 1320  
 gctaagcaag tccaatggac aaatgtgtac ctggatgcat tggaaactggg acttgtcatt 1380  
 actggaactc ttccggtctt caacataacc ggccaatttg aaaataagac aaacttaag 1440  
 aaccagctga ttcttgggtg gatgggagta gatgtgtctt tggagatat taaaagactg 1500  
 acaccacgtt ttacactgtg cccaatggg tattactttg caatcgatcc taatggttat 1560  
 10 gttttattac atccaaatct tcagccaaag aaccccaaat ctgaggagcc agtaacattg 1620  
 gatttccttg atgcagagtt agagaatgat attaaagtgg agattcgaaa taagatgatt 1680  
 gatggggaaa gtggagaaaa aacattcaga actctggtta aatctcaaga tgagagatat 1740  
 attgacaaag gaaacaggac atacacatgg acacctgtca atggcacaga ttacagtttg 1800  
 gccttgggtat taccaccta cagtttttac tatataaaag ccaaactaga agagacaata 1860  
 15 actcaggcca gatcaaaaaa gggcaaatg aaggattcgg aaacctgaa gccagataat 1920  
 tttgaagaat ctggctatac attcatagca ccaagagatt actgcaatga cctgaaaaata 1980  
 tcggataata acatgaatt tcttttaaat ttcaacgagt ttattgatag aaaaactcca 2040  
 aacaacccat catgtaacgc ggatttgatt attagagtct tgcttgatgc aggcctttaca 2100  
 aatgaacttg tccaaaatta ctggagtaag cagaaaaata tcaagggagt gaaagcacga 2160  
 20 tttgttgtga ctgatgggtg gattaccaga gtttatccca aagaggctgg agaaaattgg 2220  
 caagaaaacc cagagacata tgaggacagc ttctataaaa ggagcctaga taatgataac 2280  
 tatgttttca ctgtcccta ctttaacaaa agtggacctg gtgcctatga atcgggcatt 2340  
 atggtaagca aagctgtaga aatatatatt caagggaaac ttcttaaacc tgcagttggt 2400  
 ggaattaaaa ttgatgtaa ttcctggata gagaattca ccaaacctc aatcagagat 2460  
 25 ccgtgtgctg gtccagtttg tgactgcaaa agaaacagtg acgtaatgga ttgtgtgatt 2520  
 ctggatgatg gtgggtttct tctgatggca aatcatgatg attatactaa tcagattgga 2580  
 agattttttg gagagattga tcccagcttg atgagacacc tgggttaatat atcagtttat 2640  
 gcttttaaca aatcttatga ttatcagtca gtatgtgagc ccggtgctgc accaaaacaa 2700  
 ggagcaggac atcgtcagc atatgtgcca tcagtagcag acatattaca aattggctgg 2760  
 30 tgggcccactg ctgctgcctg gtctattcta cagcagtttc tcttgagttt gacctttcca 2820  
 cgactccttg aggcagttga gatggaggat gatgactca cggcctccct gtccaagcag 2880  
 agctgcatta ctgaacaaac ccagtatttc ttcgataacg acagtaaatc attcagtggt 2940  
 gtattagact gtggaaactg ttccagaatc tttcatggag aaaagcttat gaacaccaac 3000  
 ttaatatcca taatggttga gagcaaaggg acatgtccat gtgacacacg actgctcata 3060  
 35 caagcggagc agacttctga cggtcctaat ccttgtgaca tgggttaagca acctagatac 3120  
 cgaaaagggc ctgatgtctg ctttgataac aatgtcttgg aggtattac tgactgtggt 3180  
 ggtgtttctg 3190

40 <210> 41  
 <211> 1018  
 <212> PRT  
 <213> Homo sapiens

45 <400> 41  
 Met Ala Ala Gly Cys Leu Leu Ala Leu Thr Leu Thr Leu Phe Gln Ser  
 1 5 10 15  
 Leu Leu Ile Gly Pro Ser Ser Glu Glu Pro Phe Pro Ser Ala Val Thr  
 20 25 30  
 Ile Lys Ser Trp Val Asp Lys Met Gln Glu Asp Leu Val Thr Leu Ala  
 35 40 45  
 55 Lys Thr Ala Ser Gly Val Asn Gln Leu Val Asp Ile Tyr Glu Lys Tyr  
 50 55 60  
 Gln Asp Leu Tyr Thr Val Glu Pro Asn Asn Ala Arg Gln Leu Val Glu  
 65 70 75 80

Ile Ala Ala Arg Asp Ile Glu Lys Leu Leu Ser Asn Arg Ser Lys Ala  
                             85                            90                            95  
 5 Leu Val Ser Leu Ala Leu Glu Ala Glu Lys Val Gln Ala Ala His Gln  
                             100                            105                            110  
 Trp Arg Glu Asp Phe Ala Ser Asn Glu Val Val Tyr Tyr Asn Ala Lys  
                             115                            120                            125  
 10 Asp Asp Leu Asp Pro Glu Lys Asn Asp Ser Glu Pro Gly Ser Gln Arg  
                             130                            135                            140  
 Ile Lys Pro Val Phe Ile Glu Asp Ala Asn Phe Gly Arg Gln Ile Ser  
 15 145                            150                            155                            160  
 Tyr Gln His Ala Ala Val His Ile Pro Thr Asp Ile Tyr Glu Gly Ser  
                             165                            170                            175  
 20 Thr Ile Val Leu Asn Glu Leu Asn Trp Thr Ser Ala Leu Asp Glu Val  
                             180                            185                            190  
 Phe Lys Lys Asn Arg Glu Glu Asp Pro Ser Leu Leu Trp Gln Val Phe  
                             195                            200                            205  
 25 Gly Ser Ala Thr Gly Leu Ala Arg Tyr Tyr Pro Ala Ser Pro Trp Val  
                             210                            215                            220  
 Asp Asn Ser Arg Thr Pro Asn Lys Ile Asp Leu Tyr Asp Val Arg Arg  
 30 225                            230                            235                            240  
 Arg Pro Trp Tyr Ile Gln Gly Ala Ala Ser Pro Lys Asp Met Leu Ile  
                             245                            250                            255  
 35 Leu Val Asp Val Ser Gly Ser Val Ser Gly Leu Thr Leu Lys Leu Ile  
                             260                            265                            270  
 Arg Thr Ser Val Ser Glu Met Leu Glu Thr Leu Ser Asp Asp Asp Phe  
                             275                            280                            285  
 40 Val Asn Val Ala Ser Phe Asn Ser Asn Ala Gln Asp Val Ser Cys Phe  
                             290                            295                            300  
 Gln His Leu Val Gln Ala Asn Val Arg Asn Lys Lys Val Leu Lys Asp  
 45 305                            310                            315                            320  
 Ala Val Asn Asn Ile Thr Ala Lys Gly Ile Thr Asp Tyr Lys Lys Gly  
                             325                            330                            335  
 50 Phe Ser Phe Ala Phe Glu Gln Leu Leu Asn Tyr Asn Val Ser Arg Ala  
                             340                            345                            350  
 Asn Cys Asn Lys Ile Ile Met Leu Phe Thr Asp Gly Gly Glu Glu Arg  
                             355                            360                            365  
 55 Ala Gln Glu Ile Phe Asn Lys Tyr Asn Lys Asp Lys Lys Val Arg Val  
                             370                            375                            380  
 Phe Arg Phe Ser Val Gly Gln His Asn Tyr Glu Arg Gly Pro Ile Gln

	385		390		395		400
	Trp Met Ala Cys Glu Asn Lys Gly Tyr Tyr Tyr Glu Ile Pro Ser Ile						
		405			410		415
5	Gly Ala Ile Arg Ile Asn Thr Gln Glu Tyr Leu Asp Val Leu Gly Arg						
		420		425			430
	Pro Met Val Leu Ala Gly Asp Lys Ala Lys Gln Val Gln Trp Thr Asn						
10		435		440			445
	Val Tyr Leu Asp Ala Leu Glu Leu Gly Leu Val Ile Thr Gly Thr Leu						
		450		455			460
15	Pro Val Phe Asn Ile Thr Gly Gln Phe Glu Asn Lys Thr Asn Leu Lys						
		465		470		475	480
	Asn Gln Leu Ile Leu Gly Val Met Gly Val Asp Val Ser Leu Glu Asp						
		485		490			495
20	Ile Lys Arg Leu Thr Pro Arg Phe Thr Leu Cys Pro Asn Gly Tyr Tyr						
		500		505			510
	Phe Ala Ile Asp Pro Asn Gly Tyr Val Leu Leu His Pro Asn Leu Gln						
25		515		520			525
	Pro Lys Asn Pro Lys Ser Gln Glu Pro Val Thr Leu Asp Phe Leu Asp						
		530		535			540
30	Ala Glu Leu Glu Asn Asp Ile Lys Val Glu Ile Arg Asn Lys Met Ile						
		545		550		555	560
	Asp Gly Glu Ser Gly Glu Lys Thr Phe Arg Thr Leu Val Lys Ser Gln						
		565		570			575
35	Asp Glu Arg Tyr Ile Asp Lys Gly Asn Arg Thr Tyr Thr Trp Thr Pro						
		580		585			590
	Val Asn Gly Thr Asp Tyr Ser Leu Ala Leu Val Leu Pro Thr Tyr Ser						
40		595		600			605
	Phe Tyr Tyr Ile Lys Ala Lys Leu Glu Glu Thr Ile Thr Gln Ala Arg						
		610		615			620
45	Ser Lys Lys Gly Lys Met Lys Asp Ser Glu Thr Leu Lys Pro Asp Asn						
		625		630		635	640
	Phe Glu Glu Ser Gly Tyr Thr Phe Ile Ala Pro Arg Asp Tyr Cys Asn						
		645		650			655
50	Asp Leu Lys Ile Ser Asp Asn Asn Thr Glu Phe Leu Leu Asn Phe Asn						
		660		665			670
	Glu Phe Ile Asp Arg Lys Thr Pro Asn Asn Pro Ser Cys Asn Ala Asp						
55		675		680			685
	Leu Ile Asn Arg Val Leu Leu Asp Ala Gly Phe Thr Asn Glu Leu Val						
		690		695			700

Gln Asn Tyr Trp Ser Lys Gln Lys Asn Ile Lys Gly Val Lys Ala Arg  
 705 710 715 720  
 5 Phe Val Val Thr Asp Gly Gly Ile Thr Arg Val Tyr Pro Lys Glu Ala  
 725 730 735  
 Gly Glu Asn Trp Gln Glu Asn Pro Glu Thr Tyr Glu Asp Ser Phe Tyr  
 740 745 750  
 10 Lys Arg Ser Leu Asp Asn Asp Asn Tyr Val Phe Thr Ala Pro Tyr Phe  
 755 760 765  
 Asn Lys Ser Gly Pro Gly Ala Tyr Glu Ser Gly Ile Met Val Ser Lys  
 770 775 780  
 15 Ala Val Glu Ile Tyr Ile Gln Gly Lys Leu Leu Lys Pro Ala Val Val  
 785 790 795 800  
 Gly Ile Lys Ile Asp Val Asn Ser Trp Ile Glu Asn Phe Thr Lys Thr  
 805 810 815  
 20 Ser Ile Arg Asp Pro Cys Ala Gly Pro Val Cys Asp Cys Lys Arg Asn  
 820 825 830  
 25 Ser Asp Val Met Asp Cys Val Ile Leu Asp Asp Gly Gly Phe Leu Leu  
 835 840 845  
 Met Ala Asn His Asp Asp Tyr Thr Asn Gln Ile Gly Arg Phe Phe Gly  
 850 855 860  
 30 Glu Ile Asp Pro Ser Leu Met Arg His Leu Val Asn Ile Ser Val Tyr  
 865 870 875 880  
 Ala Phe Asn Lys Ser Tyr Asp Tyr Gln Ser Val Cys Glu Pro Gly Ala  
 885 890 895  
 35 Ala Pro Lys Gln Gly Ala Gly His Arg Ser Ala Tyr Val Pro Ser Val  
 900 905 910  
 40 Ala Asp Ile Leu Gln Ile Gly Trp Trp Ala Thr Ala Ala Ala Trp Ser  
 915 920 925  
 Ile Leu Gln Gln Phe Leu Leu Ser Leu Thr Phe Pro Arg Leu Leu Glu  
 930 935 940  
 45 Ala Val Glu Met Glu Asp Asp Asp Phe Thr Ala Ser Leu Ser Lys Gln  
 945 950 955 960  
 Ser Cys Ile Thr Glu Gln Thr Gln Tyr Phe Phe Asp Asn Asp Ser Lys  
 965 970 975  
 50 Ser Phe Ser Gly Val Leu Asp Cys Gly Asn Cys Ser Arg Ile Phe His  
 980 985 990  
 55 Gly Glu Lys Leu Met Asn Thr Asn Leu Ile Phe Ile Met Val Glu Ser  
 995 1000 1005  
 Lys Gly Thr Cys Pro Cys Asp Thr Arg Leu  
 1010 1015

<210> 42  
 <211> 1036  
 5 <212> PRT  
 <213> Homo sapiens

<400> 42  
 10 Met Ala Ala Gly Cys Leu Leu Ala Leu Thr Leu Thr Leu Phe Gln Ser  
 1 5 10 15  
 Leu Leu Ile Gly Pro Ser Ser Glu Glu Pro Phe Pro Ser Ala Val Thr  
 20 25 30  
 15 Ile Lys Ser Trp Val Asp Lys Met Gln Glu Asp Leu Val Thr Leu Ala  
 35 40 45  
 Lys Thr Ala Ser Gly Val Asn Gln Leu Val Asp Ile Tyr Glu Lys Tyr  
 50 55 60  
 20 Gln Asp Leu Tyr Thr Val Glu Pro Asn Asn Ala Arg Gln Leu Val Glu  
 65 70 75 80  
 Ile Ala Ala Arg Asp Ile Glu Lys Leu Leu Ser Asn Arg Ser Lys Ala  
 25 85 90 95  
 Leu Val Ser Leu Ala Leu Glu Ala Glu Lys Val Gln Ala Ala His Gln  
 100 105 110  
 30 Trp Arg Glu Asp Phe Ala Ser Asn Glu Val Val Tyr Tyr Asn Ala Lys  
 115 120 125  
 Asp Asp Leu Asp Pro Glu Lys Asn Asp Ser Glu Pro Gly Ser Gln Arg  
 130 135 140  
 35 Ile Lys Pro Val Phe Ile Glu Asp Ala Asn Phe Gly Arg Gln Ile Ser  
 145 150 155 160  
 Tyr Gln His Ala Ala Val His Ile Pro Thr Asp Ile Tyr Glu Gly Ser  
 40 165 170 175  
 Thr Ile Val Leu Asn Glu Leu Asn Trp Thr Ser Ala Leu Asp Glu Val  
 180 185 190  
 45 Phe Lys Lys Asn Arg Glu Glu Asp Pro Ser Leu Leu Trp Gln Val Phe  
 195 200 205  
 Gly Ser Ala Thr Gly Leu Ala Arg Tyr Tyr Pro Ala Ser Pro Trp Val  
 210 215 220  
 50 Asp Asn Ser Arg Thr Pro Asn Lys Ile Asp Leu Tyr Asp Val Arg Arg  
 225 230 235 240  
 Arg Pro Trp Tyr Ile Gln Gly Ala Ala Ser Pro Lys Asp Met Leu Ile  
 55 245 250 255  
 Leu Val Asp Val Ser Gly Ser Val Ser Gly Leu Thr Leu Lys Leu Ile  
 260 265 270

Arg Thr Ser Val Ser Glu Met Leu Glu Thr Leu Ser Asp Asp Asp Phe  
 275 280 285  
 Val Asn Val Ala Ser Phe Asn Ser Asn Ala Gln Asp Val Ser Cys Phe  
 5 290 295 300  
 Gln His Leu Val Gln Ala Asn Val Arg Asn Lys Lys Val Leu Lys Asp  
 305 310 315 320  
 10 Ala Val Asn Asn Ile Thr Ala Lys Gly Ile Thr Asp Tyr Lys Lys Gly  
 325 330 335  
 Phe Ser Phe Ala Phe Glu Gln Leu Leu Asn Tyr Asn Val Ser Arg Ala  
 340 345 350  
 15 Asn Cys Asn Lys Ile Ile Met Leu Phe Thr Asp Gly Gly Glu Glu Arg  
 355 360 365  
 Ala Gln Glu Ile Phe Asn Lys Tyr Asn Lys Asp Lys Lys Val Arg Val  
 20 370 375 380  
 Phe Arg Phe Ser Val Gly Gln His Asn Tyr Glu Arg Gly Pro Ile Gln  
 385 390 395 400  
 25 Trp Met Ala Cys Glu Asn Lys Gly Tyr Tyr Tyr Glu Ile Pro Ser Ile  
 405 410 415  
 Gly Ala Ile Arg Ile Asn Thr Gln Glu Tyr Leu Asp Val Leu Gly Arg  
 420 425 430  
 30 Pro Met Val Leu Ala Gly Asp Lys Ala Lys Gln Val Gln Trp Thr Asn  
 435 440 445  
 Val Tyr Leu Asp Ala Leu Glu Leu Gly Leu Val Ile Thr Gly Thr Leu  
 35 450 455 460  
 Pro Val Phe Asn Ile Thr Gly Gln Phe Glu Asn Lys Thr Asn Leu Lys  
 465 470 475 480  
 40 Asn Gln Leu Ile Leu Gly Val Met Gly Val Asp Val Ser Leu Glu Asp  
 485 490 495  
 Ile Lys Arg Leu Thr Pro Arg Phe Thr Leu Cys Pro Asn Gly Tyr Tyr  
 500 505 510  
 45 Phe Ala Ile Asp Pro Asn Gly Tyr Val Leu Leu His Pro Asn Leu Gln  
 515 520 525  
 Pro Lys Asn Pro Lys Ser Gln Glu Pro Val Thr Leu Asp Phe Leu Asp  
 50 530 535 540  
 Ala Glu Leu Glu Asn Asp Ile Lys Val Glu Ile Arg Asn Lys Met Ile  
 545 550 555 560  
 55 Asp Gly Glu Ser Gly Glu Lys Thr Phe Arg Thr Leu Val Lys Ser Gln  
 565 570 575  
 Asp Glu Arg Tyr Ile Asp Lys Gly Asn Arg Thr Tyr Thr Trp Thr Pro  
 580 585 590

Val Asn Gly Thr Asp Tyr Ser Leu Ala Leu Val Leu Pro Thr Tyr Ser  
 595 600 605  
 5 Phe Tyr Tyr Ile Lys Ala Lys Leu Glu Glu Thr Ile Thr Gln Ala Arg  
 610 615 620  
 Ser Lys Lys Gly Lys Met Lys Asp Ser Glu Thr Leu Lys Pro Asp Asn  
 625 630 635 640  
 10 Phe Glu Glu Ser Gly Tyr Thr Phe Ile Ala Pro Arg Asp Tyr Cys Asn  
 645 650 655  
 Asp Leu Lys Ile Ser Asp Asn Asn Thr Glu Phe Leu Leu Asn Phe Asn  
 15 660 665 670  
 Glu Phe Ile Asp Arg Lys Thr Pro Asn Asn Pro Ser Cys Asn Ala Asp  
 675 680 685  
 20 Leu Ile Asn Arg Val Leu Leu Asp Ala Gly Phe Thr Asn Glu Leu Val  
 690 695 700  
 Gln Asn Tyr Trp Ser Lys Gln Lys Asn Ile Lys Gly Val Lys Ala Arg  
 705 710 715 720  
 25 Phe Val Val Thr Asp Gly Gly Ile Thr Arg Val Tyr Pro Lys Glu Ala  
 725 730 735  
 Gly Glu Asn Trp Gln Glu Asn Pro Glu Thr Tyr Glu Asp Ser Phe Tyr  
 30 740 745 750  
 Lys Arg Ser Leu Asp Asn Asp Asn Tyr Val Phe Thr Ala Pro Tyr Phe  
 755 760 765  
 35 Asn Lys Ser Gly Pro Gly Ala Tyr Glu Ser Gly Ile Met Val Ser Lys  
 770 775 780  
 Ala Val Glu Ile Tyr Ile Gln Gly Lys Leu Leu Lys Pro Ala Val Val  
 785 790 795 800  
 40 Gly Ile Lys Ile Asp Val Asn Ser Trp Ile Glu Asn Phe Thr Lys Thr  
 805 810 815  
 Ser Ile Arg Asp Pro Cys Ala Gly Pro Val Cys Asp Cys Lys Arg Asn  
 45 820 825 830  
 Ser Asp Val Met Asp Cys Val Ile Leu Asp Asp Gly Gly Phe Leu Leu  
 835 840 845  
 50 Met Ala Asn His Asp Asp Tyr Thr Asn Gln Ile Gly Arg Phe Phe Gly  
 850 855 860  
 Glu Ile Asp Pro Ser Leu Met Arg His Leu Val Asn Ile Ser Val Tyr  
 865 870 875 880  
 55 Ala Phe Asn Lys Ser Tyr Asp Tyr Gln Ser Val Cys Glu Pro Gly Ala  
 885 890 895  
 Ala Pro Lys Gln Gly Ala Gly His Arg Ser Ala Tyr Val Pro Ser Val



	900	905	910
	Ala Asp Ile Leu Gln Ile Gly Trp	Trp Ala Thr Ala Ala Ala Trp Ser	
	915	920	925
5	Ile Leu Gln Gln Phe Leu Leu Ser	Leu Thr Phe Pro Arg Leu Leu Glu	
	930	935	940
10	Ala Val Glu Met Glu Asp Asp Asp	Phe Thr Ala Ser Leu Ser Lys Gln	
	945	950	955
	Ser Cys Ile Thr Glu Gln Thr Gln Tyr	Phe Phe Asp Asn Asp Ser Lys	
	965	970	975
15	Ser Phe Ser Gly Val Leu Asp Cys	Gly Asn Cys Ser Arg Ile Phe His	
	980	985	990
	Gly Glu Lys Leu Met Asn Thr Asn	Leu Ile Phe Ile Met Val Glu Ser	
	995	1000	1005
20	Lys Gly Thr Cys Pro Cys Asp Thr	Arg Leu Leu Ile Gln Ala Glu Gln	
	1010	1015	1020
	Thr Ser Asp Gly Pro Asn Pro Cys	Asp Met Val Lys	
25	1025	1030	1035
	<210> 43		
	<211> 1063		
30	<212> PRT		
	<213> Homo sapiens		
	<400> 43		
35	Met Ala Ala Gly Cys Leu Leu Ala	Leu Thr Leu Thr Leu Phe Gln Ser	
	1	5	10
	Leu Leu Ile Gly Pro Ser Ser Glu	Glu Pro Phe Pro Ser Ala Val Thr	
	20	25	30
40	Ile Lys Ser Trp Val Asp Lys Met	Gln Glu Asp Leu Val Thr Leu Ala	
	35	40	45
	Lys Thr Ala Ser Gly Val Asn Gln	Leu Val Asp Ile Tyr Glu Lys Tyr	
	50	55	60
45	Gln Asp Leu Tyr Thr Val Glu Pro	Asn Asn Ala Arg Gln Leu Val Glu	
	65	70	75
	Ile Ala Ala Arg Asp Ile Glu Lys	Leu Leu Ser Asn Arg Ser Lys Ala	
50	85	90	95
	Leu Val Ser Leu Ala Leu Glu Ala	Glu Lys Val Gln Ala Ala His Gln	
	100	105	110
55	Trp Arg Glu Asp Phe Ala Ser Asn	Glu Val Val Tyr Tyr Asn Ala Lys	
	115	120	125
	Asp Asp Leu Asp Pro Glu Lys Asn	Asp Ser Glu Pro Gly Ser Gln Arg	
	130	135	140

Ile Lys Pro Val Phe Ile Glu Asp Ala Asn Phe Gly Arg Gln Ile Ser  
 145 150 155 160  
 5 Tyr Gln His Ala Ala Val His Ile Pro Thr Asp Ile Tyr Glu Gly Ser  
 165 170 175  
 Thr Ile Val Leu Asn Glu Leu Asn Trp Thr Ser Ala Leu Asp Glu Val  
 180 185 190  
 10 Phe Lys Lys Asn Arg Glu Glu Asp Pro Ser Leu Leu Trp Gln Val Phe  
 195 200 205  
 Gly Ser Ala Thr Gly Leu Ala Arg Tyr Tyr Pro Ala Ser Pro Trp Val  
 15 210 215 220  
 Asp Asn Ser Arg Thr Pro Asn Lys Ile Asp Leu Tyr Asp Val Arg Arg  
 225 230 235 240  
 20 Arg Pro Trp Tyr Ile Gln Gly Ala Ala Ser Pro Lys Asp Met Leu Ile  
 245 250 255  
 Leu Val Asp Val Ser Gly Ser Val Ser Gly Leu Thr Leu Lys Leu Ile  
 260 265 270  
 25 Arg Thr Ser Val Ser Glu Met Leu Glu Thr Leu Ser Asp Asp Asp Phe  
 275 280 285  
 Val Asn Val Ala Ser Phe Asn Ser Asn Ala Gln Asp Val Ser Cys Phe  
 30 290 295 300  
 Gln His Leu Val Gln Ala Asn Val Arg Asn Lys Lys Val Leu Lys Asp  
 305 310 315 320  
 35 Ala Val Asn Asn Ile Thr Ala Lys Gly Ile Thr Asp Tyr Lys Lys Gly  
 325 330 335  
 Phe Ser Phe Ala Phe Glu Gln Leu Leu Asn Tyr Asn Val Ser Arg Ala  
 340 345 350  
 40 Asn Cys Asn Lys Ile Ile Met Leu Phe Thr Asp Gly Gly Glu Glu Arg  
 355 360 365  
 Ala Gln Glu Ile Phe Asn Lys Tyr Asn Lys Asp Lys Lys Val Arg Val  
 45 370 375 380  
 Phe Arg Phe Ser Val Gly Gln His Asn Tyr Glu Arg Gly Pro Ile Gln  
 385 390 395 400  
 50 Trp Met Ala Cys Glu Asn Lys Gly Tyr Tyr Tyr Glu Ile Pro Ser Ile  
 405 410 415  
 Gly Ala Ile Arg Ile Asn Thr Gln Glu Tyr Leu Asp Val Leu Gly Arg  
 420 425 430  
 55 Pro Met Val Leu Ala Gly Asp Lys Ala Lys Gln Val Gln Trp Thr Asn  
 435 440 445  
 Val Tyr Leu Asp Ala Leu Glu Leu Gly Leu Val Ile Thr Gly Thr Leu

	450		455		460
	Pro Val Phe Asn Ile Thr Gly Gln Phe Glu Asn Lys Thr Asn Leu Lys				
	465		470		475 480
5	Asn Gln Leu Ile Leu Gly Val Met Gly Val Asp Val Ser Leu Glu Asp				
		485		490	495
	Ile Lys Arg Leu Thr Pro Arg Phe Thr Leu Cys Pro Asn Gly Tyr Tyr				
10		500		505	510
	Phe Ala Ile Asp Pro Asn Gly Tyr Val Leu Leu His Pro Asn Leu Gln				
		515		520	525
15	Pro Lys Asn Pro Lys Ser Gln Glu Pro Val Thr Leu Asp Phe Leu Asp				
		530		535	540
	Ala Glu Leu Glu Asn Asp Ile Lys Val Glu Ile Arg Asn Lys Met Ile				
		545		550	555 560
20	Asp Gly Glu Ser Gly Glu Lys Thr Phe Arg Thr Leu Val Lys Ser Gln				
		565		570	575
	Asp Glu Arg Tyr Ile Asp Lys Gly Asn Arg Thr Tyr Thr Trp Thr Pro				
25		580		585	590
	Val Asn Gly Thr Asp Tyr Ser Leu Ala Leu Val Leu Pro Thr Tyr Ser				
		595		600	605
30	Phe Tyr Tyr Ile Lys Ala Lys Leu Glu Glu Thr Ile Thr Gln Ala Arg				
		610		615	620
	Ser Lys Lys Gly Lys Met Lys Asp Ser Glu Thr Leu Lys Pro Asp Asn				
		625		630	635 640
35	Phe Glu Glu Ser Gly Tyr Thr Phe Ile Ala Pro Arg Asp Tyr Cys Asn				
		645		650	655
	Asp Leu Lys Ile Ser Asp Asn Asn Thr Glu Phe Leu Leu Asn Phe Asn				
40		660		665	670
	Glu Phe Ile Asp Arg Lys Thr Pro Asn Asn Pro Ser Cys Asn Ala Asp				
		675		680	685
45	Leu Ile Asn Arg Val Leu Leu Asp Ala Gly Phe Thr Asn Glu Leu Val				
		690		695	700
	Gln Asn Tyr Trp Ser Lys Gln Lys Asn Ile Lys Gly Val Lys Ala Arg				
		705		710	715 720
50	Phe Val Val Thr Asp Gly Gly Ile Thr Arg Val Tyr Pro Lys Glu Ala				
		725		730	735
	Gly Glu Asn Trp Gln Glu Asn Pro Glu Thr Tyr Glu Asp Ser Phe Tyr				
55		740		745	750
	Lys Arg Ser Leu Asp Asn Asp Asn Tyr Val Phe Thr Ala Pro Tyr Phe				
		755		760	765

Asn Lys Ser Gly Pro Gly Ala Tyr Glu Ser Gly Ile Met Val Ser Lys  
 770 775 780  
 5 Ala Val Glu Ile Tyr Ile Gln Gly Lys Leu Leu Lys Pro Ala Val Val  
 785 790 795 800  
 Gly Ile Lys Ile Asp Val Asn Ser Trp Ile Glu Asn Phe Thr Lys Thr  
 805 810 815  
 10 Ser Ile Arg Asp Pro Cys Ala Gly Pro Val Cys Asp Cys Lys Arg Asn  
 820 825 830  
 Ser Asp Val Met Asp Cys Val Ile Leu Asp Asp Gly Gly Phe Leu Leu  
 835 840 845  
 15 Met Ala Asn His Asp Asp Tyr Thr Asn Gln Ile Gly Arg Phe Phe Gly  
 850 855 860  
 20 Glu Ile Asp Pro Ser Leu Met Arg His Leu Val Asn Ile Ser Val Tyr  
 865 870 875 880  
 Ala Phe Asn Lys Ser Tyr Asp Tyr Gln Ser Val Cys Glu Pro Gly Ala  
 885 890 895  
 25 Ala Pro Lys Gln Gly Ala Gly His Arg Ser Ala Tyr Val Pro Ser Val  
 900 905 910  
 30 Ala Asp Ile Leu Gln Ile Gly Trp Trp Ala Thr Ala Ala Ala Trp Ser  
 915 920 925  
 Ile Leu Gln Gln Phe Leu Leu Ser Leu Thr Phe Pro Arg Leu Leu Glu  
 930 935 940  
 35 Ala Val Glu Met Glu Asp Asp Asp Phe Thr Ala Ser Leu Ser Lys Gln  
 945 950 955 960  
 Ser Cys Ile Thr Glu Gln Thr Gln Tyr Phe Phe Asp Asn Asp Ser Lys  
 965 970 975  
 40 Ser Phe Ser Gly Val Leu Asp Cys Gly Asn Cys Ser Arg Ile Phe His  
 980 985 990  
 Gly Glu Lys Leu Met Asn Thr Asn Leu Ile Phe Ile Met Val Glu Ser  
 995 1000 1005  
 45 Lys Gly Thr Cys Pro Cys Asp Thr Arg Leu Leu Ile Gln Ala Glu Gln  
 1010 1015 1020  
 50 Thr Ser Asp Gly Pro Asn Pro Cys Asp Met Val Lys Gln Pro Arg Tyr  
 1025 1030 1035 1040  
 Arg Lys Gly Pro Asp Val Cys Phe Asp Asn Asn Val Leu Glu Asp Tyr  
 1045 1050 1055  
 55 Thr Asp Cys Gly Gly Val Ser  
 1060

&lt;211&gt; 1091

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

5 &lt;400&gt; 44

Met Ala Ala Gly Cys Leu Leu Ala Leu Thr Leu Thr Leu Phe Gln Ser  
 1 5 10 15  
 Leu Leu Ile Gly Pro Ser Ser Glu Glu Pro Phe Pro Ser Ala Val Thr  
 10 20 25 30  
 Ile Lys Ser Trp Val Asp Lys Met Gln Glu Asp Leu Val Thr Leu Ala  
 35 40 45  
 Lys Thr Ala Ser Gly Val Asn Gln Leu Val Asp Ile Tyr Glu Lys Tyr  
 50 55 60  
 Gln Asp Leu Tyr Thr Val Glu Pro Asn Asn Ala Arg Gln Leu Val Glu  
 65 70 75 80  
 20 Ile Ala Ala Arg Asp Ile Glu Lys Leu Leu Ser Asn Arg Ser Lys Ala  
 85 90 95  
 Leu Val Ser Leu Ala Leu Glu Ala Glu Lys Val Gln Ala Ala His Gln  
 25 100 105 110  
 Trp Arg Glu Asp Phe Ala Ser Asn Glu Val Val Tyr Tyr Asn Ala Lys  
 115 120 125  
 30 Asp Asp Leu Asp Pro Glu Lys Asn Asp Ser Glu Pro Gly Ser Gln Arg  
 130 135 140  
 Ile Lys Pro Val Phe Ile Glu Asp Ala Asn Phe Gly Arg Gln Ile Ser  
 145 150 155 160  
 35 Tyr Gln His Ala Ala Val His Ile Pro Thr Asp Ile Tyr Glu Gly Ser  
 165 170 175  
 Thr Ile Val Leu Asn Glu Leu Asn Trp Thr Ser Ala Leu Asp Glu Val  
 40 180 185 190  
 Phe Lys Lys Asn Arg Glu Glu Asp Pro Ser Leu Leu Trp Gln Val Phe  
 195 200 205  
 45 Gly Ser Ala Thr Gly Leu Ala Arg Tyr Tyr Pro Ala Ser Pro Trp Val  
 210 215 220  
 Asp Asn Ser Arg Thr Pro Asn Lys Ile Asp Leu Tyr Asp Val Arg Arg  
 225 230 235 240  
 50 Arg Pro Trp Tyr Ile Gln Gly Ala Ala Ser Pro Lys Asp Met Leu Ile  
 245 250 255  
 Leu Val Asp Val Ser Gly Ser Val Ser Gly Leu Thr Leu Lys Leu Ile  
 55 260 265 270  
 Arg Thr Ser Val Ser Glu Met Leu Glu Thr Leu Ser Asp Asp Asp Phe  
 275 280 285

Val Asn Val Ala Ser Phe Asn Ser Asn Ala Gln Asp Val Ser Cys Phe  
 290 295 300  
 Gln His Leu Val Gln Ala Asn Val Arg Asn Lys Lys Val Leu Lys Asp  
 5 305 310 315 320  
 Ala Val Asn Asn Ile Thr Ala Lys Gly Ile Thr Asp Tyr Lys Lys Gly  
 325 330 335  
 10 Phe Ser Phe Ala Phe Glu Gln Leu Leu Asn Tyr Asn Val Ser Arg Ala  
 340 345 350  
 Asn Cys Asn Lys Ile Ile Met Leu Phe Thr Asp Gly Gly Glu Glu Arg  
 355 360 365  
 15 Ala Gln Glu Ile Phe Asn Lys Tyr Asn Lys Asp Lys Lys Val Arg Val  
 370 375 380  
 Phe Arg Phe Ser Val Gly Gln His Asn Tyr Glu Arg Gly Pro Ile Gln  
 20 385 390 395 400  
 Trp Met Ala Cys Glu Asn Lys Gly Tyr Tyr Tyr Glu Ile Pro Ser Ile  
 405 410 415  
 25 Gly Ala Ile Arg Ile Asn Thr Gln Glu Tyr Leu Asp Val Leu Gly Arg  
 420 425 430  
 Pro Met Val Leu Ala Gly Asp Lys Ala Lys Gln Val Gln Trp Thr Asn  
 435 440 445  
 30 Val Tyr Leu Asp Ala Leu Glu Leu Gly Leu Val Ile Thr Gly Thr Leu  
 450 455 460  
 Pro Val Phe Asn Ile Thr Gly Gln Phe Glu Asn Lys Thr Asn Leu Lys  
 35 465 470 475 480  
 Asn Gln Leu Ile Leu Gly Val Met Gly Val Asp Val Ser Leu Glu Asp  
 485 490 495  
 40 Ile Lys Arg Leu Thr Pro Arg Phe Thr Leu Cys Pro Asn Gly Tyr Tyr  
 500 505 510  
 Phe Ala Ile Asp Pro Asn Gly Tyr Val Leu Leu His Pro Asn Leu Gln  
 515 520 525  
 45 Pro Lys Asn Pro Lys Ser Gln Glu Pro Val Thr Leu Asp Phe Leu Asp  
 530 535 540  
 Ala Glu Leu Glu Asn Asp Ile Lys Val Glu Ile Arg Asn Lys Met Ile  
 50 545 550 555 560  
 Asp Gly Glu Ser Gly Glu Lys Thr Phe Arg Thr Leu Val Lys Ser Gln  
 565 570 575  
 55 Asp Glu Arg Tyr Ile Asp Lys Gly Asn Arg Thr Tyr Thr Trp Thr Pro  
 580 585 590  
 Val Asn Gly Thr Asp Tyr Ser Leu Ala Leu Val Leu Pro Thr Tyr Ser  
 595 600 605

Phe Tyr Tyr Ile Lys Ala Lys Leu Glu Glu Thr Ile Thr Gln Ala Arg  
 610 615 620  
 5 Ser Lys Lys Gly Lys Met Lys Asp Ser Glu Thr Leu Lys Pro Asp Asn  
 625 630 635 640  
 Phe Glu Glu Ser Gly Tyr Thr Phe Ile Ala Pro Arg Asp Tyr Cys Asn  
 645 650 655  
 10 Asp Leu Lys Ile Ser Asp Asn Asn Thr Glu Phe Leu Leu Asn Phe Asn  
 660 665 670  
 Glu Phe Ile Asp Arg Lys Thr Pro Asn Asn Pro Ser Cys Asn Ala Asp  
 675 680 685  
 15 Leu Ile Asn Arg Val Leu Leu Asp Ala Gly Phe Thr Asn Glu Leu Val  
 690 695 700  
 20 Gln Asn Tyr Trp Ser Lys Gln Lys Asn Ile Lys Gly Val Lys Ala Arg  
 705 710 715 720  
 Phe Val Val Thr Asp Gly Gly Ile Thr Arg Val Tyr Pro Lys Glu Ala  
 725 730 735  
 25 Gly Glu Asn Trp Gln Glu Asn Pro Glu Thr Tyr Glu Asp Ser Phe Tyr  
 740 745 750  
 Lys Arg Ser Leu Asp Asn Asp Asn Tyr Val Phe Thr Ala Pro Tyr Phe  
 755 760 765  
 30 Asn Lys Ser Gly Pro Gly Ala Tyr Glu Ser Gly Ile Met Val Ser Lys  
 770 775 780  
 35 Ala Val Glu Ile Tyr Ile Gln Gly Lys Leu Leu Lys Pro Ala Val Val  
 785 790 795 800  
 Gly Ile Lys Ile Asp Val Asn Ser Trp Ile Glu Asn Phe Thr Lys Thr  
 805 810 815  
 40 Ser Ile Arg Asp Pro Cys Ala Gly Pro Val Cys Asp Cys Lys Arg Asn  
 820 825 830  
 Ser Asp Val Met Asp Cys Val Ile Leu Asp Asp Gly Gly Phe Leu Leu  
 835 840 845  
 45 Met Ala Asn His Asp Asp Tyr Thr Asn Gln Ile Gly Arg Phe Phe Gly  
 850 855 860  
 50 Glu Ile Asp Pro Ser Leu Met Arg His Leu Val Asn Ile Ser Val Tyr  
 865 870 875 880  
 Ala Phe Asn Lys Ser Tyr Asp Tyr Gln Ser Val Cys Glu Pro Gly Ala  
 885 890 895  
 55 Ala Pro Lys Gln Gly Ala Gly His Arg Ser Ala Tyr Val Pro Ser Val  
 900 905 910  
 Ala Asp Ile Leu Gln Ile Gly Trp Trp Ala Thr Ala Ala Ala Trp Ser

	915	920	925
	Ile Leu Gln Gln Phe Leu Leu Ser Leu Thr Phe Pro Arg Leu Leu Glu		
	930	935	940
5	Ala Val Glu Met Glu Asp Asp Asp Phe Thr Ala Ser Leu Ser Lys Gln		
	945	950	955 960
	Ser Cys Ile Thr Glu Gln Thr Gln Tyr Phe Phe Asp Asn Asp Ser Lys		
10		965	970 975
	Ser Phe Ser Gly Val Leu Asp Cys Gly Asn Cys Ser Arg Ile Phe His		
		980	985 990
15	Gly Glu Lys Leu Met Asn Thr Asn Leu Ile Phe Ile Met Val Glu Ser		
	995	1000	1005
	Lys Gly Thr Cys Pro Cys Asp Thr Arg Leu Leu Ile Gln Ala Glu Gln		
	1010	1015	1020
20	Thr Ser Asp Gly Pro Asn Pro Cys Asp Met Val Lys Gln Pro Arg Tyr		
	1025	1030	1035 1040
	Arg Lys Gly Pro Asp Val Cys Phe Asp Asn Asn Val Leu Glu Asp Tyr		
25		1045	1050 1055
	Thr Asp Cys Gly Gly Val Ser Gly Leu Asn Pro Ser Leu Trp Tyr Ile		
	1060	1065	1070
30	Ile Gly Ile Gln Phe Leu Leu Leu Trp Leu Val Ser Gly Ser Thr His		
	1075	1080	1085
	Arg Leu Leu		
	1090		
35			
	<210> 45		
	<211> 3600		
	<212> DNA		
40	<213> Homo sapiens		
	<400> 45		
	gcgggggagg gggcattgat cttegategc gaagatggct gctggctgcc tgctggcctt 60		
	gactctgaca cttttccaat ctttgctcat cgccccctcg tcggaggagc cgttcccttc 120		
45	ggccgtcact atcaaatcat ggggtggataa gatgcaagaa gaccttgtca cactggcaaa 180		
	aacagcaagt ggagtcaatc agcttggtga tatttatgag aaatatcaag atttgtatac 240		
	tgtggaacca aataatgcac gccagctggt agaaattgca gccagggata ttgagaaact 300		
	tctgagcaac agatctaaag ccctgggtgag cctggcattg gaagcggaga aagttcaagc 360		
	agctcaccag tggagagaag attttgcaag caatgaagtt gtctactaca atgcaaagga 420		
50	tgatctcgat cctgagaaaa atgacagtga gccaggcagc cagaggataa aacctgtttt 480		
	cattgaagat gctaattttg gacgacaaat atcttatcag cacgcagcag tccatattcc 540		
	tactgacatc tatgagggct caacaattgt gttaaataaa ctcaactgga caagtgcctt 600		
	agatgaagtt ttcaaaaaga atcgcgagga agacccttca ttattgtggc aggtttttgg 660		
	cagtgccact ggcctagctc gatattatcc agcttcacca tgggttgata atagtagaac 720		
55	tccaaataag attgaccttt atgatgtacg cagaagacca tggtagatcc aaggagctgc 780		
	atctcctaaa gacatgctta ttctgggtgga tgtgagtgga agtggttagtg gattgacact 840		
	taaactgatc cgaacatctg tctccgaaat gttagaaacc ctctcagatg atgatttcgt 900		
	gaatgtagct tcatttaaca gcaatgctca ggatgtaagc tgttttcagc accttgctca 960		
	agcaaatgta agaaataaaa aagtgttgaa agacgcgggtg aataatatca cagccaaagg 1020		



```

aattacagat tataagaagg gcttttagttt tgcttttgaa cagctgctta attataatgt 1080
ttccagagca aactgcaata agattattat gctattcacg gatggaggag aagagagagc 1140
ccaggagata ttttaacaaat acaataaaga taaaaaagta cgtgtattca ggttttcagt 1200
tgggtcaacac aattatgaga gaggacctat tcagtggatg gcctgtgaaa acaaagggtta 1260
5 ttattatgaa attccttcca ttggtgcaat aagaatcaat actcaggaat atttggatgt 1320
tttgggaaga ccaatggttt tagcaggaga caaagctaag caagtccaat ggacaaatgt 1380
gtacctggat gcattggaac tgggacttgt cattactgga actcttccgg tcttcaacat 1440
aaccggtcaa tttgaaaata agacaaactt aaagaaccag ctgattcttg gtgtgatggg 1500
agtagatgtg tctttggaag atattaaaag actgacacca cgtttttacac tgtgccccaa 1560
10 tgggtattac tttgcaatcg atcctaattg ttatgtttta ttacatccaa atcttcagcc 1620
aaagaacccc aaatttcagg agccagtaac attggatttc ctgatgcag agttagagaa 1680
tgatattaaa gtggagattc gaaataagat gattgatggg gaaagtggag aaaaaacatt 1740
cagaactctg gttaaacttc aagatgagag atatattgac aaaggaaaca ggacatacac 1800
atggacacct gtcaatggca cagattacag tttggccttg gtattaccaa cctacagttt 1860
15 ttactatata aaagccaaac tagaagagac aataactcag gccagatcaa aaaagggcaa 1920
aatgaaggat tcggaaaccc tgaagccaga taattttgaa gaatctggct atacattcat 1980
agcaccaaga gattactgca atgacctgaa aatacaggat aataacactg aatttctttt 2040
aaatttcaac gagtttattg atagaaaaac tccaaacaac ccatcatgta acgaggagaa 2100
gattaataga gtcttgcttg atgcaggctt tacaaatgaa cttgtccaaa attactggag 2160
20 taagcagaaa aatatcaagg gagtgaaagc acgatttggt gtgactgatg gtgggattac 2220
cagagtttat cccaaagagg ctggagaaaa ttggcaagaa aaccagaga catatgagga 2280
cagcttctat aaaaggagcc tagataatga taactatggt ttactgctc cctactttaa 2340
caaaagtgga cctgggtgct atgaatcggg cattatggta agcaaagctg tagaaatata 2400
tattcaaggg aaacttctta aacctgcagt tgttggaatt aaaattgatg taaattcctg 2460
25 gatagagaat ttcaccaaaa cctcaatcag agatccgtgt gctgggccag ttgtgactg 2520
caaaagaaac agtgacgtaa tggatttgtg gattctggat gatgggtgggt ttcttctgat 2580
ggcaaatcat gatgattata ctaatcagat tggaagattt tttggagaga ttgatcccag 2640
cttgatgaga cacctgggta atatatcagt ttatgctttt aacaaatctt atgattatca 2700
gtcagtatgt gagcccggtg ctgcacaaaa acaaggagca ggacatcgct cagcatatgt 2760
30 gccatcagta gcagacatat taaaaattgg ctgggtgggc actgctgctg cctgggtctat 2820
tctacagcag tttctcttga gtttgacctt tccacgactc cttgaggcag ttgagatgga 2880
ggatgtatga ttcacggcct cctgtccaa gcagagctgc attactgaac aaaccagta 2940
tttcttctgat aacgacagta aatcattcag tgggtgatta gactgtggaa actgttccag 3000
aatctttcat ggagaaaagc ttatgaacac caacttaata ttcataatgg ttgagagcaa 3060
35 agggacatgt ccatgtgaca cagcactgct catacaagcg gagcagactt ctgacgggtcc 3120
aaatccttgt gacatgggta agcaacctag ataccgaaaa gggcctgatg tctgctttga 3180
taacaatgtc ttggaggatt atactgactg tgggtggtgt tctggattaa atccctccct 3240
gtggtatata attggaatcc agtttctact actttggctg gtatctggca gcacacaccg 3300
gctgttatga ccttctaata accaaatctg catagttaaa ctccagacct tgccaaaaca 3360
40 tgagccctgc cctcaattac agtaacgtag ggtcagctat aaaatcagac aaacattagc 3420
tgggcctggt ccatggcata acactaaggc gcagactcct aaggcaccca ctggtgcct 3480
gtcagggtgt cagatcetta aacgtgtgtg aatgctgcat catctatgtg taacatcaaa 3540
gcaaaatcct atacgtgtcc tctattggaa aatttgggcg tttgttggtg cattgttggg 3600

```

45

&lt;210&gt; 46

&lt;211&gt; 21

&lt;212&gt; DNA

&lt;213&gt; Artificial Sequence

50

&lt;220&gt;

&lt;223&gt; Description of Artificial Sequence:primer

&lt;400&gt; 46

55 ggggattgat cttcgatcgc g

21

&lt;210&gt; 47

&lt;211&gt; 21

<212> DNA  
<213> Artificial Sequence

<220>

5 <223> Description of Artificial Sequence:primer

<400> 47

ctgagatttg gggttctttg g

21

10

<210> 48

<211> 29

<212> DNA

<213> Artificial Sequence

15

<220>

<223> Description of Artificial Sequence:primer

<400> 48

20 tcgccacccat ggctgctggc tgctgctg

29

<210> 49

<211> 52

25 <212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:primer

30

<400> 49

tcggaattcc tcagtgatgg tgatggatgat gagaaacacc accacagtcg gt

52

35

<210> 50

<211> 3201

<212> DNA

<213> Homo sapiens

40

<400> 50

ccatgcctgc aactcecaac ttcctcgcaa accccagctc cagcagccgc tggattcccc 60  
 tccagccaat gcccgtaggc tgggcctttg tgcagaagac ctcgccctc ctgtggctgc 120  
 tgcttctagg cacctccctg tcccctgcgt ggggacaggc caagattcct ctggaaacag 180  
 tgaagctatg ggctgacacc ttcggcgagg acctgtataa cactgtgacc aaatactcag 240  
 45 gctctctctt gctgcagaag aagtacaagg atgtggagtc cagtctgaag atcgaggagg 300  
 tggatggctt ggagctggtg aggaagtctc cagaggacat ggagaacatg ctgctggagg 360  
 aagtcgaggc ggtccagaat ctggtggaag ctgccgagga ggccgacctg aaccacgaat 420  
 tcaatgaatc cctggtgttc gactattaca actcggtcct gatcaacgag agggacgaga 480  
 agggcaactt cgtggagctg ggcgcgagtc tctcctcgga gtccaatgct cacttcagca 540  
 50 acctgccggt gaacacctcc atcagcagcg tgcagctgcc caccaacgtg tacaacaaag 600  
 acccagatat tttaaagtga gtctacatgt ctgaagcctt gaatgctgtc ttcgtggaga 660  
 acttccagag agaccacaac ttgacctggc aatatttttg cagtgcactt ggattcttca 720  
 ggatctatcc aggtataaaa tggacacctg atgagaatgg agtcattact ttgactgcc 780  
 gaaaccgcgg ctggtacatt caagctgcta cttctcccaa ggacatagtg attttgggtg 840  
 55 acgtgagcgg cagtatgaag gggctgagga tgactattgc caagcacacc atcaccacca 900  
 tcttgacac cctgggggag aatgacttcg ttaatatcat agcgtacaat gactacgtcc 960  
 attacatcga gccttgtttt aaagggatcc tcgtccaggc ggaccgagac aatcgagagc 1020  
 atttcaaact gctggtggag gagttgatgg tcaaaggtgt gggggctcgtg gaccaagccc 1080  
 tgagagaagc cttccagatc ctgaagcagt tccaagaggc caagcaagga agcctctgca 1140

	accaggccat	catgctcatc	agcgacggcg	ccgtggagga	ctacgagccg	gtgtttgaga	1200
	agtataactg	gccagactgt	aaggtccgag	ttttcactta	cctcattggg	agagaagtgt	1260
	cttttgctga	ccgcatgaag	tggattgcat	gcaacaacaa	aggctactac	acgcagatct	1320
	caacgctggc	ggacacccag	gagaacgtga	tggaatacct	gcacgtgctc	agccgccccca	1380
5	tggatcatca	ccacgaccac	gacatcatct	ggacagaggc	ctacatggac	agcaagctcc	1440
	tcagctcgca	ggctcagagc	ctgacactgc	tcaccactgt	ggccatgccca	gtcttcagca	1500
	agaagaacga	aacgcgatcc	catggcattc	tcctgggtgt	gggtgggtca	gatgtggccc	1560
	tgagagagct	gatgaagctg	gcgccccggg	acaagcttgg	agtgcacgga	tacgcctttc	1620
	tgaacaccaa	caatggctac	atcctctccc	atcccgaect	ccggccccctg	tacagagagg	1680
10	ggaagaaact	aaaacccaaa	cctaactaca	acagtgtgga	tctctccgaa	gtggagtggg	1740
	aagacaaagg	tgaatctctg	agaacagcca	tgatcaatag	ggaaacaggt	actctctcga	1800
	tggatgtgaa	ggttccgatg	gataaaggga	agcgagttct	tttctcgacc	aatgactact	1860
	tcttcacgga	catcagcgac	acccctttca	gtttgggggt	gggtgctgtcc	cgggggccacg	1920
	gagaatacat	ccttctgggg	aacacgtctg	tggaagaagg	cctgcatgac	ttgcttcacc	1980
15	cagacctggc	cctggccggg	gactggatct	actgcatcac	agatattgac	ccagaccacc	2040
	ggaagctcag	ccagctagag	gccatgatcc	gcttctctac	caggaaggac	ccagacctgg	2100
	agtgtgacga	ggagctgggc	cgggaggtgc	tgtttgacgc	gggtggtgaca	gccccctagg	2160
	aagcctactg	gacagcgtg	gcctcaaca	tgtccgagga	gtctgaacac	gtggtggaca	2220
	tggccttccct	gggcaccccg	gctggcctcc	tgagaagcag	cttgttcgtg	ggctccgaga	2280
20	aggtctccga	gtggcctcct	gagaagcagc	ttgttcgtgg	gtcccgagaa	gggtctccgac	2340
	aggaagtccc	tgacacctga	ggacgaggcc	agcgtgttca	ccctggaccg	cttcccgtctg	2400
	tggtagccgc	aggcctcaga	gcatectgct	ggcagcttcg	tcttcaacct	ccgctgggca	2460
	gaaggaccag	aaagtgcggg	tgaacccatg	gtggtgacgg	caagcacagc	tgtggcgggtg	2520
	accgtggaca	agaggacagc	cattgtctga	gccgcgggcg	tccaaatgaa	gctggaattc	2580
25	ctccagcgca	aattctgggc	ggcaacgcgg	cagtgcagca	ctgtggatgg	gccgtgcaca	2640
	cagagctgcg	aggacagtga	tctggactgc	ttcgtcatcg	acaacaacgg	gttcattctg	2700
	atctccaaga	gggtcccgaga	gacgggaaga	tttctggggg	aggtggatgg	tgctgtcctg	2760
	accagctgc	tcagcatggg	gggtgttcagc	caagtgacta	tgtatgacta	tcaggccatg	2820
	tgcaaaccct	cgagtcacca	ccacagtcca	gcccagcccc	tggtcagccc	aatttctgcc	2880
30	ttcttgacgg	cgaccaggtg	gctgctgcag	gagctgggtc	tgttcctgct	ggagtggagt	2940
	gtctggggct	cctgggtacga	cagagggggc	gaggccaaaa	gtgtcttcca	tactccccac	3000
	aaacacaaga	agcaggaccc	gctgcagccc	tgcgacacgg	agtaccccg	gttcgtgtac	3060
	cagccggcca	tccgggaggc	caacgggatc	gtggagtgcg	ggccctgccca	gaaggatttt	3120
	gtggtgcagc	agattcccaa	cagtaacctc	ctcctcctgg	tgacagaccc	cacctgtgac	3180
35	tgcagcatct	tcccaccagt	g				3201

&lt;210&gt; 51

&lt;211&gt; 3209

40 &lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;400&gt; 51

	ccatgcctgc	aactcccaac	ttcctcgcaa	acccagctc	cagcagccgc	tggattcccc	60
45	tccagccaat	gcccgtggcc	tgggcctttg	tgcagaagac	ctcggccctc	ctgtggctgc	120
	tgcttctagg	cacctccctg	tcccctgcgt	ggggacaggc	caagattcct	ctggaaaacag	180
	tgaagctatg	ggctgacacc	ttcggcgggg	acctgtataa	cactgtgacc	aaatactcag	240
	gctctctctt	gctgcagaag	aagtacaagg	atgtggagtc	cagtctgaag	atcgaggagg	300
	tggatggctt	ggagctgggt	aggaagtctt	cagaggacat	ggagaacatg	ctgcggaggga	360
50	aagtcgaggc	gggtccagaat	ctgggtggaag	ctgccgagga	ggccgacctg	aaccacgaat	420
	tcaatgaatc	cctgggtgttc	gactattaca	actcggctct	gatcaacgag	agggacgaga	480
	agggcaactt	cgtggagctg	ggcgccgagt	tctcctctga	gtccaatgct	cacttcagca	540
	acctgcgggt	gaacacctcc	atcagcagcg	tgcagctgcc	caccaacgtg	tacaacaagg	600
	accagatat	tttaaagtga	gtctacatgt	ctgaagcctt	gaatgctgtc	ttcgtggaga	660
55	acttcagag	agacccaacg	ttgacctggc	aatatttttg	cagtgcgaact	ggattcttca	720
	ggatctatcc	aggtataaaa	tggacacctg	atgagaatgg	agtcattact	tttgactgcc	780
	gaaaccgcgg	ctggtacatt	caagctgcta	cttctcccaa	ggacatagtg	attttgggtgg	840
	acgtgagcgg	cagtatgaag	gggctgagga	tgactattgc	caagcacacc	atcaccacca	900
	tcttgacac	cctggggggag	aatgacttcg	ttaatatcat	agcgtacaat	gactacgtcc	960

5 attacatcga gccttgTTTT aaagggatcc tcgtccaggc ggaccgagac aatcgagagc 1020  
 atttcaaact gctggtggag gagttgatgg tcaaagggtg gggggtcgtg gaccaagccc 1080  
 tgagagaagc cttccagatc ctgaagcagt tccaagaggc caagcaagga agcctctgca 1140  
 accagggccat catgctcatc agcgacggcg ccgtggagga ctacgagccg gtgtttgaga 1200  
 agtataactg gccagactgt aaggtccgag ttttcaacta cctcattggg agagaagtgt 1260  
 cttttgctga ccgcatgaag tggattgcat gcaacaacaa aggctactac acgcagatct 1320  
 caacgctggc ggacacccag gagaacgtga tggaaatcct gcacgtgctc agccgccccca 1380  
 tggatcatcaa ccacgaccac gacatcatct ggacagaggc ctacatggac agcaagctcc 1440  
 10 tcagctcgca ggctcagagc ctgacactgc tcaccactgt ggccatgccca gtcttcagca 1500  
 agaagaacga aacgcgatcc catggcattc tcctgggtgt ggtgggtcga gatgtggccc 1560  
 tgagagagct gatgaagctg gcgccccggg acaagcttgg agtgacagga tacgcctttc 1620  
 tgaacaccaa caatggctac atcctctccc atcccgacct ccggccccctg tacagagagg 1680  
 ggaagaaact aaaacccaaa cctaactaca acagtgtgga tctctccgaa gtggagtggg 1740  
 aagaccaggc tgaatctctg agaacagcca tgatcaatag ggaaacaggt actctctcga 1800  
 15 tggatgtgaa ggttccgatg gataaaggga agcgagttct tttcctgacc aatgactact 1860  
 tcttcacgga catcagcgac acccctttca gtttgggggt ggtgctgtcc cggggccacg 1920  
 gagaatacat cttctgggg aacacgtctg tggaagaagg cctgcatgac ttgttccacc 1980  
 cagactggc cctggccggt actggatct actgcatcac agatattgac ccagaccacc 2040  
 ggaagctcag ccagctagag gccatgatcc gcttctcac caggaaggac ccagacctgg 2100  
 20 agtgtgacga ggagctggtc cgggaggtgc tgtttgacgc ggtggtgaca gcccccatgg 2160  
 aagcctactg gacagcgctg gccctcaaca tgtccgagga gtctgaacac gtggtggaca 2220  
 tggccttctt gggcaccggt gctggcctcc tgagaagcag cttgttcgtg ggctccgaga 2280  
 aggtctccga caggaaagttc ctgacacctg aggacgaggc cagcgtgttc accctggacc 2340  
 gcttcccgct gtggtaccgc caggcctcag agcatcctgc tggcagcttc gtcttcaacc 2400  
 25 tccgctgggc agaaggacca gaaagtgcgg gtgaacccat ggtggtgacg gcaagcacag 2460  
 ctgtggcggg gaccgtggac aagaggacag ccattgctgc agccgcgggc gtccaaatga 2520  
 agctggaatt cctccagcgc aaattctggg cggcaacgcg gcagtgcagc actgtggatg 2580  
 ggccgtgcac acagagctgc gaggacagtg atctggactg ctctcgtcatc gacaacaacg 2640  
 ggttctattct gatctccaag aggtcccgag agacgggaag atttctgggg gaggtggatg 2700  
 30 gtgctgtcct gaccagctg ctgagcatgg ggggtgttcag ccaagtgact atgtatgact 2760  
 atcaggccat gtgcaaaccc tcgagtcaac accacagtgc agcccagccc ctggtcagcc 2820  
 caatttctgc cttcttgacg gcgaccagggt ggctgctgca ggagctggtg ctgttctcgc 2880  
 tggagtggag tgtctggggc tcctggtacg acagaggggc cgaggccaaa agtgtcttcc 2940  
 atcactccca caaacacaag aagcaggacc cgctgcagcc ctgcgacacg gagtaccccg 3000  
 35 tgttcgtgta ccagccggcc atccgggagg ccaacgggat cgtggagtgc gggccctgcc 3060  
 agaaggattt tgtggtgcag cagattccca acagtaacct cctcctcctg gtgacagacc 3120  
 ccacctgtga ctgcagcatc ttcccaccag tgctgcagga ggcgacagaa gtcaaatata 3180  
 atgcctctgt caaatgtgac cggatgcgc 3209

40

&lt;210&gt; 52

&lt;211&gt; 3339

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

45

&lt;400&gt; 52

50

55

ccatgctgac aactcccaac ttctctgcaa accccagctc cagcagccgc tggattcccc 60  
 tccagccaat gcccggtggc tgggcttttg tgcagaagac ctcggccctc ctgtggctgc 120  
 tgttcttagg cactctccctg tcccctgcgt ggggacaggc caagattcct ctggaaacag 180  
 tgaagctatg ggctgacacc ttccgcgggg acctgtataa cactgtgacc aaatactcag 240  
 gctctctctt gctgcagaag aagtacaagg atgtggagtc cagtctgaag atcgaggagg 300  
 tggatggctt ggagctggtg aggaagtctc cagaggacat ggagaacatg ctgcccaggga 360  
 aagtcgagggc ggtccagaat ctgggtggaag ctgccgagga ggccgacctg aaccacgaat 420  
 tcaatgaatc cctggtgttc gactattaca actcggtcct gatcaacgag agggacgaga 480  
 agggcaactt cgtggagctg ggcgcgaggt tctcctgga gtccaatgct cacttcagca 540  
 acctgcgggt gaacacctcc atcagcagcg tgcagctgcc caccaacgtg tacaacaaag 600  
 acccagatat tttaaatgga gtctacatgt ctgaagcctt gaatgctgtc ttcgtggaga 660  
 acttccagag agaccacaac ttgacctggc aatatttttg cagtgcgaact ggattcttca 720  
 ggatctatcc aggtataaaa tggacacctg atgagaatgg agtcattact tttgactgcc 780

gaaaccgcgg ctggtacatt caagctgcta cttctcccaa ggacatagtg attttgggtgg 840  
 acgtgagcgg cagtatgaag gggctgagga tgactattgc caagcacacc atcaccacca 900  
 tcttggacac cctgggggag aatgacttcg ttaatatcat agcgtacaat gactacgtcc 960  
 attacatcga gccttggttt aaagggatcc tcgtccaggc ggaccgagac aatcgagagc 1020  
 5 atttcaaact gctggtggag gagttgatgg tcaaagggtg gggggtcgtg gaccaagccc 1080  
 tgagagaagc cttccagatc ctgaagcagt tccaagaggc caagcaagga agcctctgca 1140  
 accaggccat catgctcadc agcgacggcg ccgtggagga ctacgagccg gtgtttgaga 1200  
 agtataactg gccagactgt aagggtccgag ttttcaacta cctcattggg agagaagtgt 1260  
 cttttgctga ccgcatgaag tggattgcat gcaacaacaa aggtacttac acgcagatct 1320  
 10 caacgtcggc ggacaccag gagaacgtga tggaaatcct gcacgtgctc agccgcccc 1380  
 tggatgtcaa ccacgaccac gacatcatct ggacagaggc ctacatggac agcaagctcc 1440  
 tcagctcgca ggctcagagc ctgacactgc tcaccactgt ggccatgcca gtcttcagca 1500  
 agaagaacga aacgcgatcc catggcattc tcctgggtgt ggtgggtcca gatgtggccc 1560  
 tgagagagct gatgaagctg gcgccccggt acaagcttgg agtgcacgga tacgcctttc 1620  
 15 tgaacaccaa caatggctac atcctctccc atcccacct ccggccccctg tacagagagg 1680  
 ggaagaaact aaaacccaaa cctaactaca acagtgtgga tctctccgaa gtggagtggg 1740  
 aagaccaggc tgaatctctg agaacagcca tgatcaatag ggaaacaggc actctctcga 1800  
 tggatgtgaa ggttcctgat gataaaggga agcgaattct tttcctgacc aatgactact 1860  
 tcttcacgga catcagcgac acccctttca gtttgggggt ggtgctgtcc cggggccacg 1920  
 20 gagaatacat ccttctgggg aacacgtctg tggagaaggg cctgcatgac ttgcttcacc 1980  
 cagacctggc cctggccggt gactggatct actgcatcac agatattgac ccagaccacc 2040  
 ggaagctcag ccagctagag gccatgatcc gcttcctcac cagggaaggac ccagacctgg 2100  
 agtgtgacga ggagctggtc cgggaggtgc tgtttgacgc ggtggtgaca gcccccatgg 2160  
 aagcctactg gacagcgtg gccctcaaca gtgccgagga gtctgaacac gtggtggaca 2220  
 25 tggccttctt gggcaccggt gctggcctcc tgagaagcag cttgttcgtg ggctccgaga 2280  
 aggtctccga gtggcctcct gagaagcagc ttgttcgtgg gctccgagaa ggtctccgac 2340  
 aggaagtctc tgacacctga ggacgaggcc agcgtgttca ccctggaccg cttcccgtctg 2400  
 tggtagccgc aggcctcaga gcatcctgct ggcagcttcg tcttcaacct ccgctgggca 2460  
 gaaggaccag aaagtgcggg tgaacccatg gtggtgacgg caagcacagc tgtggcgggtg 2520  
 30 accgtggaca agaggacagc cattgctgca gccgcggggc tccaaatgaa gctggaattc 2580  
 ctccagcgca aattctgggc ggcaacgcgg cagtgcagca ctgtggatgg gccgtgcaca 2640  
 cagagctgcg aggacagtga tctggactgc ttcgtcatcg acaacaacgg gttcattctg 2700  
 atctccaaga ggtcccgaga gacgggaaga tttctggggg aggtggatgg tgctgtcctg 2760  
 acccagctgc tcagcatggg ggtgttcagc caagtgacta tgtatgacta tcaggccatg 2820  
 35 tgcaaaccct cgagtcacca ccacagtga gccagcccc tggtcagccc aatttctgcc 2880  
 ttcttgacgg cgaccaggtg gctgctgcag gagctgggtg tgttcctgct ggagtggagt 2940  
 gtctggggct cctggtacga cagagggggc gagggcaaaa gtgtcttcca tctctccac 3000  
 aaacacaaga agcaggaccc gctgcagccc tgcgacacgg agtaccctgt gttcgtgtac 3060  
 cagccggcca tccgggaggg caacgggagc gtggagtgcg ggccctgcca gaaggtattt 3120  
 40 gtgggtgcag agattcccaa cagtaacctc ctccctctgg tgacagaccc cacctgtgac 3180  
 tgcagcatct tcccaccagt gctgcaggag gcgacagaag tcaaatataa tgctctgtc 3240  
 aaatgtgacc ggatgcgctc ccagaagctc cgccggcgac cagactcctg ccacgccttc 3300  
 catccagagg agaatgcccc ggactgcggc ggcgcctcg 3339

45

&lt;210&gt; 53

&lt;211&gt; 1050

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

50

&lt;400&gt; 53

Met Pro Ala Thr Pro Asn Phe Leu Ala Asn Pro Ser Ser Ser Ser Arg  
 1 5 10 15

55

Trp Ile Pro Leu Gln Pro Met Pro Val Ala Trp Ala Phe Val Gln Lys  
 20 25 30

Thr Ser Ala Leu Leu Trp Leu Leu Leu Gly Thr Ser Leu Ser Pro  
 35 40 45

Ala Trp Gly Gln Ala Lys Ile Pro Leu Glu Thr Val Lys Leu Trp Ala  
 50 55 60  
 5 Asp Thr Phe Gly Gly Asp Leu Tyr Asn Thr Val Thr Lys Tyr Ser Gly  
 65 70 75 80  
 Ser Leu Leu Leu Gln Lys Lys Tyr Lys Asp Val Glu Ser Ser Leu Lys  
 85 90 95  
 10 Ile Glu Glu Val Asp Gly Leu Glu Leu Val Arg Lys Phe Ser Glu Asp  
 100 105 110  
 Met Glu Asn Met Leu Arg Arg Lys Val Glu Ala Val Gln Asn Leu Val  
 115 120 125  
 Glu Ala Ala Glu Glu Ala Asp Leu Asn His Glu Phe Asn Glu Ser Leu  
 130 135 140  
 20 Val Phe Asp Tyr Tyr Asn Ser Val Leu Ile Asn Glu Arg Asp Glu Lys  
 145 150 155 160  
 Gly Asn Phe Val Glu Leu Gly Ala Glu Phe Leu Leu Glu Ser Asn Ala  
 165 170 175  
 25 His Phe Ser Asn Leu Pro Val Asn Thr Ser Ile Ser Ser Val Gln Leu  
 180 185 190  
 Pro Thr Asn Val Tyr Asn Lys Asp Pro Asp Ile Leu Asn Gly Val Tyr  
 195 200 205  
 Met Ser Glu Ala Leu Asn Ala Val Phe Val Glu Asn Phe Gln Arg Asp  
 210 215 220  
 35 Pro Thr Leu Thr Trp Gln Tyr Phe Gly Ser Ala Thr Gly Phe Phe Arg  
 225 230 235 240  
 Ile Tyr Pro Gly Ile Lys Trp Thr Pro Asp Glu Asn Gly Val Ile Thr  
 245 250 255  
 40 Phe Asp Cys Arg Asn Arg Gly Trp Tyr Ile Gln Ala Ala Thr Ser Pro  
 260 265 270  
 Lys Asp Ile Val Ile Leu Val Asp Val Ser Gly Ser Met Lys Gly Leu  
 275 280 285  
 45 Arg Met Thr Ile Ala Lys His Thr Ile Thr Thr Ile Leu Asp Thr Leu  
 290 295 300  
 Gly Glu Asn Asp Phe Val Asn Ile Ile Ala Tyr Asn Asp Tyr Val His  
 305 310 315 320  
 Tyr Ile Glu Pro Cys Phe Lys Gly Ile Leu Val Gln Ala Asp Arg Asp  
 325 330 335  
 55 Asn Arg Glu His Phe Lys Leu Leu Val Glu Glu Leu Met Val Lys Gly  
 340 345 350  
 Val Gly Val Val Asp Gln Ala Leu Arg Glu Ala Phe Gln Ile Leu Lys

	355	360	365
	Gln Phe Gln Glu Ala Lys	Gln Gly Ser Leu Cys	Asn Gln Ala Ile Met
	370	375	380
5	Leu Ile Ser Asp Gly Ala Val	Glu Asp Tyr Glu Pro Val Phe Glu Lys	
	385	390	395 400
	Tyr Asn Trp Pro Asp Cys Lys Val Arg	Val Phe Thr Tyr Leu Ile Gly	
10		405 410	415
	Arg Glu Val Ser Phe Ala Asp Arg Met Lys Trp Ile Ala Cys Asn Asn		
	420	425	430
15	Lys Gly Tyr Tyr Thr Gln Ile Ser Thr Leu Ala Asp Thr Gln Glu Asn		
	435	440	445
	Val Met Glu Tyr Leu His Val Leu Ser Arg Pro Met Val Ile Asn His		
	450	455	460
20	Asp His Asp Ile Ile Trp Thr Glu Ala Tyr Met Asp Ser Lys Leu Leu		
	465	470	475 480
	Ser Ser Gln Ala Gln Ser Leu Thr Leu Leu Thr Thr Val Ala Met Pro		
25		485 490	495
	Val Phe Ser Lys Lys Asn Glu Thr Arg Ser His Gly Ile Leu Leu Gly		
	500	505	510
30	Val Val Gly Ser Asp Val Ala Leu Arg Glu Leu Met Lys Leu Ala Pro		
	515	520	525
	Arg Tyr Lys Leu Gly Val His Gly Tyr Ala Phe Leu Asn Thr Asn Asn		
	530	535	540
35	Gly Tyr Ile Leu Ser His Pro Asp Leu Arg Pro Leu Tyr Arg Glu Gly		
	545	550	555 560
	Lys Lys Leu Lys Pro Lys Pro Asn Tyr Asn Ser Val Asp Leu Ser Glu		
40		565 570	575
	Val Glu Trp Glu Asp Gln Ala Glu Ser Leu Arg Thr Ala Met Ile Asn		
	580	585	590
45	Arg Glu Thr Gly Thr Leu Ser Met Asp Val Lys Val Pro Met Asp Lys		
	595	600	605
	Gly Lys Arg Val Leu Phe Leu Thr Asn Asp Tyr Phe Phe Thr Asp Ile		
	610	615	620
50	Ser Asp Thr Pro Phe Ser Leu Gly Val Val Leu Ser Arg Gly His Gly		
	625	630	635 640
	Glu Tyr Ile Leu Leu Gly Asn Thr Ser Val Glu Glu Gly Leu His Asp		
55		645 650	655
	Leu Leu His Pro Asp Leu Ala Leu Ala Gly Asp Trp Ile Tyr Cys Ile		
	660	665	670

Thr Asp Ile Asp Pro Asp His Arg Lys Leu Ser Gln Leu Glu Ala Met  
 675 680 685  
 5 Ile Arg Phe Leu Thr Arg Lys Asp Pro Asp Leu Glu Cys Asp Glu Glu  
 690 695 700  
 Leu Val Arg Glu Val Leu Phe Asp Ala Val Val Thr Ala Pro Met Glu  
 705 710 715 720  
 10 Ala Tyr Trp Thr Ala Leu Ala Leu Asn Met Ser Glu Glu Ser Glu His  
 725 730 735  
 Val Val Asp Met Ala Phe Leu Gly Thr Arg Ala Gly Leu Leu Arg Ser  
 740 745 750  
 15 Ser Leu Phe Val Gly Ser Glu Lys Val Ser Asp Arg Lys Phe Leu Thr  
 755 760 765  
 Pro Glu Asp Glu Ala Ser Val Phe Thr Leu Asp Arg Phe Pro Leu Trp  
 770 775 780  
 20 Tyr Arg Gln Ala Ser Glu His Pro Ala Gly Ser Phe Val Phe Asn Leu  
 785 790 795 800  
 25 Arg Trp Ala Glu Gly Pro Glu Ser Ala Gly Glu Pro Met Val Val Thr  
 805 810 815  
 Ala Ser Thr Ala Val Ala Val Thr Val Asp Lys Arg Thr Ala Ile Ala  
 820 825 830  
 30 Ala Ala Ala Gly Val Gln Met Lys Leu Glu Phe Leu Gln Arg Lys Phe  
 835 840 845  
 Trp Ala Ala Thr Arg Gln Cys Ser Thr Val Asp Gly Pro Cys Thr Gln  
 850 855 860  
 35 Ser Cys Glu Asp Ser Asp Leu Asp Cys Phe Val Ile Asp Asn Asn Gly  
 865 870 875 880  
 40 Phe Ile Leu Ile Ser Lys Arg Ser Arg Glu Thr Gly Arg Phe Leu Gly  
 885 890 895  
 Glu Val Asp Gly Ala Val Leu Thr Gln Leu Leu Ser Met Gly Val Phe  
 900 905 910  
 45 Ser Gln Val Thr Met Tyr Asp Tyr Gln Ala Met Cys Lys Pro Ser Ser  
 915 920 925  
 His His His Ser Ala Ala Gln Pro Leu Val Ser Pro Ile Ser Ala Phe  
 930 935 940  
 50 Leu Thr Ala Thr Arg Trp Leu Leu Gln Glu Leu Val Leu Phe Leu Leu  
 945 950 955 960  
 55 Glu Trp Ser Val Trp Gly Ser Trp Tyr Asp Arg Gly Ala Glu Ala Lys  
 965 970 975  
 Ser Val Phe His His Ser His Lys His Lys Lys Gln Asp Pro Leu Gln  
 980 985 990



Pro Cys Asp Thr Glu Tyr Pro Val Phe Val Tyr Gln Pro Ala Ile Arg  
 995 1000 1005

5 Glu Ala Asn Gly Ile Val Glu Cys Gly Pro Cys Gln Lys Val Phe Val  
 1010 1015 1020

Val Gln Gln Ile Pro Asn Ser Asn Leu Leu Leu Leu Val Thr Asp Pro  
 1025 1030 1035 1040

10 Thr Cys Asp Cys Ser Ile Phe Pro Pro Val  
 1045 1050

15 <210> 54  
 <211> 1069  
 <212> PRT  
 <213> Homo sapiens

20 <400> 54  
 Met Pro Ala Thr Pro Asn Phe Leu Ala Asn Pro Ser Ser Ser Ser Arg  
 1 5 10 15

25 Trp Ile Pro Leu Gln Pro Met Pro Val Ala Trp Ala Phe Val Gln Lys  
 20 25 30

Thr Ser Ala Leu Leu Trp Leu Leu Leu Leu Gly Thr Ser Leu Ser Pro  
 35 40 45

30 Ala Trp Gly Gln Ala Lys Ile Pro Leu Glu Thr Val Lys Leu Trp Ala  
 50 55 60

Asp Thr Phe Gly Gly Asp Leu Tyr Asn Thr Val Thr Lys Tyr Ser Gly  
 65 70 75 80

35 Ser Leu Leu Leu Gln Lys Lys Tyr Lys Asp Val Glu Ser Ser Leu Lys  
 85 90 95

40 Ile Glu Glu Val Asp Gly Leu Glu Leu Val Arg Lys Phe Ser Glu Asp  
 100 105 110

Met Glu Asn Met Leu Arg Arg Lys Val Glu Ala Val Gln Asn Leu Val  
 115 120 125

45 Glu Ala Ala Glu Glu Ala Asp Leu Asn His Glu Phe Asn Glu Ser Leu  
 130 135 140

Val Phe Asp Tyr Tyr Asn Ser Val Leu Ile Asn Glu Arg Asp Glu Lys  
 145 150 155 160

50 Gly Asn Phe Val Glu Leu Gly Ala Glu Phe Leu Leu Glu Ser Asn Ala  
 165 170 175

His Phe Ser Asn Leu Pro Val Asn Thr Ser Ile Ser Ser Val Gln Leu  
 180 185 190

Pro Thr Asn Val Tyr Asn Lys Asp Pro Asp Ile Leu Asn Gly Val Tyr  
 195 200 205

Met Ser Glu Ala Leu Asn Ala Val Phe Val Glu Asn Phe Gln Arg Asp  
 210 215 220  
 Pro Thr Leu Thr Trp Gln Tyr Phe Gly Ser Ala Thr Gly Phe Phe Arg  
 5 225 230 235 240  
 Ile Tyr Pro Gly Ile Lys Trp Thr Pro Asp Glu Asn Gly Val Ile Thr  
 245 250 255  
 10 Phe Asp Cys Arg Asn Arg Gly Trp Tyr Ile Gln Ala Ala Thr Ser Pro  
 260 265 270  
 Lys Asp Ile Val Ile Leu Val Asp Val Ser Gly Ser Met Lys Gly Leu  
 275 280 285  
 15 Arg Met Thr Ile Ala Lys His Thr Ile Thr Thr Ile Leu Asp Thr Leu  
 290 295 300  
 Gly Glu Asn Asp Phe Val Asn Ile Ile Ala Tyr Asn Asp Tyr Val His  
 20 305 310 315 320  
 Tyr Ile Glu Pro Cys Phe Lys Gly Ile Leu Val Gln Ala Asp Arg Asp  
 325 330 335  
 25 Asn Arg Glu His Phe Lys Leu Leu Val Glu Glu Leu Met Val Lys Gly  
 340 345 350  
 Val Gly Val Val Asp Gln Ala Leu Arg Glu Ala Phe Gln Ile Leu Lys  
 355 360 365  
 30 Gln Phe Gln Glu Ala Lys Gln Gly Ser Leu Cys Asn Gln Ala Ile Met  
 370 375 380  
 Leu Ile Ser Asp Gly Ala Val Glu Asp Tyr Glu Pro Val Phe Glu Lys  
 35 385 390 395 400  
 Tyr Asn Trp Pro Asp Cys Lys Val Arg Val Phe Thr Tyr Leu Ile Gly  
 405 410 415  
 40 Arg Glu Val Ser Phe Ala Asp Arg Met Lys Trp Ile Ala Cys Asn Asn  
 420 425 430  
 Lys Gly Tyr Tyr Thr Gln Ile Ser Thr Leu Ala Asp Thr Gln Glu Asn  
 435 440 445  
 45 Val Met Glu Tyr Leu His Val Leu Ser Arg Pro Met Val Ile Asn His  
 450 455 460  
 Asp His Asp Ile Ile Trp Thr Glu Ala Tyr Met Asp Ser Lys Leu Leu  
 50 465 470 475 480  
 Ser Ser Gln Ala Gln Ser Leu Thr Leu Leu Thr Thr Val Ala Met Pro  
 485 490 495  
 55 Val Phe Ser Lys Lys Asn Glu Thr Arg Ser His Gly Ile Leu Leu Gly  
 500 505 510  
 Val Val Gly Ser Asp Val Ala Leu Arg Glu Leu Met Lys Leu Ala Pro  
 515 520 525

Arg Tyr Lys Leu Gly Val His Gly Tyr Ala Phe Leu Asn Thr Asn Asn  
 530 535 540  
 5 Gly Tyr Ile Leu Ser His Pro Asp Leu Arg Pro Leu Tyr Arg Glu Gly  
 545 550 555 560  
 Lys Lys Leu Lys Pro Lys Pro Asn Tyr Asn Ser Val Asp Leu Ser Glu  
 565 570 575  
 10 Val Glu Trp Glu Asp Gln Ala Glu Ser Leu Arg Thr Ala Met Ile Asn  
 580 585 590  
 Arg Glu Thr Gly Thr Leu Ser Met Asp Val Lys Val Pro Met Asp Lys  
 15 595 600 605  
 Gly Lys Arg Val Leu Phe Leu Thr Asn Asp Tyr Phe Phe Thr Asp Ile  
 610 615 620  
 20 Ser Asp Thr Pro Phe Ser Leu Gly Val Val Leu Ser Arg Gly His Gly  
 625 630 635 640  
 Glu Tyr Ile Leu Leu Gly Asn Thr Ser Val Glu Glu Gly Leu His Asp  
 645 650 655  
 25 Leu Leu His Pro Asp Leu Ala Leu Ala Gly Asp Trp Ile Tyr Cys Ile  
 660 665 670  
 Thr Asp Ile Asp Pro Asp His Arg Lys Leu Ser Gln Leu Glu Ala Met  
 30 675 680 685  
 Ile Arg Phe Leu Thr Arg Lys Asp Pro Asp Leu Glu Cys Asp Glu Glu  
 690 695 700  
 35 Leu Val Arg Glu Val Leu Phe Asp Ala Val Val Thr Ala Pro Met Glu  
 705 710 715 720  
 Ala Tyr Trp Thr Ala Leu Ala Leu Asn Met Ser Glu Glu Ser Glu His  
 725 730 735  
 40 Val Val Asp Met Ala Phe Leu Gly Thr Arg Ala Gly Leu Leu Arg Ser  
 740 745 750  
 Ser Leu Phe Val Gly Ser Glu Lys Val Ser Asp Arg Lys Phe Leu Thr  
 45 755 760 765  
 Pro Glu Asp Glu Ala Ser Val Phe Thr Leu Asp Arg Phe Pro Leu Trp  
 770 775 780  
 50 Tyr Arg Gln Ala Ser Glu His Pro Ala Gly Ser Phe Val Phe Asn Leu  
 785 790 795 800  
 Arg Trp Ala Glu Gly Pro Glu Ser Ala Gly Glu Pro Met Val Val Thr  
 805 810 815  
 55 Ala Ser Thr Ala Val Ala Val Thr Val Asp Lys Arg Thr Ala Ile Ala  
 820 825 830  
 Ala Ala Ala Gly Val Gln Met Lys Leu Glu Phe Leu Gln Arg Lys Phe

835                      840                      845  
 Trp Ala Ala Thr Arg Gln Cys Ser Thr Val Asp Gly Pro Cys Thr Gln  
 850                      855                      860  
 5 Ser Cys Glu Asp Ser Asp Leu Asp Cys Phe Val Ile Asp Asn Asn Gly  
 865                      870                      875                      880  
 Phe Ile Leu Ile Ser Lys Arg Ser Arg Glu Thr Gly Arg Phe Leu Gly  
 10                      885                      890                      895  
 Glu Val Asp Gly Ala Val Leu Thr Gln Leu Leu Ser Met Gly Val Phe  
 900                      905                      910  
 15 Ser Gln Val Thr Met Tyr Asp Tyr Gln Ala Met Cys Lys Pro Ser Ser  
 915                      920                      925  
 His His His Ser Ala Ala Gln Pro Leu Val Ser Pro Ile Ser Ala Phe  
 930                      935                      940  
 20 Leu Thr Ala Thr Arg Trp Leu Leu Gln Glu Leu Val Leu Phe Leu Leu  
 945                      950                      955                      960  
 Glu Trp Ser Val Trp Gly Ser Trp Tyr Asp Arg Gly Ala Glu Ala Lys  
 25                      965                      970                      975  
 Ser Val Phe His His Ser His Lys His Lys Lys Gln Asp Pro Leu Gln  
 980                      985                      990  
 30 Pro Cys Asp Thr Glu Tyr Pro Val Phe Val Tyr Gln Pro Ala Ile Arg  
 995                      1000                      1005  
 Glu Ala Asn Gly Ile Val Glu Cys Gly Pro Cys Gln Lys Val Phe Val  
 1010                      1015                      1020  
 35 Val Gln Gln Ile Pro Asn Ser Asn Leu Leu Leu Leu Val Thr Asp Pro  
 1025                      1030                      1035                      1040  
 Thr Cys Asp Cys Ser Ile Phe Pro Pro Val Leu Gln Glu Ala Thr Glu  
 40                      1045                      1050                      1055  
 Val Lys Tyr Asn Ala Ser Val Lys Cys Asp Arg Met Arg  
 1060                      1065  
 45  
 <210> 55  
 <211> 1097  
 <212> PRT  
 <213> Homo sapiens  
 50  
 <400> 55  
 Met Pro Ala Thr Pro Asn Phe Leu Ala Asn Pro Ser Ser Ser Ser Arg  
 1                      5                      10                      15  
 55 Trp Ile Pro Leu Gln Pro Met Pro Val Ala Trp Ala Phe Val Gln Lys  
 20                      25                      30  
 Thr Ser Ala Leu Leu Trp Leu Leu Leu Leu Gly Thr Ser Leu Ser Pro  
 35                      40                      45

Ala Trp Gly Gln Ala Lys Ile Pro Leu Glu Thr Val Lys Leu Trp Ala  
 50 55 60  
 5 Asp Thr Phe Gly Gly Asp Leu Tyr Asn Thr Val Thr Lys Tyr Ser Gly  
 65 70 75 80  
 Ser Leu Leu Leu Gln Lys Lys Tyr Lys Asp Val Glu Ser Ser Leu Lys  
 85 90 95  
 10 Ile Glu Glu Val Asp Gly Leu Glu Leu Val Arg Lys Phe Ser Glu Asp  
 100 105 110  
 Met Glu Asn Met Leu Arg Arg Lys Val Glu Ala Val Gln Asn Leu Val  
 115 120 125  
 Glu Ala Ala Glu Glu Ala Asp Leu Asn His Glu Phe Asn Glu Ser Leu  
 130 135 140  
 20 Val Phe Asp Tyr Tyr Asn Ser Val Leu Ile Asn Glu Arg Asp Glu Lys  
 145 150 155 160  
 Gly Asn Phe Val Glu Leu Gly Ala Glu Phe Leu Leu Glu Ser Asn Ala  
 165 170 175  
 25 His Phe Ser Asn Leu Pro Val Asn Thr Ser Ile Ser Ser Val Gln Leu  
 180 185 190  
 Pro Thr Asn Val Tyr Asn Lys Asp Pro Asp Ile Leu Asn Gly Val Tyr  
 195 200 205  
 Met Ser Glu Ala Leu Asn Ala Val Phe Val Glu Asn Phe Gln Arg Asp  
 210 215 220  
 35 Pro Thr Leu Thr Trp Gln Tyr Phe Gly Ser Ala Thr Gly Phe Phe Arg  
 225 230 235 240  
 Ile Tyr Pro Gly Ile Lys Trp Thr Pro Asp Glu Asn Gly Val Ile Thr  
 245 250 255  
 40 Phe Asp Cys Arg Asn Arg Gly Trp Tyr Ile Gln Ala Ala Thr Ser Pro  
 260 265 270  
 Lys Asp Ile Val Ile Leu Val Asp Val Ser Gly Ser Met Lys Gly Leu  
 275 280 285  
 45 Arg Met Thr Ile Ala Lys His Thr Ile Thr Thr Ile Leu Asp Thr Leu  
 290 295 300  
 50 Gly Glu Asn Asp Phe Val Asn Ile Ile Ala Tyr Asn Asp Tyr Val His  
 305 310 315 320  
 Tyr Ile Glu Pro Cys Phe Lys Gly Ile Leu Val Gln Ala Asp Arg Asp  
 325 330 335  
 55 Asn Arg Glu His Phe Lys Leu Leu Val Glu Glu Leu Met Val Lys Gly  
 340 345 350  
 Val Gly Val Val Asp Gln Ala Leu Arg Glu Ala Phe Gln Ile Leu Lys

	355	360	365
	Gln Phe Gln Glu Ala Lys	Gln Gly Ser Leu Cys	Asn Gln Ala Ile Met
	370	375	380
5	Leu Ile Ser Asp Gly Ala Val	Glu Asp Tyr Glu Pro Val Phe Glu Lys	
	385	390	395 400
10	Tyr Asn Trp Pro Asp Cys Lys Val Arg Val Phe Thr Tyr Leu Ile Gly		
		405 410	415
	Arg Glu Val Ser Phe Ala Asp Arg Met Lys Trp Ile Ala Cys Asn Asn		
		420 425	430
15	Lys Gly Tyr Tyr Thr Gln Ile Ser Thr Leu Ala Asp Thr Gln Glu Asn		
		435 440	445
	Val Met Glu Tyr Leu His Val Leu Ser Arg Pro Met Val Ile Asn His		
		450 455	460
20	Asp His Asp Ile Ile Trp Thr Glu Ala Tyr Met Asp Ser Lys Leu Leu		
		465 470	475 480
25	Ser Ser Gln Ala Gln Ser Leu Thr Leu Leu Thr Thr Val Ala Met Pro		
		485 490	495
	Val Phe Ser Lys Lys Asn Glu Thr Arg Ser His Gly Ile Leu Leu Gly		
		500 505	510
30	Val Val Gly Ser Asp Val Ala Leu Arg Glu Leu Met Lys Leu Ala Pro		
		515 520	525
	Arg Tyr Lys Leu Gly Val His Gly Tyr Ala Phe Leu Asn Thr Asn Asn		
		530 535	540
35	Gly Tyr Ile Leu Ser His Pro Asp Leu Arg Pro Leu Tyr Arg Glu Gly		
		545 550	555 560
40	Lys Lys Leu Lys Pro Lys Pro Asn Tyr Asn Ser Val Asp Leu Ser Glu		
		565 570	575
	Val Glu Trp Glu Asp Gln Ala Glu Ser Leu Arg Thr Ala Met Ile Asn		
		580 585	590
45	Arg Glu Thr Gly Thr Leu Ser Met Asp Val Lys Val Pro Met Asp Lys		
		595 600	605
	Gly Lys Arg Val Leu Phe Leu Thr Asn Asp Tyr Phe Phe Thr Asp Ile		
		610 615	620
50	Ser Asp Thr Pro Phe Ser Leu Gly Val Val Leu Ser Arg Gly His Gly		
		625 630	635 640
55	Glu Tyr Ile Leu Leu Gly Asn Thr Ser Val Glu Glu Gly Leu His Asp		
		645 650	655
	Leu Leu His Pro Asp Leu Ala Leu Ala Gly Asp Trp Ile Tyr Cys Ile		
		660 665	670

Thr Asp Ile Asp Pro Asp His Arg Lys Leu Ser Gln Leu Glu Ala Met  
 675 680 685  
 5 Ile Arg Phe Leu Thr Arg Lys Asp Pro Asp Leu Glu Cys Asp Glu Glu  
 690 695 700  
 Leu Val Arg Glu Val Leu Phe Asp Ala Val Val Thr Ala Pro Met Glu  
 705 710 715 720  
 10 Ala Tyr Trp Thr Ala Leu Ala Leu Asn Met Ser Glu Glu Ser Glu His  
 725 730 735  
 Val Val Asp Met Ala Phe Leu Gly Thr Arg Ala Ser Gly Leu Leu Arg  
 740 745 750  
 15 Ser Ser Leu Phe Val Gly Ser Glu Lys Val Ser Asp Arg Lys Phe Leu  
 755 760 765  
 Thr Pro Glu Asp Glu Ala Ser Val Phe Thr Leu Asp Arg Phe Pro Leu  
 770 775 780  
 20 Trp Tyr Arg Gln Ala Ser Glu His Pro Ala Gly Ser Phe Val Phe Asn  
 785 790 795 800  
 25 Leu Arg Trp Ala Glu Gly Pro Glu Ser Ala Gly Glu Pro Met Val Val  
 805 810 815  
 Thr Ala Ser Thr Ala Val Ala Val Thr Val Asp Lys Arg Thr Ala Ile  
 820 825 830  
 30 Ala Ala Ala Ala Gly Val Gln Met Lys Leu Glu Phe Leu Gln Arg Lys  
 835 840 845  
 Phe Trp Ala Ala Thr Arg Gln Cys Ser Thr Val Asp Gly Pro Cys Thr  
 850 855 860  
 35 Gln Ser Cys Glu Asp Ser Asp Leu Asp Cys Phe Val Ile Asp Asn Asn  
 865 870 875 880  
 40 Gly Phe Ile Leu Ile Ser Lys Arg Ser Arg Glu Thr Gly Arg Phe Leu  
 885 890 895  
 Gly Glu Val Asp Gly Ala Val Leu Thr Gln Leu Leu Ser Met Gly Val  
 900 905 910  
 45 Phe Ser Gln Val Thr Met Tyr Asp Tyr Gln Ala Met Cys Lys Pro Ser  
 915 920 925  
 Ser His His His Ser Ala Ala Gln Pro Leu Val Ser Pro Ile Ser Ala  
 930 935 940  
 50 Phe Leu Thr Ala Thr Arg Trp Leu Leu Gln Glu Leu Val Leu Phe Leu  
 945 950 955 960  
 55 Leu Glu Trp Ser Val Trp Gly Ser Trp Tyr Asp Arg Gly Ala Glu Ala  
 965 970 975  
 Lys Ser Val Phe His His Ser His Lys His Lys Lys Gln Asp Pro Leu  
 980 985 990

Gln Pro Cys Asp Thr Glu Tyr Pro Val Phe Val Tyr Gln Pro Ala Ile  
 995 1000 1005  
 5 Arg Glu Ala Asn Gly Ile Val Glu Cys Gly Pro Cys Gln Lys Val Phe  
 1010 1015 1020  
 Val Val Gln Gln Ile Pro Asn Ser Asn Leu Leu Leu Leu Val Thr Asp  
 1025 1030 1035 1040  
 10 Pro Thr Cys Asp Cys Ser Ile Phe Pro Pro Val Leu Gln Glu Ala Thr  
 1045 1050 1055  
 Glu Val Lys Tyr Asn Ala Ser Val Lys Cys Asp Arg Met Arg Ser Gln  
 15 1060 1065 1070  
 Lys Leu Arg Arg Arg Pro Asp Ser Cys His Ala Phe His Pro Glu Glu  
 1075 1080 1085  
 20 Asn Ala Gln Asp Cys Gly Gly Ala Ser  
 1090 1095



**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☒ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☒ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**